Nuclear Regulatory Commission

- (i) Whether provisions for institutional controls proposed by the licensee:
- (A) Will provide reasonable assurance that the TEDE from residual radioactivity distinguishable from background to the average member of the critical group will not exceed 25 mrem (0.25 mSv) TEDE per year;
 - (B) Will be enforceable; and
- (C) Will not impose undue burdens on the local community or other affected parties.
- (ii) Whether the licensee has provided sufficient financial assurance to enable an independent third party, including a governmental custodian of a site, to assume and carry out responsibilities for any necessary control and maintenance of the site:
- (2) In seeking advice on the issues identified in $\S 20.1403(d)(1)$, the licensee shall provide for:
- (i) Participation by representatives of a broad cross section of community interests who may be affected by the decommissioning;
- (ii) An opportunity for a comprehensive, collective discussion on the issues by the participants represented; and
- (iii) A publicly available summary of the results of all such discussions, including a description of the individual viewpoints of the participants on the issues and the extent of agreement or disagreement among the participants on the issues: and
- (e) Residual radioactivity at the site has been reduced so that if the institutional controls were no longer in effect, there is reasonable assurance that the TEDE from residual radioactivity distinguishable from background to the average member of the critical group is as low as reasonably achievable and would not exceed either—
 - (1) 100 mrem (1 mSv) per year; or
- (2) 500 mrem (5 mSv) per year provided that the licensee—
- (i) Demonstrates that further reductions in residual radioactivity necessary to comply with the 100 mrem/y (1 mSv/y) value of paragraph (e)(1) of this section are not technically achievable, would be prohibitively expensive, or would result in net public or environmental harm;
- (ii) Makes provisions for durable institutional controls;

(iii) Provides sufficient financial assurance to enable a responsible government entity or independent third party, including a governmental custodian of a site, both to carry out periodic rechecks of the site no less frequently than every 5 years to assure that the institutional controls remain in place as necessary to meet the criteria of §20.1403(b) and to assume and carry out responsibilities for any necessary control and maintenance of those controls. Acceptable financial assurance mechanisms are those in paragraph (c) of this section.

[62 FR 39088, July 21, 1997, as amended at 76 FR 35564, July 17, 2011]

§ 20.1404 Alternate criteria for license termination.

- (a) The Commission may terminate a license using alternate criteria greater than the dose criterion of §§ 20.1402, 20.1403(b), and 20.1403(d)(1)(i)(A), if the licensee—
- (1) Provides assurance that public health and safety would continue to be protected, and that it is unlikely that the dose from all man-made sources combined, other than medical, would be more than the 1 mSv/y (100 mrem/y) limit of subpart D, by submitting an analysis of possible sources of exposure;
- (2) Has employed to the extent practical restrictions on site use according to the provisions of §20.1403 in minimizing exposures at the site; and
- (3) Reduces doses to ALARA levels, taking into consideration any detriments such as traffic accidents expected to potentially result from decontamination and waste disposal.
- (4) Has submitted a decommissioning plan or License Termination Plan (LTP) to the Commission indicating the licensee's intent to decommission in accordance with §§30.36(d), 40.42(d), 50.82 (a) and (b), 70.38(d), or 72.54 of this chapter, and specifying that the licensee proposes to decommission by use of alternate criteria. The licensee shall document in the decommissioning plan or LTP how the advice of individuals and institutions in the decommissioning has been sought and addressed, as appropriate, following

§ 20.1405

analysis of that advice. In seeking such advice, the licensee shall provide for:

- (i) Participation by representatives of a broad cross section of community interests who may be affected by the decommissioning:
- (ii) An opportunity for a comprehensive, collective discussion on the issues by the participants represented; and
- (iii) A publicly available summary of the results of all such discussions, including a description of the individual viewpoints of the participants on the issues and the extent of agreement and disagreement on the issues.
- (5) Has provided sufficient financial assurance in the form of a trust fund to enable an independent third party, including a governmental custodian of a site, to assume and carry out responsibilities for any necessary control and maintenance of the site.
- (b) The use of alternate criteria to terminate a license requires the approval of the Commission after consideration of the NRC staff's recommendations that will address any comments provided by the Environmental Protection Agency and any public comments submitted pursuant to §20.1405.

[62 FR 39088, July 21, 1997, as amended at 76 FR 35564, July 17, 2011]

§ 20.1405 Public notification and public participation.

Upon the receipt of an LTP or decommissioning plan from the licensee, or a proposal by the licensee for release of a site pursuant to §\$20.1403 or 20.1404, or whenever the Commission deems such notice to be in the public interest, the Commission shall:

- (a) Notify and solicit comments from:
- (1) Local and State governments in the vicinity of the site and any Indian Nation or other indigenous people that have treaty or statutory rights that could be affected by the decommissioning; and
- (2) The Environmental Protection Agency for cases where the licensee proposes to release a site pursuant to \$20,1404
- (b) Publish a notice in the FEDERAL REGISTER and in a forum. such as local newspapers, letters to State of local organizations, or other appropriate forum, that is readily accessible to individuals in the vicinity of the site,

and solicit comments from affected parties.

§ 20.1406 Minimization of contamination.

- (a) Applicants for licenses, other than early site permits and manufacturing licenses under part 52 of this chapter and renewals, whose applications are submitted after August 20, 1997, shall describe in the application how facility design and procedures for operation will minimize, to the extent practicable, contamination of the facility and the environment, facilitate eventual decommissioning, and minimize, to the extent practicable, the generation of radioactive waste.
- (b) Applicants for standard design certifications, standard design approvals, and manufacturing licenses under part 52 of this chapter, whose applications are submitted after August 20, 1997, shall describe in the application how facility design will minimize, to the extent practicable, contamination of the facility and the environment, facilitate eventual decommissioning, and minimize, to the extent practicable, the generation of radioactive waste.
- (c) Licensees shall, to the extent practical, conduct operations to minimize the introduction of residual radioactivity into the site, including the subsurface, in accordance with the existing radiation protection requirements in subpart B and radiological criteria for license termination in subpart E of this part.

[72 FR 49485, Aug. 28, 2007, as amended at 76 FR 35564, June 17, 2011]

Subpart F—Surveys and Monitoring

Source: 56 FR 23398, May 21, 1991, unless otherwise noted.

§ 20.1501 General.

- (a) Each licensee shall make or cause to be made, surveys of areas, including the subsurface, that—
- (1) May be necessary for the licensee to comply with the regulations in this part: and
- (2) Are reasonable under the circumstances to evaluate—