Food and Drug Administration, HHS

(2) The ingredient is used in food at levels not to exceed current good manufacturing practice. Thiamine mononitrate may be used in infant formula in accordance with section 412(g) of the Federal Food, Drug, and Cosmetic Act (the Act) or with regulations promulgated under section 412(a)(2) of the Act.

(d) Prior sanctions for this ingredient different from the uses established in this section do not exist or have been waived.

[48 FR 55124, Dec. 9, 1983]

§184.1890 α-Tocopherols.

(a) The α -tocopherols that are the subject of this GRAS affirmation regulation are limited to the following:

(1) d-α-Tocopherol (CAS Reg. No. 59-02-9) is the chemical [2R,4'R,8prime;R]-2,5,7,8-tetramethyl-2-(4',8',12'-trimethyltridecyl)-6-chromanol. It occurs commercially as a concentrate and is a red, nearly odorless, viscous oil. It is obtained by vacuum steam distillation of edible vegetable oil products.

(2) dl- α -Tocopherol (CAS Reg. No. 10191 - 41 - 0is a mixture of stereoisomers of 2,5,7,8-tetramethyl-2-(4',8',12'-trimethyl-tridecyl)-6-

chromanol. It is chemically synthesized by condensing racemic with isophytol trimethyl hvdroquinone. It is a pale yellow viscous oil at room temperature.

(b) The ingredients meet the specifications of the Food Chemicals Codex, 3d Ed. (1981), pp. 330-331, which is incorporated by reference. Copies are available from the National Academy Press, 2101 Constitution Ave. NW., Washington, DC 20418, or available for inspection at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or to: http://www.archives.gov/ go federal_register/

code_of_federal_regulations/

ibr locations.html.

(c) In accordance with \$184.1(b)(3), the affirmation of the ingredients as generally recognized as safe is limited to the following conditions of use while the agency concludes the general evaluation of all food uses of tocopherols:

(1) The ingredients are used as inhibitors of nitrosamine formation.

(2) The ingredients are used in pumpcured bacon at levels not to exceed current good manufacturing practice.

[49 FR 13348, Apr. 4, 1984]

§184.1901 Triacetin.

(a) Triacetin (C_8 H₁₄O₆, CAS Reg. No. 102-76-1), also known as 1,2,3,propanetriol triacetate or glyceryl triacetate, is the triester of glycerin and acetic acid. Triacetin can be prepared by heating glycerin with acetic anhydride alone or in the presence of finely divided potassium hydrogen sulfate. It can also be prepared by the reaction of oxygen with a liquid-phase mixture of allyl acetate and acetic acid using a bromide salt as a catalyst.

(b) The ingredient meets the specifications of the Food Chemicals Codex, 3d Ed. (1981), pp. 337-338, as revised by the First Supplement to the 3d Ed., which is incorporated by reference in accordance with 5 U.S.C. 552(a). Copies are available from the National Academy Press, 2102 Constitution Ave., NW., Washington, DC 20418, or available for inspection at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/ federal_register/ code_of_federal_regulations/

ibr locations.html.

(c) In accordance with \$184.1(b)(1), the ingredient is used in food with no limitation other than current good manufacturing practice. The affirmation of this ingredient as generally recognized as safe (GRAS) as a direct human food ingredient is based upon the following current good manufacturing practice conditions of use:

(1) The ingredient is used in food as a flavoring agent and adjuvant as defined in §170.3(o)(12) of this chapter; a formulation aid as defined in §170.3(o)(14) of this chapter; and humectant as defined in §170.3(0)(16) of this chapter; and a solvent and vehicle as defined in §170.3(0)(27) of this chapter.

(2) The ingredient is used in the following foods at levels not to exceed current good manufacturing practice: baked goods and baking mixes as defined in §170.3(n)(1) of this chapter, alcoholic beverages as defined in