

dermatitis and for the relief of superficial inflammation caused by chemical burns and physical abrasions.

(3) Federal law restricts this drug to use by or on the order of a licensed veterinarian.

[40 FR 13873, Mar. 27, 1975, as amended at 62 FR 40932, July 31, 1997; 79 FR 10968, Feb. 27, 2014]

§ 524.981b Fluocinolone solution.

(a) *Specifications.* The drug contains 0.01 percent fluocinolone acetonide.

(b) *Sponsor.* See No. 099207 in § 510.600(c) of this chapter.

(c) *Conditions of use in dogs*—(1) *Amount*—A small amount of solution is applied to the affected area two or three times daily.

(2) *Indications for use*—(i) *Dogs.* For the relief of pruritis and inflammation associated with otitis externa and certain superficial acute and chronic dermatoses.

(ii) *Cats.* For the relief of pruritis and inflammation associated with acute otitis externa and certain superficial acute and chronic dermatoses.

(3) Federal law restricts this drug to use by or on the order of a licensed veterinarian.

[40 FR 13873, Mar. 27, 1975, as amended at 62 FR 40932, July 31, 1997; 79 FR 10969, Feb. 27, 2014]

§ 524.981c Fluocinolone and neomycin cream.

(a) *Specifications.* The drug contains 0.025 percent fluocinolone acetonide and 0.5 percent neomycin sulfate (0.35 percent neomycin base).

(b) *Sponsor.* See No. 099207 in § 510.600(c) of this chapter.

(c) *Conditions of use in dogs*—(1) *Amount*—A small amount is applied to the affected area two or three times daily.

(2) *Indications for use*—(i) *Dogs.* For the relief of pruritis and inflammation associated with superficial acute and chronic dermatoses. It is used in the treatment of allergic and acute moist dermatitis and nonspecific dermatoses.

(ii) *Dogs and cats.* Used in the treatment of wound infections.

(3) Federal law restricts this drug to use by or on the order of a licensed veterinarian.

[40 FR 13873, Mar. 27, 1975, as amended at 62 FR 40932, July 31, 1997; 79 FR 10969, Feb. 27, 2014]

§ 524.981d Fluocinolone and dimethyl sulfoxide solution.

(a) *Specifications.* Each milliliter of solution contains 0.01 percent fluocinolone acetonide and 20 percent dimethyl sulfoxide.

(b) *Sponsor.* See No. 054771 in § 510.600(c) of this chapter.

(c) *Conditions of use in dogs*—(1) *Amount*—Instill 1 to 2 milliliters into each anal sac following expression of anal sac contents.

(2) *Indications for use.* For the relief of impaction commonly present in apparently normal anal sacs, for the reversal of inflammatory changes associated with abnormal anal sacs, and to counteract the offensive odor of anal sac secretions.

(3) *Limitations.* Federal law restricts this drug to use by or on the order of a licensed veterinarian.

[79 FR 10969, Feb. 27, 2014]

§ 524.981e Fluocinolone and dimethyl sulfoxide otic solution.

(a) *Specifications.* Each milliliter of solution contains 0.01 percent fluocinolone acetonide and 60 percent dimethyl sulfoxide.

(b) *Sponsor.* See No. 054771 in § 510.600(c) of this chapter.

(c) *Conditions of use in dogs*—(1) *Amount*—Instill 4 to 6 drops (0.2 milliliter) twice daily into the ear canal for a maximum period of 14 days. The total dosage used should not exceed 17 milliliters.

(2) *Indications for use.* For the relief of pruritis and inflammation associated with acute and chronic otitis.

(3) *Limitations.* Federal law restricts this drug to use by or on the order of a licensed veterinarian.

[79 FR 10969, Feb. 27, 2014]

§ 524.1005 Furazolidone powder.

(a) *Specifications.* The product contains either 4 or 10 percent furazolidone in inert dispersing agent and propellant.