

## § 51.190

(e) *Storage of drugs and biologicals.* (1) In accordance with State and Federal laws, the facility management must store all drugs and biologicals in locked compartments under proper temperature controls, and permit only authorized personnel to have access to the keys.

(2) The facility management must provide separately locked, permanently affixed compartments for storage of controlled drugs listed in Schedule II of the Comprehensive Drug Abuse Prevention and Control Act of 1976 and other drugs subject to abuse.

(Authority: 38 U.S.C. 101, 501, 1710, 1741–1743)

(The Office of Management and Budget has approved the information collection requirements in this section under control number 2900–0160)

[65 FR 968, Jan. 6, 2000, as amended at 74 FR 19434, Apr. 29, 2009]

### § 51.190 Infection control.

The facility management must establish and maintain an infection control program designed to provide a safe, sanitary, and comfortable environment and to help prevent the development and transmission of disease and infection.

(a) *Infection control program.* The facility management must establish an infection control program under which it—

(1) Investigates, controls, and prevents infections in the facility;

(2) Decides what procedures, such as isolation, should be applied to an individual resident; and

(3) Maintains a record of incidents and corrective actions related to infections.

(b) *Preventing spread of infection.* (1) When the infection control program determines that a resident needs isolation to prevent the spread of infection, the facility management must isolate the resident.

(2) The facility management must prohibit employees with a communicable disease or infected skin lesions from engaging in any contact with residents or their environment that would transmit the disease.

(3) The facility management must require staff to wash their hands after each direct resident contact for which

## 38 CFR Ch. I (7–1–14 Edition)

hand washing is indicated by accepted professional practice.

(c) *Linens.* Personnel must handle, store, process, and transport linens so as to prevent the spread of infection.

(Authority: 38 U.S.C. 101, 501, 1710, 1741–1743)

(The Office of Management and Budget has approved the information collection requirements in this section under control number 2900–0160)

[65 FR 968, Jan. 6, 2000, as amended at 74 FR 19434, Apr. 29, 2009]

### § 51.200 Physical environment.

The facility management must be designed, constructed, equipped, and maintained to protect the health and safety of residents, personnel and the public.

(a) *Life safety from fire.* The facility must meet the applicable provisions of the National Fire Protection Association's NFPA 101, Life Safety Code (2009 edition), except that the requirement in paragraph 19.3.5.1 for all buildings containing nursing homes to have an automatic sprinkler system is not applicable until August 13, 2013, unless an automatic sprinkler system was previously required by the Life Safety Code and the NFPA 99, Standard for Health Care Facilities (2005 edition). Incorporation by reference of these materials was approved by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. These materials incorporated by reference are available for inspection at the Department of Veterans Affairs, Office of Regulation Policy and Management (02REG), 810 Vermont Avenue, NW., Washington, DC 20420, call 202–461–4902, or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202–741–6030, or go to: [http://www.archives.gov/federal\\_register/code\\_of\\_federal\\_regulations/ibr\\_locations.html](http://www.archives.gov/federal_register/code_of_federal_regulations/ibr_locations.html). Copies may be obtained from the National Fire Protection Association, 1 Batterymarch Park, P.O. Box 9101, Quincy, MA 02269–9101. (For ordering information, call toll-free 1–800–344–3555.)

(b) *Emergency power.* (1) An emergency electrical power system must be provided to supply power adequate for

## Department of Veterans Affairs

## § 51.200

illumination of all exit signs and lighting for the means of egress, fire alarm and medical gas alarms, emergency communication systems, and generator task illumination.

(2) The system must be the appropriate type essential electrical system in accordance with the applicable provisions of the National Fire Protection Association's NFPA 101, Life Safety Code (2009 edition) and the NFPA 99, Standard for Health Care Facilities (2005 edition). Incorporation by reference of these materials was approved by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. The availability of these materials is described in paragraph (a) of this section.

(3) When electrical life support devices are used, an emergency electrical power system must also be provided for devices in accordance with NFPA 99, Standard for Health Care Facilities (2005 edition).

(4) The source of power must be an on-site emergency standby generator of sufficient size to serve the connected load or other approved sources in accordance with the National Fire Protection Association's NFPA 101, Life Safety Code (2009 edition) and the NFPA 99, Standard for Health Care Facilities (2005 edition). Incorporation by reference of these materials was approved by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. The availability of these materials is described in paragraph (a) of this section.

(c) *Space and equipment.* Facility management must—

(1) Provide sufficient space and equipment in dining, health services, recreation, and program areas to enable staff to provide residents with needed services as required by these standards and as identified in each resident's plan of care; and

(2) Maintain all essential mechanical, electrical, and patient care equipment in safe operating condition.

(d) *Resident rooms.* Resident rooms must be designed and equipped for adequate nursing care, comfort, and privacy of residents:

(1) Bedrooms must—

(i) Accommodate no more than four residents;

(ii) Measure at least 115 net square feet per resident in multiple resident bedrooms;

(iii) Measure at least 150 net square feet in single resident bedrooms;

(iv) Measure at least 245 net square feet in small double resident bedrooms; and

(v) Measure at least 305 net square feet in large double resident bedrooms used for spinal cord injury residents. It is recommended that the facility have one large double resident bedroom for every 30 resident bedrooms.

(vi) Have direct access to an exit corridor;

(vii) Be designed or equipped to assure full visual privacy for each resident;

(viii) Except in private rooms, each bed must have ceiling suspended curtains, which extend around the bed to provide total visual privacy in combination with adjacent walls and curtains;

(ix) Have at least one window to the outside; and

(x) Have a floor at or above grade level.

(2) The facility management must provide each resident with—

(i) A separate bed of proper size and height for the safety of the resident;

(ii) A clean, comfortable mattress;

(iii) Bedding appropriate to the weather and climate; and

(iv) Functional furniture appropriate to the resident's needs, and individual closet space in the resident's bedroom with clothes racks and shelves accessible to the resident.

(e) *Toilet facilities.* Each resident room must be equipped with or located near toilet and bathing facilities. It is recommended that public toilet facilities be also located near the resident's dining and recreational areas.

(f) *Resident call system.* The nurse's station must be equipped to receive resident calls through a communication system from—

(1) Resident rooms; and

(2) Toilet and bathing facilities.

(g) *Dining and resident activities.* The facility management must provide one or more rooms designated for resident dining and activities. These rooms must—

(1) Be well lighted;

## § 51.210

## 38 CFR Ch. I (7–1–14 Edition)

- (2) Be well ventilated;
- (3) Be adequately furnished; and
- (4) Have sufficient space to accommodate all activities.

(h) *Other environmental conditions.* The facility management must provide a safe, functional, sanitary, and comfortable environment for the residents, staff and the public. The facility must—

- (1) Establish procedures to ensure that water is available to essential areas when there is a loss of normal water supply;
- (2) Have adequate outside ventilation by means of windows, or mechanical ventilation, or a combination of the two;
- (3) Equip corridors with firmly secured handrails on each side; and
- (4) Maintain an effective pest control program so that the facility is free of pests and rodents.

(Authority: 38 U.S.C. 101, 501, 1710, 1741–1743) [65 FR 968, Jan. 6, 2000, as amended at 74 FR 19434, Apr. 29, 2009; 76 FR 11340, Mar. 2, 2011]

### § 51.210 Administration.

A facility must be administered in a manner that enables it to use its resources effectively and efficiently to attain or maintain the highest practicable physical, mental, and psychosocial well being of each resident.

(a) *Governing body.* (1) The State must have a governing body, or designated person functioning as a governing body, that is legally responsible for establishing and implementing policies regarding the management and operation of the facility; and

(2) The governing body or State official with oversight for the facility appoints the administrator who is—

- (i) Licensed by the State where licensing is required; and
- (ii) Responsible for operation and management of the facility.

(b) *Disclosure of State agency and individual responsible for oversight of facility.* The State must give written notice to the Chief Consultant, Office of Geriatrics and Extended Care (114), VA Headquarters, 810 Vermont Avenue, NW, Washington, DC 20420, at the time of the change, if any of the following change:

(1) The State agency and individual responsible for oversight of a State home facility;

(2) The State home administrator; and

(3) The State employee responsible for oversight of the State home facility if a contractor operates the State home.

(c) *Required Information.* The facility management must submit the following to the director of the VA medical center of jurisdiction as part of the application for recognition and thereafter as often as necessary to be current or as specified:

(1) The copy of legal and administrative action establishing the State-operated facility (e.g., State laws);

(2) Site plan of facility and surroundings;

(3) Legal title, lease, or other document establishing right to occupy facility;

(4) Organizational charts and the operational plan of the facility;

(5) The number of the staff by category indicating full-time, part-time and minority designation (annual at time of survey);

(6) The number of nursing home patients who are veterans and non-veterans, the number of veterans who are minorities and the number of non-veterans who are minorities (annual at time of survey);

(7) Annual State Fire Marshall's report;

(8) Annual certification from the responsible State Agency showing compliance with Section 504 of the Rehabilitation Act of 1973 (Public Law 93–112) (VA Form 10–0143A, which is available at any VA medical center and at <http://www.va.gov/vaforms>);

(9) Annual certification for Drug-Free Workplace Act of 1988 (VA Form 10–0143, which is available at any VA medical center and at <http://www.va.gov/vaforms>);

(10) Annual certification regarding lobbying in compliance with Public Law 101–121 (VA Form 10–0144, which is available at any VA medical center and at <http://www.va.gov/vaforms>); and

(11) Annual certification of compliance with Title VI of the Civil Rights Act of 1964 as incorporated in Title 38 CFR 18.1–18.3 (VA Form 10–0144A, which