§86.001-23

bed volume, and fuel temperature profile for the running loss test) for all vehicles in that evaporative and/or evaporative/refueling emission family, and a description of the method used to develop those unique procedures.

- (10) For each light-duty vehicle or applicable light-duty truck evaporative/refueling emission family, or each heavy-duty vehicle evaporative emission family:
- (i) Canister working capacity, according to the procedures specified in §86.132-96(h)(1)(iv);
 - (ii) Canister bed volume; and
- (iii) Fuel temperature profile for the running loss test, according to the procedures specified in §86.129-94(d).
- (c)-(j) [Reserved]. For guidance see \$86.094-21.
- (k) and (l) [Reserved]. For guidance see \$86.096-21.

[61 FR 54886, Oct. 22, 1996]

§86.001-23 Required data.

Section 86.001–23 includes text that specifies requirements that differ from \$86.098–23. Where a paragraph in \$86.098–23 is identical and applicable to \$86.001–23, this may be indicated by specifying the corresponding paragraph and the statement "[Reserved]. For guidance see \$86.098–23."

- (a)-(b)(1) [Reserved]. For guidance see § 86.098-23.
- (b)(2) For light-duty vehicles and light-duty trucks, the manufacturer shall submit evaporative emission and/ or refueling emission deterioration factors for each evaporative/refueling emission family-emission control system combination and all test data that are derived from testing described under §86.001-21(b)(4)(i) designed and conducted in accordance with good engineering practice to assure that the vehicles covered by a certificate issued under §86.001-30 will meet the evaporative and/or refueling emission standards in §86.099-8 or §86.001-9, as appropriate, for the useful life of the vehicle.
- (b)(3) and (b)(4) [Reserved]. For guidance see §86.098-23.
 - (c) Emission data. (1) [Reserved]
- (c)(2)-(e)(1) [Reserved]. For guidance see §86.098-23.
- (e)(2) For evaporative and refueling emissions durability, or light-duty truck or HDE exhaust emissions dura-

bility, a statement of compliance with paragraph (b)(2) of this section or \$86.098-23 (b)(1)(ii), (b)(3), or (b)(4) as applicable.

- (3) For certification of vehicles with non-integrated refueling systems, a statement that the drivedown used to purge the refueling canister was the same as described in the manufacturer's application for certification. Furthermore, a description of the procedures used to determine the number of equivalent UDDS miles required to purge the refueling canisters, as determined by the provisions of §86.001-21(b)(5)(v) and subpart B of this part. Furthermore, a written statement to the Administrator that all data, analyses, test procedures, evaluations and other documents, on which the above statement is based, are available to the Administrator upon request.
 - (f)-(g) [Reserved]
- (h)–(m) [Reserved]. For guidance see \$86.098-23.

[61 FR 54887, Oct. 22, 1996, as amended at 62 FR 54720, Oct. 21, 1997; 79 FR 23687, Apr. 28, 2014]

\$86.001-24 Test vehicles and engines.

Section 86.001-24 includes text that specifies requirements that differ from § 86.098-24 § 86.096–24, or 8 86 000-24 Where a paragraph in § 86.096-24, §86.098-24 or §86.000-9 is identical and applicable to §86.001-24, this may be indicated by specifying the responding paragraph and the statement "[Reserved]. For guidance see §86.096-24." or "[Reserved]. For guidance see §86.098-24." or "[Reserved]. For guidance see §86.000–24."

- (a)–(a)(4) [Reserved]. For guidance see \$86.096-24.
- (a)(5)-(a)(7) [Reserved]. For guidance see $\S 86.098$ -24.
- (a)(8)-(b)(1) introductory text [Reserved]. For guidance see §86.096-24.
- (b)(1)(i)-(b)(1)(ii) [Reserved]. For guidance see §86.000-24.
- (b)(1)(iii)–(b)(1)(vi) [Reserved]. For guidance see §86.096–24.
- (b)(1)(vii)(A)–(b)(1)(viii)(A) [Reserved]. For guidance see \$86.098–24.
- (b)(1)(viii)(B)-(e)(2) [Reserved]. For guidance see §86.096-24.
- (f) Carryover and carryacross of durability and emission data. In lieu of testing an emission-data or durability