

Commodity	Parts per million
Milk	0.10
Mustard, black, seed	0.05
Mustard, field, seed	0.05
Mustard, Indian, seed	0.05
Mustard, rapeseed, seed	0.05
Mustard, seed	0.05
Nut, tree, group 14	0.05
Okra	1.0
Onion, dry bulbs, subgroup 3-07A	0.15
Onion, green, subgroup 3-07B	2.5
Papaya	1.0
Passionfruit	1.0
Peanut	0.45
Peanut, hay	35
Peanut, meal	0.75
Pecan	0.05
Persimmon	3.0
Pistachio	0.05
Pomegranate	0.90
Potato, chip	0.40
Potato, processed potato waste	0.90
Poultry, fat	0.05
Poultry, meat	0.05
Poultry, meat byproducts	0.05
Pulasan	3.0
Rambutan	3.0
Rapeseed, seed	0.05
Raspberry, wild	2.5
Safflower, seed	0.05
Salal	3.5
Sapodilla	1.0
Sapote, black	1.0
Sapote, mamey	1.0
Sheep, fat	0.30
Sheep, meat	0.30
Sheep, meat byproducts	0.30
Soursop	0.30
Soybean, forage	8.0
Soybean, hay	35
Soybean, meal	4.0
Soybean, seed	3.5
Spanish lime	3.0
Star apple	1.0
Starfruit	1.0
Strawberry	0.50
Sugar apple	0.30
Sunflower, seed	0.05
Tomato, paste	6.0
Tomato, puree	3.0
Vegetable, brassica leafy, group 5	3.5
Vegetable, cucurbit, group 9	0.5
Vegetable, fruiting, group 8	1.0
Vegetable, leaves of root and tuber, group 2	4.0
Vegetable, legume, group 6, except soybean	4.0
Vegetable, root and tuber, group 1, except sugar beet	0.40
Watercress	3.5
Watercress, upland	3.5
Wax jambu	1.0

(b) *Section 18 emergency exemptions.* Time-limited tolerances are established for residues of the insecticide imidacloprid, including its metabolites and degradates in connection with use of the pesticide under a Section 18 emergency exemption granted by EPA. Compliance with the tolerance levels specified below is to be determined by measuring only the sum of

imidacloprid (1-[6-chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine) and its metabolites containing the 6-chloropyridinyl moiety, calculated as the stoichiometric equivalent of imidacloprid. These tolerances will expire and are revoked on the dates specified in the following table:

Commodity	Parts per million	Expiration/revocation date
Sugarcane, cane	6.0	12/31/15
Sugarcane, molasses	50	12/31/15

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* Tolerances are established for indirect or inadvertent residues of the insecticide imidacloprid, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only the sum of imidacloprid (1-[6-chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine) and its metabolites containing the 6-chloropyridinyl moiety, calculated as the stoichiometric equivalent of imidacloprid, in or on the following commodities, when present therein as a result of the application of the pesticide to growing crops listed in this section and other non-food crops as follows:

Commodity	Parts per million
Rice, grain	0.05
Vegetable, foliage of legume, group 7	2.5
Vegetable, legume, group 6	0.3

[75 FR 22251, Apr. 28, 2010, as amended at 78 FR 33743, June 5, 2013]

§ 180.473 Glufosinate ammonium; tolerances for residues.

(a) *General.* Tolerances are established for residues of the herbicide glufosinate ammonium, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring the sum of glufosinate ammonium, butanoic acid, 2-amino-4-(hydroxymethylphosphinyl) monoammonium salt, and its metabolites, 2-(acetylamino)-4-

Environmental Protection Agency

§ 180.474

(hydroxymethyl phosphinyl)butanoic acid, and 3-(hydroxymethylphosphinyl)propanoic acid, expressed as 2-amino-4-(hydroxymethylphosphinyl)butanoic acid equivalents:

Commodity	Parts per million
Almond, hulls	0.50
Apple	0.05
Banana	0.30
Banana, pulp	0.20
Beet, sugar, molasses	5.0
Beet, sugar, roots	0.9
Beet, sugar, tops (leaves)	1.5
Bushberry subgroup 13B	0.15
Canola, meal	1.1
Canola, seed	0.40
Cattle, fat	0.40
Cattle, meat	0.15
Cattle, meat byproducts	6.0
Corn, field forage	4.0
Corn, field, grain	0.20
Corn, field, stover	6.0
Corn, sweet, forage	1.5
Corn, sweet, kernels plus cob with husks removed	0.30
Corn, sweet, stover	6.0
Cotton, gin byproducts	15
Cotton, undelinted seed	4.0
Egg	0.15
Fruit, citrus, group 10–10	0.15
Fruit, pome, group 11–10	0.25
Fruit, stone, group 12–12	0.25
Goat, fat	0.40
Goat, meat	0.15
Goat, meat byproducts	6.0
Grain aspirated fractions	25
Grape	0.05
Hog, fat	0.40
Hog, meat	0.15
Hog, meat byproducts	6.0
Horse, fat	0.40
Horse, meat	0.15
Horse, meat byproducts	6.0
Juneberry	0.10
Lingonberry	0.10
Milk	0.15
Nut, tree, group 14	0.10
Olive	0.15
Pistachio	0.10
Potato	0.80
Potato, chips	1.6
Potato granules/flakes	2.0
Poultry, fat	0.15
Poultry, meat	0.15
Poultry, meat byproducts	0.60
Rice, grain	1.0
Rice, hull	2.0
Rice, straw	2.0
Salal	0.10
Sheep, fat	0.40
Sheep, meat	0.15
Sheep, meat byproducts	6.0
Soybean	2.0
Soybean, hulls	5.0

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional restrictions.* [Reserved]

(d) *Indirect or inadvertent residues.* Tolerances are established for indirect or inadvertent residues of glufosinate ammonium, including its metabolites and degradates, in or on the commodities in the table below, as a result of the application of glufosinate ammonium to crops listed in paragraph (a) of this section. Compliance with the tolerance levels specified below is to be determined by measuring the sum of glufosinate ammonium, butanoic acid, 2-amino-4-(hydroxymethylphosphinyl) monoammonium salt, and its metabolite, 3-(hydroxymethylphosphinyl) propanoic acid, expressed as 2-amino-4-(hydroxymethylphosphinyl)butanoic acid equivalents.

Commodity	Parts per million
Barley, hay	0.40
Barley, straw	0.40
Buckwheat, fodder	0.40
Buckwheat, forage	0.40
Oat, forage	0.40
Oat, hay	0.40
Oat, straw	0.40
Rye, forage	0.40
Rye, straw	0.40
Teosinte	0.40
Triticale	0.40
Wheat, forage	0.40
Wheat, hay	0.40
Wheat, straw	0.40

[68 FR 55849, Sept. 29, 2003, as amended at 71 FR 25945, May 3, 2006; 72 FR 72625, Dec. 21, 2007; 76 FR 23497, Apr. 27, 2011; 77 FR 59113, Sept. 26, 2012]

§ 180.474 Tebuconazole; tolerances for residues.

(a) *General.* (1) Tolerances are established for residues of tebuconazole, alpha-[2-(4-chlorophenyl)ethyl]-alpha-(1,1-dimethylethyl)-1H-1,2,4-triazole-1-ethanol, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only tebuconazole [α-[2-(4-chlorophenyl)ethyl]-α-(1,1-dimethylethyl)-1H-1,2,4-triazole-1-ethanol], in or on the commodity.

Commodity	Parts per million
Almond, hulls	6.0
Apple, wet pomace	0.1
Asparagus	0.05
Banana	0.05
Barley, grain	0.3