

§ 180.475

40 CFR Ch. I (7-1-14 Edition)

Commodity	Parts per million
Barley, hay	7.0
Barley, straw	3.5
Bean, dry seed	0.1
Bean, succulent	0.1
Beet, garden, roots	0.70
Beet, garden, tops	7.0
Brassica, leafy greens, subgroup 5B	2.5
Cherry, sweet, pre- and post-harvest	5.0
Cherry, tart, pre- and post-harvest	5.0
Coffee, green bean ¹	0.15
Coffee, roasted bean ¹	0.3
Corn, field, forage	4.0
Corn, field, grain	0.05
Corn, field, stover	3.5
Corn, pop, grain	0.05
Corn, pop, stover	3.5
Corn, sweet, forage	7.0
Corn, sweet, kernel plus cob with husks removed	0.5
Corn, sweet, stover	6.0
Cotton, gin byproducts	25.0
Cotton, undelinted seed	2.0
Fruit, pome, group 11	0.05
Fruit, stone, group 12, except cherry	1.0
Grain, aspirated fractions	16.0
Grape	5.0
Grass, forage	8.0
Grass, hay	25.0
Grass, seed screenings	55.0
Grass, straw	30.0
Hop, dried cones	35.0
Lychee	1.6
Mango, postharvest	0.15
Nut, tree, group 14	0.05
Oat, forage	0.10
Oat, grain	0.15
Oat, hay	0.10
Oat, straw	0.10
Onion, bulb, subgroup 3-07A	0.2
Onion, green, subgroup 3-07B	1.3
Orange ¹	1.0
Orange, oil ¹	10
Peach	1.0
Peanut	0.1
Pistachio	0.05
Plum, pre- and post-harvest	1.0
Soybean, forage	25
Soybean, hay	50
Soybean, seed	0.08
Sunflower, seed	0.05
Sunflower, meal	0.2
Sunflower, refined oil	0.2
Vegetable, cucurbit, group 9	0.4
Vegetable, fruiting, group 8-10	1.3
Wheat, forage	3.0
Wheat, germ	0.20
Wheat, grain	0.15
Wheat, hay	7.0
Wheat, shorts	0.20
Wheat, straw	1.5

¹There are no U.S. registrations.

(2) Tolerances are established for residues of the fungicide tebuconazole, including its metabolites and degradates, in or on the commodities in the following table. Compliance with the tolerance levels specified in the following table is to be determined by measuring only the sum of tebuconazole (alpha-[2-(4-chlorophenyl)ethyl]-alpha-(1,1-

dimethylethyl)-1H-1,2,4-triazole-1-ethanol) and its diol metabolite (1-(4-chlorophenyl)-4,4-dimethyl-3-(1H-1,2,4-triazole-1-yl-methyl)-pentane-3,5-diol), calculated as the stoichiometric equivalent of tebuconazole, in or on the commodity.

Commodity	Parts per million
Cattle, meat byproducts	0.2
Goat, meat byproducts	0.2
Horse, meat byproducts	0.2
Milk	0.1
Sheep, meat byproducts	0.2

(b) Section 18 emergency exemptions. [Reserved]

(c) Tolerances with regional registrations. Tolerances are established for residues of the fungicide tebuconazole, including its metabolites and degradates, in or on the commodities in the following table. Compliance with the tolerance levels specified below is to be determined by measuring only tebuconazole, alpha-[2-(4-chlorophenyl)ethyl]-alpha-(1,1-dimethylethyl)-1H-1,2,4-triazole-1-ethanol, in or on the commodity.

Commodity	Parts per million
Turnip, roots	0.5
Turnip, tops	7.0

(d) Indirect or inadvertent residues. [Reserved]

[59 FR 39464, Aug. 3, 1994]

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting § 180.474, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and at www.fdsys.gov.

§ 180.475 Difenoconazole; tolerances for residues.

(a) General. (1) Tolerances are established for residues of difenoconazole, including its metabolites and degradates, in or on the commodities in the following table. Compliance with the tolerance levels specified below is to be determined by measuring only difenoconazole, 1-[2-[2-chloro-4-(4-chlorophenoxy)phenyl]-4-methyl-1,3-dioxolan-2-ylmethyl]-1H-1,2,4-triazole, in or on the following raw agricultural commodities:

Environmental Protection Agency

§ 180.476

Commodity	Parts per million
Almond, hulls	7.0
Apple, wet pomace	4.5
Aspirated grain fractions	95
Banana ¹	0.2
Barley, grain	0.1
Barley, hay	0.05
Barley, straw	0.05
Beet, sugar	0.3
Beet, sugar, dried pulp	1.9
Berry, low growing, subgroup 13-07G, except cranberry	2.5
Brassica, head and stem, subgroup 5A	1.9
Brassica, leafy green, subgroup 5B	35
Canola, seed	0.01
Carrot	0.50
Chickpea	0.08
Citrus, dried pulp	2.0
Citrus, oil	25
Corn, sweet, forage	0.01
Corn, sweet, kernel plus cob with husks removed	0.01
Corn, sweet, stover	0.01
Cotton, gin byproducts	0.05
Cotton, undelinted seed	0.05
Fruit, citrus, group 10-10	0.60
Fruit, pome, group 11-10	1.0
Fruits, stone, group 12	2.5
Grape	4.0
Grape, raisin	6.0
Mango ¹	0.07
Nut, tree, group 14	0.03
Oat, forage	0.15
Oat, grain	0.01
Oat, hay	0.05
Oat, straw	0.05
Onion, bulb, subgroup 3-07A	0.20
Onion, green, subgroup 3-07B	6.0
Papaya ¹	0.30
Pistachio	0.03
Potato, wet peel	7.3
Rye, forage	0.15
Rye, grain	0.01
Rye, straw	0.05
Soybean, hulls	0.20
Soybean, seed	0.15
Turnip, greens	35
Vegetable, cucurbit, group 9	0.70
Vegetable, fruiting, group 8-10	0.60
Vegetable, tuberous and corm, subgroup 1C	4.0
Wax jambu ¹	1.5
Wheat, forage	0.1
Wheat, grain	0.1
Wheat, hay	0.05
Wheat, straw	0.1

¹There are no U.S. registrations.

(2) Tolerances are established for residues of difenoconazole, including its metabolites and degradates, in the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring the sum of difenoconazole, 1-[2-[2-chloro-4-(4-chlorophenoxy)phenyl]-4-methyl-1,3-dioxolan-2-ylmethyl]-1*H*-1,2,4-triazole, and its metabolite, CGA-205375, 1-[2-chloro-4-(4-chlorophenoxy)phenyl]-2-[1,2,4]triazol-1-yl-ethanol, calculated as the stoichiometric

equivalent of difenoconazole, in the following commodities:

Commodity	Parts per million
Cattle, fat	0.10
Cattle, liver	0.40
Cattle, meat	0.05
Cattle, meat byproduct (except liver)	0.10
Egg	0.02
Goat, fat	0.10
Goat, liver	0.40
Goat, meat	0.05
Goat, meat byproduct (except liver)	0.10
Hog, fat	0.10
Hog, liver	0.40
Hog, meat	0.05
Hog, meat byproduct (except liver)	0.10
Horse, fat	0.10
Horse, liver	0.40
Horse, meat	0.05
Horse, meat byproduct (except liver)	0.10
Milk	0.01
Sheep, fat	0.10
Sheep, liver	0.40
Sheep, meat	0.05
Sheep, meat byproduct (except liver)	0.10

(b) Section 18 emergency exemptions. [Reserved]

(c) Tolerances with regional registrations. [Reserved]

(d) Indirect or inadvertent residues. [Reserved]

[64 FR 36254, July 6, 1999]

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting § 180.475, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and at www.fdsys.gov.

§ 180.476 Triflumizole; tolerances for residues.

(a) General. (1) Tolerances are established for residues of the fungicide triflumizole, including its metabolites and degradates, in or on the commodities listed in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only the parent compound triflumizole, 1-(1-((4-chloro-2-(trifluoromethyl)phenyl)imino)-2-propoxyethyl)-1*H*-imidazole, and its metabolites containing the 4-chloro-2-trifluoromethylaniline moiety, calculated as stoichiometric equivalent of the parent compound.

Commodity	Parts per million
Apple, dry pomace	2.0
Apple, wet pomace	2.0
Berry, low growing, subgroup 13-07G, except cranberry	2.0