

§ 180.504

Commodity	Parts per million
Vegetable, cucurbit, group 9	0.05
Vegetable, fruiting, group 8	0.2

¹ There is no U.S. registration for lychee.

(b) *Section 18 emergency exemptions.*
[Reserved]

(c) *Tolerances with a regional registration.* Tolerances with a regional registration as defined in §180.1(l) are established for the residues of the fungicide cymoxanil, 2-cyano -N-[(ethylamino)carbonyl]-2-(methoxyimino) acetamide) in or on the raw agricultural commodities:

Commodity	Parts per million
Grape	0.10

(d) *Indirect or inadvertent residues.*
[Reserved]

[62 FR 26411, May 14, 1997, as amended at 62 FR 39956, July 25, 1997; 63 FR 24949, May 6, 1998; 63 FR 66464, Dec. 2, 1998; 64 FR 6539, Feb. 10, 1999; 64 FR 47689, Sept. 1, 1999; 66 FR 37598, July 19, 2001; 67 FR 35049, May 17, 2002; 68 FR 41936, July 16, 2003; 70 FR 7047, Feb. 10, 2005; 72 FR 37646, July 11, 2007; 73 FR 58885, Oct. 8, 2008; 76 FR 34885, June 15, 2011]

§ 180.504 [Reserved]

§ 180.505 Emamectin; tolerances for residues.

(a) *General.* (1) Tolerances are established for emamectin, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only the sum of emamectin (a mixture of a minimum of 90% 4'-epi-methylamino-4'-deoxyavermectin B_{1a} and maximum of 10% 4'-epi-methylamino-4'-deoxyavermectin B_{1b}) and its metabolites 8,9-isomer of the B_{1a} and B_{1b} component of the parent (8,9-ZMA), or 4'-deoxy-4'-epi-amino-avermectin B_{1a} and 4'-deoxy-4'-epi-amino-avermectin B_{1b}; 4'-deoxy-4'-epi-amino avermectin B_{1a} (AB_{1a}); 4'-deoxy-4'-epi-(N-formyl-N-methyl)amino-avermectin (MFB_{1a}); and 4'-deoxy-4'-epi-(N-formyl)amino-avermectin B_{1a} (FAB_{1a}), calculated as the stoichiometric equivalent of emamectin.

40 CFR Ch. I (7-1-14 Edition)

Commodity	Parts per million
Almond, hulls	0.20
Apple, wet pomace	0.075
Cotton, gin byproducts	0.050
Cotton, undelinted seed	0.025
Fruit, pome, group 11	0.025
Grape, wine ¹	0.03
Nut, tree, group 14	0.02
Pistachio	0.02
Tomato, paste	0.150
Turnip, greens	0.050
Vegetable, Brassica, leafy, group 5	0.050
Vegetable, cucurbit, group 9	0.02
Vegetable, fruiting, group 8	0.020
Vegetable, leafy, except Brassica, group 4	0.100

¹ There are no U.S. registrations for use of emamectin on grape, wine.

(2) Tolerances are established for emamectin, including its metabolites and degradates, in or on the commodities in the following table. Compliance with the tolerance levels specified in the following table is to be determined by measuring only the sum of emamectin (MAB_{1a} + MAB_{1b} isomers) and the associated 8,9-Z isomers (8,9-ZB_{1a} and 8,9-ZB_{1b}).

Commodity	Parts per million
Cattle, fat	0.010
Cattle, liver	0.050
Cattle, meat	0.003
Cattle, meat byproducts, except liver	0.020
Goat, fat	0.010
Goat, liver	0.050
Goat, meat	0.003
Goat, meat byproducts, except liver	0.020
Hog, fat	0.003
Hog, liver	0.020
Hog, meat	0.002
Hog, meat byproducts (except liver)	0.005
Horse, fat	0.010
Horse, liver	0.050
Horse, meat	0.003
Horse, meat byproducts, except liver	0.020
Milk	0.003
Sheep, fat	0.010
Sheep, liver	0.050
Sheep, meat	0.003
Sheep, meat byproducts, except liver	0.020

(b) *Section 18 emergency exemptions.*
[Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect and inadvertent residues.*
[Reserved]

[71 FR 18649, Apr. 12, 2006, as amended at 74 FR 2873, Jan. 16, 2009; 78 FR 18511, Mar. 27, 2013; 78 FR 49939, Aug. 16, 2013]

§ 180.506 Cyclanilide; tolerances for residues.

(a) *General.* Tolerances are established for residues of the plant growth