

Environmental Protection Agency

§ 180.613

Commodity	Parts per million
Wheat, bran	3.0
Wheat, forage	3.5
Wheat, grain	1.3
Wheat, hay	2.0
Wheat, straw	1.5

(2) For the combined residues of pinoxaden, 8-(2,6-diethyl-4-methylphenyl)-1,2,4,5-tetrahydro-7-oxo-7H-pyrazolo[1,2-d][1,4,5] oxadiazepin-9-yl 2,2-dimethylpropanoate), and its metabolites M2, 8-(2,6-diethyl-4-methylphenyl)-tetrahydro-pyrazolo[1,2-d][1,4,5]oxadiazepine-7,9-dione, and free and conjugated forms of M4, 8-(2,6-diethyl-4-hydroxymethyl-phenyl)-tetrahydro-pyrazolo[1,2-d][1,4,5] oxadiazepine-7,9-dione, calculated as pinoxaden, in/on the following commodities:

Commodity	Parts per million
Cattle, fat	0.04
Cattle, meat	0.04
Cattle, meat byproducts	0.04
Milk	0.02

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[70 FR 43322, July 27, 2005]

§ 180.612 Topramezone; tolerances for residues.

(a) *General.* Tolerances are established for residues of the herbicide topramezone, including its metabolites and degradates, in or on the following commodities. Compliance with the following tolerance levels is to be determined by measuring only topramezone ([3-(4,5-dihydro-3-isoxazolyl)-2-methyl-4-(methylsulfonyl)phenyl](5-hydroxy-1-methyl-1H-pyrazol-4-yl)methanone) in or on the following commodities:

Commodity	Parts per million
Cattle, meat byproducts	0.80
Corn, field, forage	0.05
Corn, field, grain	0.01
Corn, field, stover	0.05
Corn, pop, grain	0.01
Corn, pop, stover	0.05
Corn, sweet, forage	0.05
Corn, sweet, kernel plus cob with husks removed	0.01

Commodity	Parts per million
Corn, sweet, stover	0.05
Fish-freshwater finfish	0.05
Fish-saltwater finfish	0.05
Fish-shellfish, crustacean	0.05
Fish-shellfish, mollusk	0.05
Goat, meat byproducts	0.80
Hog, meat byproducts	0.40
Horse, meat byproducts	0.80
Poultry, meat byproducts	0.02
Sheep, meat byproducts	0.80

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[78 FR 48074, Aug. 7, 2013]

§ 180.613 Fonicamid; tolerances for residues.

(a) *General.* (1) Tolerances are established for the residues of the insecticide fonicamid, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only the sum of fonicamid, N-(cyanomethyl)-4-(trifluoromethyl)-3-pyridinecarboxamide, and its metabolites, TFNA (4-trifluoromethylnicotinic acid), TFNA-AM (4-trifluoromethylnicotinamide), and TFNG, N-(4-trifluoromethylnicotinoyl)glycine, calculated as the stoichiometric equivalent of fonicamid, in or on the following commodities.

Commodity	Parts per million
Alfalfa, forage	10.0
Alfalfa, hay	1.0
Alfalfa, seed	1.5
Almond, hulls	9.0
Berry, low growing, subgroup 13-07G	1.5
Brassica, head and stem, subgroup 5A	1.5
Brassica, leafy greens, subgroup 5B	16
Cotton, gin byproducts	6.0
Cotton, hulls	2.0
Cotton, meal	1.0
Cotton, undelinted seed	0.50
Cucumber	1.5
Fruit, pome, group 11-10	0.20
Fruit, stone, group 12-12	0.60
Hop, dried cones	7.0
Nut, tree, group 14-12	0.15
Okra	0.40
Peppermint, tops	7.0
Potato, granules/flakes	0.40
Radish, tops	16
Rapeseed subgroup 20A	1.5
Spearmint, tops	7.0