§ 180.665

penflufen, including its metabolites and degradates, in or on the following commodities listed in the table. Compliance with the tolerance levels specified in the table is to be determined by measuring only penflufen N-[2-(1,3-dimethylbutyl)phenyl]-5-fluoro-1,3-dimethyl-1H-pyrazole-4-carboxamide, in or on the following commodities.

| Commodity | Parts per million |
|--|--------------------------------------|
| Alfalfa, forage Alfalfa, hay Cotton, gin by-products Grain cereal, forage, fodder and straw, group | 0.01 0.01 0.01 |
| 16 Grain, cereal, group 15 Oilseed, group 20 Vegetable, foliage of legume, group 7 Vegetable, legume, group 6 Vegetable, tuberous and corm subgroup 1C | 0.01 0.01 0.01 0.01 0.01 |

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. [Reserved]

[77 FR 28281, May 14, 2012]

§ 180.665 Sedaxane; tolerances for residues.

(a) General. Tolerances are established for residues of the fungicide sedaxane, including its metabolites and degradates, in or on the commodities in the following table. Compliance with the tolerance levels specified in the following table is to be determined by measuring only sedaxane, N-[2-[1,1'-bicyclopropyl]-2-ylphenyl]-3-

(difluoromethyl)-1-methyl-1*H*-pyrazole-4-carboxamide, as the sum of its *cis*-and *trans*-isomers in or on the commodity.

| Commodity | Parts per million |
|---|----------------------|
| Barley, grain | 0.01 |
| Barley, hay | 0.04 |
| Barley, straw | 0.01 |
| Canola, seed | 0.01 |
| Corn, field, forage | 0.01 |
| Corn, field, grain | 0.01 |
| Corn, field, stover | 0.01 |
| Corn, pop, grain | 0.01 |
| Corn, pop, stover | 0.01 |
| Corn, sweet, forage | 0.01 |
| Corn, sweet, kernel plus cob with husks re- | |
| moved | 0.01 |
| Corn, sweet, stover | 0.01 |
| Oat, forage | 0.015 |
| Oat, grain | 0.01 |
| Oat, hay | 0.06 |

| Commodity | Parts per million |
|---|----------------------|
| Oat, straw | 0.01 |
| Pea and bean, dried shelled, except soybean, | |
| subgroup 6C | 0.01 |
| Potato | 0.02 |
| Potato, wet peel | 0.075 |
| Rapeseed, subgroup 20A | 0.01 |
| Rye, forage | 0.015 |
| Rye, grain | 0.01 |
| Rye, straw | 0.01 |
| Sorghum, grain, forage | 0.01 |
| Sorghum, grain, grain | 0.01 |
| Sorghum, grain, stover | 0.01 |
| Soybean, forage | 0.05 |
| Soybean, hay | 0.04 |
| Soybean, seed | 0.01 |
| Vegetable, foliage of legume, except soybean, | |
| subgroup 7A | 0.01 |
| Wheat, forage | 0.015 |
| Wheat, grain | 0.01 |
| Wheat, hay | 0.06 |
| Wheat, straw | 0.01 |

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect inadvertent residues. [Reserved]

[77 FR 36924, June 20, 2012, as amended at 78 FR 33748, June 5, 2013; 78 FR 60719, Oct. 2, 2012]

§ 180.666 Fluxapyroxad; tolerances for residues.

(a) General. Tolerances are established for residues of the fungicide fluxapyroxad, including its metabolites and degradates, in or on the commodities listed in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only fluxapyroxad, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-1H-pyrazole-4-

carboxamide in or on the commodity.

| Commodity | Parts per million |
|---|----------------------|
| Almond, hulls | 4.0 |
| Apple, wet pomace | 2.0 |
| Beet, sugar | 0.1 |
| Beet, sugar, dried pulp | 0.1 |
| Beet, sugar, tops | 7.0 |
| Berry, low growing, subgroup 13-07G | 4.0 |
| Bushberry, subgroup 13-07B | 7.0 |
| Caneberry, subgroup 13-07A | 5.0 |
| Cattle, fat | 0.05 |
| Cattle, meat | 0.01 |
| Cattle, meat byproducts | 0.03 |
| Corn, field, grain | 0.01 |
| Corn, oil | 0.03 |
| Corn, pop, grain | 0.01 |
| Corn, sweet, kernels plus cobs with husks re- | |
| moved | 0.15 |
| Cotton, gin byproducts | 0.01 |