§ 180.665

penflufen, including its metabolites and degradates, in or on the following commodities listed in the table. Compliance with the tolerance levels specified in the table is to be determined by measuring only penflufen N-[2-(1,3-dimethylbutyl)phenyl]-5-fluoro-1,3-dimethyl-1H-pyrazole-4-carboxamide, in or on the following commodities.

Commodity	Parts per million
Alfalfa, forage Alfalfa, hay Cotton, gin by-products Grain cereal, forage, fodder and straw, group	0.01 0.01 0.01
16 Grain, cereal, group 15 Oilseed, group 20 Vegetable, foliage of legume, group 7 Vegetable, legume, group 6 Vegetable, tuberous and corm subgroup 1C	0.01 0.01 0.01 0.01 0.01

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. [Reserved]

 $[77~{\rm FR}~28281,~{\rm May}~14,~2012]$

§ 180.665 Sedaxane; tolerances for residues.

(a) General. Tolerances are established for residues of the fungicide sedaxane, including its metabolites and degradates, in or on the commodities in the following table. Compliance with the tolerance levels specified in the following table is to be determined by measuring only sedaxane, N-[2-[1,1'-bicyclopropyl]-2-ylphenyl]-3-

(difluoromethyl)-1-methyl-1*H*-pyrazole-4-carboxamide, as the sum of its *cis*-and *trans*-isomers in or on the commodity.

Commodity	Parts per million
Barley, grain	0.01
Barley, hay	0.04
Barley, straw	0.01
Canola, seed	0.01
Corn, field, forage	0.01
Corn, field, grain	0.01
Corn, field, stover	0.01
Corn, pop, grain	0.01
Corn, pop, stover	0.01
Corn, sweet, forage	0.01
Corn, sweet, kernel plus cob with husks re-	
moved	0.01
Corn, sweet, stover	0.01
Oat, forage	0.015
Oat, grain	0.01
Oat, hay	0.06

Commodity	Parts per million
Oat, straw	0.01
Pea and bean, dried shelled, except soybean,	
subgroup 6C	0.01
Potato	0.02
Potato, wet peel	0.075
Rapeseed, subgroup 20A	0.01
Rye, forage	0.015
Rye, grain	0.01
Rye, straw	0.01
Sorghum, grain, forage	0.01
Sorghum, grain, grain	0.01
Sorghum, grain, stover	0.01
Soybean, forage	0.05
Soybean, hay	0.04
Soybean, seed	0.01
Vegetable, foliage of legume, except soybean,	
subgroup 7A	0.01
Wheat, forage	0.015
Wheat, grain	0.01
Wheat, hay	0.06
Wheat, straw	0.01

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect inadvertent residues. [Reserved]

[77 FR 36924, June 20, 2012, as amended at 78 FR 33748, June 5, 2013; 78 FR 60719, Oct. 2, 2012]

§ 180.666 Fluxapyroxad; tolerances for residues.

(a) General. Tolerances are established for residues of the fungicide fluxapyroxad, including its metabolites and degradates, in or on the commodities listed in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only fluxapyroxad, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-1H-pyrazole-4-

carboxamide in or on the commodity.

Commodity	Parts per million
Almond, hulls	4.0
Apple, wet pomace	2.0
Beet, sugar	0.1
Beet, sugar, dried pulp	0.1
Beet, sugar, tops	7.0
Berry, low growing, subgroup 13-07G	4.0
Bushberry, subgroup 13-07B	7.0
Caneberry, subgroup 13-07A	5.0
Cattle, fat	0.05
Cattle, meat	0.01
Cattle, meat byproducts	0.03
Corn, field, grain	0.01
Corn, oil	0.03
Corn, pop, grain	0.01
Corn, sweet, kernels plus cobs with husks re-	
moved	0.15
Cotton, gin byproducts	0.01

Environmental Protection Agency

Commodity	Parts per million
Cotton, undelinted seed	0.01
Egg	0.00
Fish-freshwater finfish	0.01
Fish-shellfish, crustacean	0.01
Fruit, pome, group 11	0.8
Fruit, small, vine climbing, except fuzzy	
kiwifruit, subgroup 13-07F	2.0
Fruit, stone, group 12–12	3.0
Goat, fat	0.05
Goat, meat	0.01
Goat, meat byproducts	0.03
Grain, aspirated fractions	20.0
Grain, cereal, forage, fodder and straw, group	
16	20
Grain, cereal, group 15, (except corn, field,	
grain; except corn, pop, grain; except corn,	
kernels plus cobs with husks removed; ex-	
cept rice; except wheat	3.0
Grape, raisin	5.7
Hog, meat byproducts	0.01
Horse, fat	0.05
Horse, meat	0.01
Horse, meat byproducts	0.03
Milk	0.00
Nut, tree, group 14–12	0.06
Oilseeds, group 20 (except cottonseed)	0.9
Pea and bean, dried shelled except soybean,	
subgroup 6C	0.4
Pea and bean, succulent shelled, subgroup 6B	0.5
Peanut	0.01
Peanut, refined oil	0.02
Plum, prune, dried	3.0
Potato, wet peel	0.1
Rice, bran	4.5
Rice, bran	8.5
Rice, grain	5.0
Rice, hulls	8.0
Rice, hulls	15.0
Sheep, fat	0.05
Sheep, meat	0.01
Sheep, meat byproducts	0.03
Soybean, hulls	0.3
Soybean, seed	0.15
Sugarcane, cane	3.0
Vegetable, brassica leafy, group 5	4.0
Vegetable, bulb, group 3-07	1.5
Vegetable, bulb, group 3-07Vegetable, cucurbit, group 9	0.50
Vegetable, foliage of legume, group 7	30
Vegetables, fruiting, group 8	0.7
Vegetable, leafy, except brassica, group 4	30
Vegetable, legume, edible podded, subgroup	
6A	2.0
Vegetable, root, except sugarbeet, subgroup	
1B	0.90
Vegetable, tuberous and corm, subgroup 1C	0.02
Wheat, branWheat, grain	0.6
	0.3

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. Tolerances are established for the combined indirect or inadvertent residues of the fungicide fluxapyroxad, including its metabolites and degradates, in or on the commodities listed in the table below. Compliance with the tolerance levels specified below is to be de-

termined by measuring only fluxapyroxad, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-1H-pyrazole-4-carboxamide in or on the commodity.

Commodity	Parts per million
Nongrass animal feeds, group18	0.30
Peppermint, tops	0.01
Spearmint, tops	0.01

 $[77\ FR\ 28275,\ May\ 14,\ 2012,\ as\ amended\ at\ 77\ FR\ 46307,\ Aug.\ 3,\ 2012;\ 79\ FR\ 10677,\ Feb.\ 26,\ 2014]$

§ 180.667 Cyflufenamid, tolerance for residues.

(a) General. Tolerances are established for residues of the fungicide cyflufenamid, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only cyflufenamid, [N(Z)]-N-[[(cyclopropylmethoxy)amino][2,3-difluoro-6-(trifluoromethyl)phenyl] methylene]benzeneacetamide.

Commodity	Parts per million
Apple, wet pomace	0.10
cranberry	0.20
Fruit, pome, group 11 Fruit, small vine climbing, except fuzzy kiwifruit,	0.06
subgroup 13-07F	0.15
Grape, raisin	0.30
Vegetable, cucurbit, group 9	0.07

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. [Reserved]

[77 FR 38210, June 27, 2012]

§ 180.668 Sulfoxaflor; tolerances for residues.

(a) General. Tolerances are established for residues of the insecticide sulfoxaflor, including its metabolites and degradates, in or on the commodities in the table. Compliance with the tolerance levels specified is to be determined by measuring only sulfoxaflor $(N-[\text{methyloxido}[1-[6-(\text{trifluoromethyl})-3-\text{pyridinyl}]\text{ethyl}]-\gamma^4-\text{sulfanylidene}]\text{cyanamide}).$