

California's Regulation for Reducing Ozone Formed From Aerosol Coating Product Emissions, Title 17, California Code of Regulations, sections 94520-94528;

(3) A statement that the regulated entity will, to the extent possible within its reasonable control, take appropriate action to achieve compliance with this subpart by January 1, 2011;

(4) A list of the product categories in Table 1 of this subpart that the regulated entity manufactures, imports, or distributes; and,

(5) Name, title, address, telephone, e-mail address, and signature of the certifying company official.

(c) Except as provided in paragraph (b) of this section, the compliance date for aerosol coatings that are registered under the Federal Insecticide, Fungicide and Rodenticide Act (7 U.S.C 136-136y) (FIFRA) is January 1, 2010.

[73 FR 15621, Mar. 24, 2008, as amended at 73 FR 78997, Dec. 24, 2008]

#### § 59.503 What definitions apply to this subpart?

The following terms are defined for the purposes of this subpart only.

*Administrator* means the Administrator of the United States Environmental Protection Agency (EPA) or an authorized representative.

*Aerosol Coating Product* means a pressurized coating product containing pigments or resins that is dispensed by means of a propellant and is packaged in a disposable can for hand-held application, or for use in specialized equipment for ground traffic/marketing applications. For the purpose of this regulation, applicable aerosol coatings categories are listed in Table 1 of this subpart.

*Art Fixative or Sealant* means a clear coating, including art varnish, workable art fixative and ceramic coating, which is designed and labeled exclusively for application to paintings, pencil, chalk, or pastel drawings, ceramic art pieces or other closely related art uses, in order to provide a final protective coating or to fix preliminary stages of artwork while providing a workable surface for subsequent revisions.

*ASTM* means the American Society for Testing and Materials.

*Autobody Primer* means an automotive primer or primer surfacer coating designed and labeled exclusively to be applied to a vehicle body substrate for the purposes of corrosion resistance and building a repair area to a condition in which, after drying, it can be sanded to a smooth surface.

*Automotive Bumper and Trim Product* means a product, including adhesion promoters and chip sealants, designed and labeled exclusively to repair and refinish automotive bumpers and plastic trim parts.

*Aviation Propeller Coating* means a coating designed and labeled exclusively to provide abrasion resistance and corrosion protection for aircraft propellers.

*Aviation or Marine Primer* means a coating designed and labeled exclusively to meet federal specification TT-P-1757.

*Clear Coating* means a coating which is colorless, containing resins but no pigments except flattening agents, and is designed and labeled to form a transparent or translucent solid film.

*Coating Solids* means the nonvolatile portion of an aerosol coating product, consisting of the film-forming ingredients, including pigments and resins.

*Commercial Application* means the use of aerosol coating products in the production of goods, or the providing of services for profit, including touch-up and repair.

*Corrosion Resistant Brass, Bronze, or Copper Coating* means a clear coating designed and labeled exclusively to prevent tarnish and corrosion of uncoated brass, bronze, or copper metal surfaces.

*Distributor* means any person who purchases or is supplied aerosol coating product for the purposes of resale or distribution in commerce. Retailers who fall within this definition are distributors. Importers are not distributors.

*Enamel* means a coating which cures by chemical cross-linking of its base resin and is not resolvable in its original solvent.

*Engine Paint* means a coating designed and labeled exclusively to coat engines and their components.

*Exact Match Finish, Engine Paint* means a coating which meets all of the following criteria:

(1) The product is designed and labeled exclusively to exactly match the color of an original, factory-applied engine paint;

(2) The product is labeled with the manufacturer's name for which they were formulated; and

(3) The product is labeled with one of the following:

(i) The original equipment manufacturer's (O.E.M.) color code number;

(ii) The color name; or

(iii) Other designation identifying the specific O.E.M. color to the purchaser.

*Exact Match Finish, Automotive* means a topcoat which meets all of the following criteria:

(1) The product is designed and labeled exclusively to exactly match the color of an original, factory-applied automotive coating during the touch-up of automobile finishes;

(2) The product is labeled with the manufacturer's name for which they were formulated; and

(3) The product is labeled with one of the following:

(i) The original equipment manufacturer's (O.E.M.) color code number;

(ii) The color name; or

(iii) Other designation identifying the specific O.E.M. color to the purchaser. Notwithstanding the foregoing, automotive clear coatings designed and labeled exclusively for use over automotive exact match finishes to replicate the original factory-applied finish shall be considered to be automotive exact match finishes.

*Exact Match Finish, Industrial* means a coating which meets all of the following criteria:

(1) The product is designed and labeled exclusively to exactly match the color of an original, factory-applied industrial coating during the touch-up of manufactured products;

(2) The product is labeled with the manufacturer's name for which they were formulated; and

(3) The product is labeled with one of the following:

(i) O.E.M. color code number;

(ii) The color name; or

(iii) Other designation identifying the specific O.E.M. color to the purchaser.

*Flat Paint Products* means a coating which, when fully dry, registers specular gloss less than or equal to 15 on an 85° gloss meter, or less than or equal to 5 on a 60° gloss meter, or which is labeled as a flat coating.

*Flattening Agent* means a compound added to a coating to reduce the gloss of the coating without adding color to the coating.

*Floral Spray* means a coating designed and labeled exclusively for use on fresh flowers, dried flowers, or other items in a floral arrangement for the purposes of coloring, preserving or protecting their appearance.

*Formulation Data*, unless otherwise specified, means the recipe used to formulate or manufacture a coating product in terms of the weight fraction (g compound/g product) of each individual VOC in the product.

*Fluorescent Coating* means a coating labeled as such, which converts absorbed incident light energy into emitted light of a different hue.

*Glass Coating* means a coating designed and labeled exclusively for use on glass or other transparent material to create a soft, translucent light effect, or to create a tinted or darkened color while retaining transparency.

*Ground Traffic/Marking Coating* means a coating designed and labeled exclusively to be applied to dirt, gravel, grass, concrete, asphalt, warehouse floors, or parking lots. Such coatings must be in a container equipped with a valve and spray head designed to direct the spray toward the surface when the can is held in an inverted vertical position.

*High Temperature Coating* means a coating, excluding engine paint, which is designed and labeled exclusively for use on substrates which will, in normal use, be subjected to temperatures in excess of 400 °F.

*Hobby/Model/Craft Coating* means a coating which is designed and labeled exclusively for hobby applications and is sold in aerosol containers of 6 ounces by weight or less.

*Importer* means any person who brings an aerosol coating product that was manufactured, filled, or packaged at a location outside of the United States into the United States for sale or distribution in the United States.

## Environmental Protection Agency

## § 59.503

*Ingredient* means a component of an aerosol coating product.

*Impurity* means an individual chemical compound present in a raw material which is incorporated in the final aerosol coatings formulation, if the compound is present in amounts below the following in the raw material:

(1) For individual compounds that are carcinogens each compound must be present in an amount less than 0.1 percent by weight;

(2) For all other compounds present in a raw material, a compound must be present in an amount less than 1 percent by weight.

*Lacquer* means a thermoplastic film-forming material dissolved in organic solvent, which dries primarily by solvent evaporation, and is resolvable in its original solvent.

*Manufacturer* means any person who manufactures or processes an aerosol coating product for sale or distribution within the United States. Manufacturers include:

(1) Processors who blend and mix aerosol coatings;

(2) Contract fillers who develop formulas and package these formulations under a distributor's name; and

(3) Contract fillers who manufacture products using formulations provided by a distributor.

*Marine Spar Varnish* means a coating designed and labeled exclusively to provide a protective sealant for marine wood products.

*Metallic Coating* means a topcoat which contains at least 0.5 percent by weight elemental metallic pigment in the formulation, including propellant, and is labeled as "metallic," or with the name of a specific metallic finish such as "gold," "silver," or "bronze."

*Multi-Component Kit* means an aerosol spray paint system which requires the application of more than one component (e.g. foundation coat and topcoat), where both components are sold together in one package.

*Nonflat Paint Product* means a coating which, when fully dry, registers a specular gloss greater than 15 on an 85° gloss meter or greater than five on a 60° gloss meter.

*Ozone* means a colorless gas with a pungent odor, having the molecular form O<sub>3</sub>.

*Person* means an individual, corporation, partnership, association, state, any agency, department, or instrumentality of the United States, and any officer, agent, or employee thereof.

*Photograph Coating* means a coating designed and labeled exclusively to be applied to finished photographs to allow corrective retouching, protection of the image, changes in gloss level, or to cover fingerprints.

*Pleasure Craft* means privately owned vessels used for noncommercial purposes.

*Pleasure Craft Finish Primer/Surfer/Undercoater* means a coating designed and labeled exclusively to be applied prior to the application of a pleasure craft topcoat for the purpose of corrosion resistance and adhesion of the topcoat, and which promotes a uniform surface by filling in surface imperfections.

*Pleasure Craft Topcoat* means a coating designed and labeled exclusively to be applied to a pleasure craft as a final coat above the waterline and below the waterline when stored out of water. This category does not include clear coatings.

*Polyolefin Adhesion Promoter* means a coating designed and labeled exclusively to be applied to a polyolefin or polyolefin copolymer surface of automotive body parts, bumpers, or trim parts to provide a bond between the surface and subsequent coats.

*Primer* means a coating labeled as such, which is designed to be applied to a surface to provide a bond between that surface and subsequent coats.

*Product-Weighted Reactivity (PWR) Limit* means the maximum allowed "product-weighted reactivity," as calculated in § 59.505, of an aerosol coating product that is subject to the limits specified in § 59.504 for a specific category, expressed as grams of ozone per gram (g O<sub>3</sub>/g of product).

*Propellant* means a liquefied or compressed gas that is used in whole or in part, such as a co-solvent, to expel a liquid or any other material from the same self-pressurized container or from a separate container.

*Reactivity Factor (RF)* is a measure of the change in mass of ozone formed by adding a gram of a VOC to the ambient atmosphere, expressed to hundredths of

a gram (g O<sub>3</sub>/g VOC). The RF values for individual compounds and hydrocarbon solvent mixtures are specified in Tables 2A, 2B, and 2C of this subpart.

*Retailer* means any person who sells, supplies, or offers aerosol coating products for sale directly to consumers. Retailers who fall within the definition of “distributor” in this section are distributors.

*Retail Outlet* means any establishment where consumer products are sold, supplied, or offered for sale, directly to consumers.

*Shellac Sealer* means a clear or pigmented coating formulated solely with the resinous secretion of the lac beetle (*Laccifer lacca*), thinned with alcohol, and formulated to dry by evaporation without a chemical reaction.

*Slip-Resistant Coating* means a coating designed and labeled exclusively as such, which is formulated with synthetic grit and used as a safety coating.

*Small quantity manufacturer* means a manufacturer whose total VOC by mass included in all aerosol coatings manufactured at all facilities in a given calendar year, in the aggregate, is less than 7,500 kilograms.

*Spatter Coating/Multicolor Coating* means a coating labeled exclusively as such wherein spots, globules, or splatters of contrasting colors appear on or within the surface of a contrasting or similar background.

*Stain* means a coating which is designed and labeled to change the color of a surface but not conceal the surface.

*United States* means the United States of America, including the District of Columbia, the Commonwealth of Puerto Rico, the Virgin Islands, Guam, American Samoa, and the Commonwealth of the Northern Mariana Islands.

*Vinyl/Fabric/Leather/Polycarbonate Coating* means a coating designed and labeled exclusively to coat vinyl, fabric, leather, or polycarbonate substrates or to coat flexible substrates including rubber or thermoplastic substrates.

*Volatile Organic Compound (VOC)* means any organic compound as defined in § 51.100(s) of this chapter. As provided in 40 CFR 51.100(s)(7), exemp-

tions from the definition of VOC in 40 CFR 51.100(s) for certain compounds that are used in aerosol coatings are inapplicable for purposes of this subpart.

*Webbing/Veiling Coating* means a coating designed and labeled exclusively to provide a stranded to spider webbed appearance when applied.

*Weight Fraction* means the weight of an ingredient divided by the total net weight of the product, expressed to thousandths of a gram of ingredient per gram of product (excluding container and packaging).

*Weld-Through Primer* means a coating designed and labeled exclusively to provide a bridging or conducting effect for corrosion protection following welding.

*Wood Stain* means a coating which is formulated to change the color of a wood surface but not conceal the surface.

*Wood Touch-Up/Repair/Restoration* means a coating designed and labeled exclusively to provide an exact color or sheen match on finished wood products.

*Working Day* means any day from Monday through Friday, inclusive, except for days that are Federal holidays.

#### § 59.504 What limits must I meet?

(a) Except as provided in § 59.509, each aerosol coating product you manufacture, distribute or import for sale or use in the United States must meet the PWR limits presented in Table 1 of this subpart. These limits apply to the final aerosol coating, including the propellant. The PWR limits specified in Table 1 of this subpart are also applicable to any aerosol coating product that is assembled by adding bulk coating to aerosol containers of propellant.

(b) If a product can be included in both a general coating category and a specialty coating category and the product meets all of the criteria of the specialty coating category, then the specialty coating limit will apply instead of the general coating limit, unless the product is a high temperature coating. High-temperature coatings that contain at least 0.5 percent by