

§416.45

otherwise restrict the placement of alcohol-based hand rub dispensers in health care facilities;

(ii) The dispensers are installed in a manner that minimizes leaks and spills that could lead to falls;

(iii) The dispensers are installed in a manner that adequately protects against inappropriate access;

(iv) The dispensers are installed in accordance with the following provisions:

(A) Where dispensers are installed in a corridor, the corridor shall have a minimum width of 6 ft (1.8m);

(B) The maximum individual dispenser fluid capacity shall be:

(1) 0.3 gallons (1.2 liters) for dispensers in rooms, corridors, and areas open to corridors.

(2) 0.5 gallons (2.0 liters) for dispensers in suites of rooms;

(C) The dispensers shall have a minimum horizontal spacing of 4 ft (1.2m) from each other;

(D) Not more than an aggregate 10 gallons (37.8 liters) of ABHR solution shall be in use in a single smoke compartment outside of a storage cabinet;

(E) Storage of quantities greater than 5 gallons (18.9 liters) in a single smoke compartment shall meet the requirements of NFPA 30, *Flammable and Combustible Liquids Code*;

(F) The dispensers shall not be installed over or directly adjacent to an ignition source;

(G) In locations with carpeted floor coverings, dispensers installed directly over carpeted surfaces shall be permitted only in sprinklered smoke compartments; and

(v) The dispensers are maintained in accordance with dispenser manufacturer guidelines.

(c) *Standard: Emergency equipment.* The ASC medical staff and governing body of the ASC coordinates, develops, and revises ASC policies and procedures to specify the types of emergency equipment required for use in the ASC's operating room. The equipment must meet the following requirements:

(1) Be immediately available for use during emergency situations.

(2) Be appropriate for the facility's patient population.

(3) Be maintained by appropriate personnel.

42 CFR Ch. IV (10–1–14 Edition)

(d) *Standard: Emergency personnel.* Personnel trained in the use of emergency equipment and in cardiopulmonary resuscitation must be available whenever there is a patient in the ASC.

[47 FR 34094, Aug. 5, 1982, amended at 53 FR 11508, Apr. 7, 1988; 54 FR 4026, Jan. 27, 1989; 68 FR 1385, Jan. 10, 2003; 69 FR 18803, Apr. 9, 2004; 70 FR 15237, Mar. 25, 2005; 71 FR 55339, Sept. 22, 2006; 77 FR 29030, May 16, 2012]

§416.45 Condition for coverage—Medical staff.

The medical staff of the ASC must be accountable to the governing body.

(a) *Standard: Membership and clinical privileges.* Members of the medical staff must be legally and professionally qualified for the positions to which they are appointed and for the performance of privileges granted. The ASC grants privileges in accordance with recommendations from qualified medical personnel.

(b) *Standard: Reappraisals.* Medical staff privileges must be periodically reappraised by the ASC. The scope of procedures performed in the ASC must be periodically reviewed and amended as appropriate.

(c) *Standard: Other practitioners.* If the ASC assigns patient care responsibilities to practitioners other than physicians, it must have established policies and procedures, approved by the governing body, for overseeing and evaluating their clinical activities.

§416.46 Condition for coverage—Nursing services.

The nursing services of the ASC must be directed and staffed to assure that the nursing needs of all patients are met.

(a) *Standard: Organization and staffing.* Patient care responsibilities must be delineated for all nursing service personnel. Nursing services must be provided in accordance with recognized standards of practice. There must be a registered nurse available for emergency treatment whenever there is a patient in the ASC.

(b) [Reserved]