

Federal Acquisition Regulation

5.101

small business concerns in obtaining contracts and subcontracts.

[50 FR 52429, Dec. 23, 1985, as amended at 60 FR 48259, Sept. 18, 1995; 65 FR 60544, Oct. 11, 2000]

5.003 Governmentwide point of entry.

For any requirement in the FAR to publish a notice, the contracting officer must transmit the notices to the GPE.

[68 FR 56678, Oct. 1, 2003]

Subpart 5.1—Dissemination of Information

5.101 Methods of disseminating information.

(a) As required by the Small Business Act (15 U.S.C. 637(e)) and 41 U.S.C. 1708, contracting officers must disseminate information on proposed contract actions as follows:

(1) For proposed contract actions expected to exceed \$25,000, by synopsisizing in the GPE (see 5.201).

(2) For proposed contract actions expected to exceed \$15,000, but not expected to exceed \$25,000, by displaying in a public place, or by any appropriate electronic means, an unclassified notice of the solicitation or a copy of the solicitation satisfying the requirements of 5.207(c). The notice must include a statement that all responsible sources may submit a response which, if timely received, must be considered by the agency. The information must be posted not later than the date the solicitation is issued, and must remain posted for at least 10 days or until after quotations have been opened, whichever is later.

(i) If solicitations are posted instead of a notice, the contracting officer may employ various methods of satisfying the requirements of 5.207(c). For example, the contracting officer may meet the requirements of 5.207(c) by stamping the solicitation, by a cover sheet to the solicitation, or by placing a general statement in the display room.

(ii) The contracting officer need not comply with the display requirements of this section when the exemptions at 5.202(a)(1), (a)(4) through (a)(9), or (a)(11) apply, when oral solicitations are used, or when providing access to a

notice of proposed contract action and solicitation through the GPE and the notice permits the public to respond to the solicitation electronically.

(iii) Contracting officers may use electronic posting of requirements in a place accessible by the general public at the Government installation to satisfy the public display requirement. Contracting offices using electronic systems for public posting that are not accessible outside the installation must periodically publicize the methods for accessing the information.

(b) In addition, one or more of the following methods may be used:

(1) Preparing periodic handouts listing proposed contracts, and displaying them as in 5.101(a)(2).

(2) Assisting local trade associations in disseminating information to their members.

(3) Making brief announcements of proposed contracts to newspapers, trade journals, magazines, or other mass communication media for publication without cost to the Government.

(4) Placing paid advertisements in newspapers or other communications media, subject to the following limitations:

(i) Contracting officers shall place paid advertisements of proposed contracts only when it is anticipated that effective competition cannot be obtained otherwise (see 5.205(d)).

(ii) Contracting officers shall not place advertisements of proposed contracts in a newspaper published and printed in the District of Columbia unless the supplies or services will be furnished, or the labor performed, in the District of Columbia or adjoining counties in Maryland or Virginia (44 U.S.C. 3701).

(iii) Advertisements published in newspapers must be under proper written authority in accordance with 44 U.S.C. 3702 (see 5.502(a)).

[48 FR 42119, Sept. 19, 1983, as amended at 50 FR 1728, Jan. 11, 1985; 50 FR 52429, Dec. 23, 1985; 51 FR 27117, July 29, 1986; 52 FR 21885, June 9, 1987; 56 FR 41731, Aug. 22, 1991; 60 FR 34736, 34746, July 3, 1995; 61 FR 39191, July 26, 1996; 62 FR 12692, Mar. 17, 1997; 63 FR 58592, Oct. 30, 1998; 66 FR 27409, May 16, 2001; 68 FR 56678, Oct. 1, 2003; 72 FR 63076, Nov. 7, 2007; 75 FR 53132, Aug. 30, 2010; 79 FR 24197, Apr. 29, 2014]