

TABLE 1e TO PART 660, SUBPART C—WHITING AND NON-WHITING INITIAL ISSUANCE ALLOCATION PERCENTAGE FOR IFQ DECIDED THROUGH THE HARVEST SPECIFICATIONS, 2011

Table 1e. To Part 660, Subpart C - Whiting and non-whiting initial issuance allocation percentage for IFQ decided through the harvest specifications, 2011

Species/Species Group/Area	Trawl Allocation (mt)	At-sea Whiting set asides	Non-Whiting			Shorebased IFQ		
			percent	mt		percent	mt	
Pacific Ocean Perch	137	17.4 (10.2 catcher/processor + 7.2 mothership)	89.5% [Remaining]			10.5% (Greater of 17% or 30 mt to shorebased + at-sea whiting)	107	12.6
Widow rockfish	491	147.9 (86.7 catcher/processor + 61.2 mothership)	68.7% (Remaining)			31.3% (52% to shorebased + at-sea whiting)	235	107.1
Yellowtail rockfish North of 40°10' N. lat.	3,401	300	90.3% (Remaining)			9.7% (300 mt)	2,801	300
Darkblotched rockfish	265	14.5 (8.5 catcher/ processors + 6 mothership)	95.8% (Remaining)			4.20% (Greater of 9% or 25 mt to shorebased + at-sea whiting)	240	10.5
Minor slope rockfish South of 40°10' N. lat.	377	na	100%			0.0%	377	0
Minor shelf rockfish North of 40°10' N. lat.	557	35	82.6%			17.4%	431.2	90.8
South of 40°10' N. lat.	86	na	100%			0.0%	86	0
Canary Rockfish	34.1	8.2 (4.8 catcher/processor + 3.4 mothership)	77.2%			22.8%	20	5.9
Bocaccio	60	na	100%			0.0%	60	0
Cowcod	1.8	na	100%			0.0%	1.8	0
Yelloweye Rockfish	0.6	0	100%			0.0%	0.6	0

[76 FR 27531, May 11, 2011]