

§ 381.35 Appeal inspections; how made.

Any person receiving inspection service may, if dissatisfied with any decision of an inspector relating to any inspection, file an appeal from such decision: *Provided*, That such appeal is filed within 48 hours from the time the decision was made. Any such appeal from a decision of an inspector shall be made to his immediate superior having jurisdiction over the subject matter of the appeal, and such superior shall determine whether the inspector's decision was correct. Review of such appeal determination, when requested, shall be made by the immediate superior of the employee of the Department making the appeal determination. The cost of any such appeal shall be borne by the appellant if the Administrator determines that the appeal is frivolous. The charges for such frivolous appeal shall be at the rate of \$9.28 per hour for the time required to make the appeal inspection. The poultry or poultry products involved in any appeal shall be identified by U.S. retained tags and segregated in a manner approved by the inspector pending completion of an appeal inspection.

[48 FR 11419, Mar. 18, 1983, as amended at 60 FR 67456, Dec. 29, 1995]

Subpart G—Facilities for Inspection; Overtime and Holiday Service; Billing Establishments

§ 381.36 Facilities required.

(a) *Inspector's Office.* Office space, including, but not being limited to furnishings, light, heat, and janitor service, shall be provided rent free in the official establishment, for the use of Government personnel for official purposes. The room or space set apart for this purpose must meet the approval of the Inspection Service and be conveniently located, properly ventilated, and provided with lockers or file cabinets suitable for the protection and storage of supplies and with facilities suitable for inspectors to change clothing. At the discretion of the Administrator, small plants requiring the services of less than one full-time inspector need not furnish facilities for Program employees as prescribed in this section, where adequate facilities exist in a

nearby convenient location. Each official establishment shall provide commercial laundry service for inspectors' outer work clothing, or disposable outer work garments designed for one-time use, or uniform rental service garments which are laundered by the rental service.

(b) *Facilities for ante mortem inspection.* A suspect pen is required for adequate ratite inspection.

(c) Facilities for the Streamlined Inspection System (SIS). The following requirements for lines operating under SIS are in addition to the normal requirements to obtain a grant of inspection. The requirements for SIS in § 381.76(b) also apply.

(1) The following provisions shall apply to every inspection station:

(i) The conveyor line shall be level for the entire length of the inspection station. The vertical distance from the bottom of the shackles to the top of the adjustable platform (paragraph (c)(1)(iv) of this section) in its lowest position shall not be less than 60 inches.

(ii) Floor space shall consist of 4 feet along the conveyor line for the inspector, and 4 feet for the establishment helper. A total of at least 8 feet along the conveyor line shall be supplied for one inspection station and 16 feet for two-inspection stations.

(iii) Selectors or "kickouts" shall be installed in establishments with two inspection stations on a line so each inspector will receive birds on 12-inch centers with no intervening birds to impede inspection. The selector must move the bird to the edge of the trough for the inspector and establishment helper. The selectors must be smooth, steady, and consistent in moving the birds parallel and through the inspection station. Birds shall be selected and released smoothly to avoid swinging when entering the inspection station.

(iv) Each inspector's station shall have a platform that is slip-resistant and can be safely accessed by the inspector. The platform shall be designed so that it can be easily and rapidly adjusted for a minimum of 14 inches vertically while standing on the platform. The platform shall be a minimum length of 4 feet and have a minimum width of 2 feet; the platform