

A UNITED STATES  
DEPARTMENT OF  
COMMERCE  
PUBLICATION



# NOAA Technical Memorandum NWS SR-58

U.S. DEPARTMENT OF COMMERCE  
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION  
National Weather Service

## ATLANTIC HURRICANE FREQUENCIES ALONG THE U. S. COASTLINE

R. H. SIMPSON and MILES B. LAWRENCE

U. S. DEPARTMENT OF COMMERCE NOAA  
COASTAL SERVICES CENTER  
2234 SOUTH HOBSON AVENUE  
CHARLESTON, SC 29405-2413

QC  
995  
.U67  
no.58  
c.2

Property of CSC Library

Southern Region

FORT WORTH,  
TEXAS

June 1971

*NOAA - National Weather Service*

*QC 995.467 no.58 c.2*

*PR 0 9 557*

NOAA TECHNICAL MEMORANDA  
National Weather Service, Southern Region Subseries

The National Weather Service Southern Region (SR) Subseries provides an informal medium for the documentation and quick dissemination of results not appropriate, or not yet ready, for formal publication. The series is used to report on work in progress, to describe technical procedures and practices, or to relate progress to a limited audience. These Technical Memoranda will report on investigations devoted primarily to regional and local problems of interest, mainly to personnel, and hence will not be widely distributed.

Papers 1 to 34 are in the former series, ESSA Technical Memoranda, Southern Region Technical Memoranda (SRTM); papers 35 to 51 are in the former series, ESSA Technical Memoranda, Weather Bureau Technical Memoranda (WBTM). Beginning with 52, the papers are now part of the series, NOAA Technical Memoranda NWS.

Papers 1 to 35 are available from the National Weather Service Southern Region, Scientific Services Division, Room 10B09, Federal Office Bldg., 819 Taylor Street, Fort Worth, Tex. 76102. Beginning with 36, the papers are available from the National Technical Information Service, U. S. Department of Commerce, 5285 Port Royal Road, Springfield, Va. 22151. Price: \$3.00 paper copy; \$0.95 microfiche. Order by accession number shown in parenthesis at end of each entry.

ESSA Technical Memoranda

- SRTM 1 Selection of Map Base for Small Scale Analysis and Prediction. Woodrow W. Dickey - May 1965
- SRTM 2 The Relationship of K-Values to Areal Coverage of Showers in the Mid-South. Jack Hollis and Kenneth E. Bryan - August 1965
- SRTM 3 Some Notes on Waterspouts around the Lower Keys. R. Larry Mayne - August 1965
- SRTM 4 Tornadoes Associated with Cyclones of Tropical Origin - Practical Features. E. L. Hill, William Malkin and W. A. Schulz, Jr. - September 1965
- SRTM 5 Radar Echoes Associated with Waterspout Activity. Dorus D. Alderman - October 1965
- SRTM 6 Probability Forecasting. Woodrow W. Dickey - October 1965
- SRTM 7 Short Period Forecasting. Jeter A. Pruett - November 1965
- SRTM 8 Southwest Texas Soaring Weather. David H. Owens - November 1965
- SRTM 9 A Survey of Research in Agricultural Meteorology. Donald A. Downey - November 1965
- SRTM 10 A Quick Look at the Results of One Month's Precipitation Probability Forecasting. George T. Gregg - January 1966
- SRTM 11 Severe Storm Warning Systems in the Southern Region. Staff Members of Operations Division, Southern Region - February 1966
- SRTM 12 The Lubbock Snowstorms of February 20, 1961. Billie J. Cook - April 1966
- SRTM 13 Summary of Probability of Precipitation Forecasts in the Southern Region for the Period January through March 1966. Woodrow W. Dickey - May 1966
- SRTM 14 Air Pollution Meteorology and Transport of Pollutants. José A. Colón - June 1966
- SRTM 15 On the Mechanisms for the Production of Rainfall in Puerto Rico. José A. Colón - June 1966
- SRTM 16 Teletype Techniques and Presentation Procedures for Public Weather Circuits. Jack Riley - June 1966
- SRTM 17 Summary of the Pre-PP - Post-PP Forecast Verification Experiment. Woodrow W. Dickey - June 1966
- SRTM 18 Fire Weather in the Southeast. Richard A. Mitchem - July 1966
- SRTM 19 Severe Storm Warning Networks in Oklahoma. Gerald J. Carter and W. O. Garrison - July 1966
- SRTM 20 Climatological Aids to Short Range Forecasting. Jerome H. Codrington - August 1966
- SRTM 21 A Review of the Methods Developed for Forecasting Stratus in South Central Texas. Richard S. Schrag - August 1966
- SRTM 22 Agricultural Forecasting at Tallahassee, Florida. J. S. Smith - August 1966
- SRTM 23 The Use of Radar in Flash Flood Forecasting. Jack L. Teague - August 1966
- SRTM 24 Short Range Forecasting Procedures at Savannah. David P. Barnes - August 1966
- SRTM 25 On the Use of Digitized Radar Data for the Florida Peninsula. Neil L. Frank, Paul L. Moore, and George E. Fisher - September 1966
- SRTM 26 Relative Humidity in Georgia. Horace S. Carter - September 1966
- SRTM 27 Study on Duration of Measurable Precipitation at Birmingham. Hugh B. Riley - September 1966
- SRTM 28 The Weather Distribution with Upper Tropospheric Cold Lows in the Tropics. Neil L. Frank - September 1966
- SRTM 29 On the Correlation of Radar Echoes over Florida with Various Meteorological Parameters. Neil L. Frank and Daniel L. Smith - October 1966
- SRTM 30 A Study of the Diurnal Summer Wind System at Galveston, Texas. David H. George - December 1966
- SRTM 31 A Simple Inexpensive Degree-Hour Counter. D. R. Davis and Jerrell E. Hughes - March 1967
- SRTM 32 An Objective Technique for Forecasting the Possibility of an Afternoon Summer Shower at Savannah, Georgia. David P. Barnes, Jr. and Samuel C. Davis - March 1967
- SRTM 33 An Empirical Method for Forecasting Radiation Temperatures in the Lower Rio Grande Valley of Texas. Leroy E. Hagood - March 1967
- SRTM 34 Study on Duration of Measurable Precipitation at Lubbock, Texas. G. Alan Johnson and Thomas P. Clarke - April 1967
- WBTM SR 35 Remoting Radar Scope Weather and Associated Data via the Slo-Scan Method. Davis Benton - May 1967
- WBTM SR 36 Short Range Forecasting of Dryoff Time from Dew Block Dew Intensity. Dorus D. Alderman and Kenneth E. Bryan - October 1967 (PB 182 223)
- WBTM SR 37 The Relationship of K-Values to Probability of Showers in the Mid-South. Kenneth E. Bryan - October 1967 (PB 182 224)
- WBTM SR 38 Florida Hurricanes. Gordon E. Dunn and Staff NHC - November 1967 (PB 182 220)
- WBTM SR 39 The Relationship of Precipitation and Cloudiness to Some Predictors from the NMC Six-Layer Model, Staff S&D, WBSRH - October 1968 (PB 182 221)
- WBTM SR 40 A Preliminary Examination of Areal Characteristics of Precipitation in New Mexico. George T. Gregg - November 1968 (PB 182 222)
- WBTM SR 41 An Analysis of Hurricane Betsy. George A. Quereau - January 1969 (PB 182 383)
- \*WBTM SR 42 Memorable Hurricanes of the United States Since 1873. Arnold L. Sugg and Robert L. Carrodes - January 1969 (PB 182 228)
- WBTM SR 43 Applications of Community Antenna Television (CATV) Systems to Public Weather Dissemination. R. O. Reinhold and Carl M. Reber - January 1969 (PB 182 831)
- WBTM SR 44 Climatology of Atlantic Tropical Cyclones by Two and One-Half Degree Latitude-Longitude Boxes. John R. Hope and Charles J. Neumann - February 1969 (PB 183 308)
- WBTM SR 45 On the Maximum Sustained Winds Occurring in Atlantic Hurricanes. Charles Holliday - May 1969 (PB 184 609)
- WBTM SR 46 Hemispheric Circulation and Anomaly Patterns Observed When Tropical Storms Reach Hurricane Intensity. Paul J. Rebert, NHC and Banner L. Miller, NREL - May 1969 (PB 184 610)
- WBTM SR 47 Disturbances in the Tropical and Equatorial Atlantic. R. H. Simpson - June 1969 (PB 184 740)
- WBTM SR 48 On Comparative Rating of Forecasters. George T. Gregg - October 1969 (PB 188 039)
- WBTM SR 49 A Mean Storm Surge Profile. Arnold L. Sugg - December 1969 (PB 188 422)
- WBTM SR 50 A Reassessment of the Hurricane Prediction Problem. Robert H. Simpson - February 1970 (PB 189 846)
- WBTM SR 51 The Satellite Applications Section of the National Hurricanes Center. R. H. Simpson and D. C. Gaby - September 1970 (COM 71 00005)

NOAA Technical Memoranda NWS

- NWS SR 52 A Study of Funnel Cloud Occurrences in the Beaumont-Port Arthur-Orange Area in Texas. Carlos Garsa, Jr. - January 1971 (COM 71 00306)
- NWS SR 53 The Decision Process in Hurricane Forecasting. R. H. Simpson - January 1971 (COM 71 00336)
- NWS SR 54 Statistical Forecasts of Dew Point in Northeast Texas With Onset of Southerly Flow. Tommy W. Trumble - February 1971 (COM 71 00342)

\* Revised April 1971 as NWS SR 56

VIA AIR MAIL TO WASHINGTON (continue on inside rear cover)

U. S. DEPARTMENT OF COMMERCE  
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

NOAA Technical Memorandum NWS TM SR-58

ATLANTIC HURRICANE FREQUENCIES ALONG THE U. S. COASTLINE

SOUTHERN REGION HEADQUARTERS  
SCIENTIFIC SERVICES DIVISION  
FORT WORTH, TEXAS  
June 1971



Atlantic Hurricane Frequencies Along  
the U.S. Coastline

by

R. H. Simpson and Miles B. Lawrence  
NHC, Coral Gables, Florida

ABSTRACT

From a recently completed climatology of hurricanes at the National Hurricane Center covering a period of 85 years of record, the total number of incidents and the frequency of hurricanes and tropical storms for 50-mile segments of the U. S. Gulf of Mexico and Atlantic coastlines are presented.

## INTRODUCTION

The migration of our population toward the seacoasts imposes an increasingly important requirement for intelligently assessing the risks involved on hurricane-prone coastlines of the U. S. This paper attempts to present the best available data on the occurrence of hurricanes in such a manner that these risk assessments will be easier to make. In connection with the development of the HURRAN technique by Hope and Neumann (1970) and the development of a hurricane climatology for  $2\frac{1}{2}$  degree squares of latitude and longitude by Hope and Neumann (1969), the hurricane record of the last 85 years was carefully reviewed. The principal source of material for this study was the hurricane tracks and summary by Cry (1965). These data were stored on magnetic tape and now provide the basis for many climatological summaries and computations at the National Hurricane Center. From this tape, a compilation of tropical cyclone occurrences along the U.S. Gulf of Mexico and Atlantic coastlines has been prepared for coastal segments of 50 miles in length. The diagrams presented here summarize these data.

The frequency of hurricanes along our coastlines is such that no climatological summary can be considered a stable assessment of the risk of storm recurrence at any one locality. Nevertheless, it is important that the best possible information be available for various planning purposes, and this document is directed toward that end.

## METHOD OF SUMMARIZATION

For planning purposes, especially for metropolitan areas and for the location of industrial sites, the summarization of hurricane events needs to be made for the smallest practicable coastal sectors for which the results may hold significance. In the present study, a review of all tropical

2.

cyclone events for the period of 1886 - 1970, indicates that a 50-mile coastal strip is the smallest segment for which a meaningful summary can be made for the purpose of examining hurricane events. In some areas, even this size segment involves a marginal number of storms. In summarizing the data, it was assumed that if a tropical cyclone of hurricane intensity crossed the coastline in one of the 50-mile sectors, it also affected the adjacent sector which lay in the right semicircle of the storm. For example, a hurricane which crossed the coastline in sector 2 (Fig. 1a) was counted not only for sector 2 but also for sector 3.

It should be mentioned that only storms entering a coastal area were considered; i.e., the method of tabulation made it unwieldy to include those storms that were passing off shore. This is significant only for the State of Florida where an intense storm crossing the peninsula could produce damaging winds along the coastal zone where this storm returns from land to sea. There have been a number of such cases over the years and, therefore, the data presented for peninsular Florida in this report may be regarded as somewhat conservative.

Tropical cyclones were divided into three categories. One includes all cyclones whose maximum (reported) sustained winds were 40 mph (gale force) or higher. The second includes all tropical cyclones with reported winds of 74 mph (hurricane force) or higher, and the third, those great hurricanes with sustained winds of 125 mph or more. The latter maximum wind threshold carries with it the likelihood of severe structural damage to residences and small industrial plants where building codes specifically designed to protect against a mature hurricane have not been enforced. The central pressure of approximately 950 mb, which normally accompanies this wind value, can be associated with storm surge heights as high as 12 to 15 feet where bottom depths and other coastal features

favor this accumulation. Thus, due to both storm surge inundation and wind stresses on structures, storms in this category can be expected to bring major disasters to metropolitan areas with heavy damage to structures and high potential for loss of life.

The summary figures presented in the next section refer to the frequencies of tropical cyclones. These frequencies are expressed as probabilities in percentage units. These values are not, of course, probabilities in the strict mathematical sense, but are the arithmetic means of the 85 year sample of data.

A method of estimating the mathematical probabilities is to assume that the statistical properties of the data sample represent the properties of the entire population of events (i.e., all coastline crossings). These statistical properties will then determine a particular distribution of events. In the present case, the Poisson distribution is appropriate, as demonstrated by Hope and Neumann (1968), and also by Thom (1960).

Table 1 shows the relation between the observed frequency of occurrences of coastline crossings and the probability of occurrences of at least one storm crossing in a year as computed from the Poisson distribution.

TABLE I

Observed Frequency of Occurrence Versus Poisson Probability

<u>Observed Average Number of Storm Crossings Per Year</u>	<u>Poisson Probability of At Least One Storm Crossing Per Year</u>
.00	.00
.01	.01
.02	.02
.03	.03
.04	.04
.05	.05

Table I (cont'd)

<u>Observed Average Number of Storm Crossings Per Year</u>	<u>Poisson Probability of At Least One Storm Crossing Per Year</u>
.06	.06
.07	.07
.08	.08
.09	.09
.10	.10
.11	.10
.12	.11
.13	.12
.14	.13
.15	.14
.16	.15
.17	.16
.18	.16
.19	.17
.20	.18
.21	.19

It is seen from Table 1 that the difference between the observed averages and the Poisson probabilities is small, being no more than two percentage points, and this only at the high end of the range. Also, the Poisson probabilities, where different, are always a reduction from the observed frequencies. This is explained by the fact that the Poisson distribution accounts for the possibility of more than one storm crossing during a single year.

In view of the above, it seemed advisable to present the data and figures of this study in terms of the raw data; that is, the observed frequencies of occurrence, leaving the particular statistical application up to the potential user of these data.

#### SUMMARY

Figure 1a shows the locations of the coastline segments. With just a few exceptions (segment no. 12 for example), the coastal strips approximate 50 nautical miles in length. A list of the exact positions of the endpoints of the segments that were used in the computations are given in an Appendix to this report. Figure 1a indicates the dates of the earliest




Fig. 1a. Earliest and latest tropical cyclone occurrences for the period 1886-1970. Numbers within boxes are the month and date of earliest and latest landfalls for the indicated coastal segment.




Fig. 1b. Earliest and latest tropical cyclone occurrences for the period 1886-1970. Numbers along the abscissa are the coastal segment identifiers.

and latest tropical cyclone landfalls in each sector. The same information is presented graphically in Figure 1b.

Here it is seen that there are three coastal areas where storms occurred in February; these are segment numbers 24, 52 and 58. In fact, all three of these events were the result of a single tropical storm in 1952 that moved from the western Caribbean across southern Florida and then along the Atlantic Seaboard to New England. Although this storm has been identified as an early occurrence on Figures 1a and 1b, it was actually a highly anomalous, off-season storm, and should not be seriously considered when assessing risks.


Otherwise, it is noted that in general the Gulf of Mexico coastline is more vulnerable than the Atlantic coast to early-season cyclones. This, of course, is to be expected since the primary early-season hurricane genesis regions are the western Caribbean and the Gulf of Mexico.

The location of the latest occurrences of late-season storms is shared by southwest Florida and the Cape Hatteras area. Other than this, late storms appear to be fairly well distributed along the Gulf of Mexico and Atlantic coastlines.

Figures 2a and 2b show the frequency of occurrence of tropical cyclones for each of the three categories for each coastal sector. The numbers are in percentage units and are the arithmetic average of actual storm occurrences over the period of record. As discussed in the preceding section, these values may be regarded as an estimate of the probability of a cyclone landfall.

One obvious feature of Figures 2a and 2b is the concentration of high likelihood of great hurricane landfalls along the Gold Coast of southeastern Florida as well as along most of the Texas coast.

This histogram and table shows the probability (percentage) that a tropical storm, hurricane, or great hurricane will occur in any one year in a 50 mile segment of the coastline. Figure 1 identifies the numbered coastal segments.



LEGEND	
ALL TROP. CYCL.	
ALL HURR.	
GREAT HURR.	

COASTAL SECTOR	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
ALL TROPICAL CYCLONES	9	12	13	12	18	20	14	12	13	18	21	15	13	21	19	11	16	19	20	12	9	12	12	21	19	18	16	20	20
ALL HURRICANES	8	7	7	9	14	12	8	6	6	9	13	9	6	13	14	7	6	7	6	8	6	4	5	9	13	13	12	16	15
GREAT HURRICANES	2	5	4	4	4	4	4	1	-	-	2	4	1	-	-	-	-	-	-	-	1	2	1	2	4	2	5	7	7

Fig. 2a. Frequency of tropical cyclones along the U.S. Gulf of Mexico coastline.

This histogram and table shows the probability (percentage) that a tropical storm, hurricane, or great hurricane will occur in any one year in a 50 mile segment of the coastline. Figure 1 identifies the numbered coastal segments.




Fig. 2b. Frequency of tropical cyclones along the U. S. Atlantic coastline

**Fig.3 Number of TROPICAL CYCLONES reaching U.S. mainland 1886 - 1970**

Sector	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
All Tropical Cyclones	8	10	11	10	15	17	12	10	11	15	18	13	11	18	16	9	14	16	17	10	8	10	10	18	16	15	14	17	17
All Hurricanes	7	6	6	8	12	10	7	5	5	8	11	8	5	11	12	6	5	6	5	7	5	3	4	8	11	11	10	14	13
Great Hurricanes	2	4	3	3	3	3	3	1	-	-	2	3	1	-	-	-	-	-	-	-	1	2	1	2	3	2	4	6	6

Sector	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58
All Tropical Cyclones	9	6	6	6	3	4	14	7	7	11	6	12	15	8	2	2	3	1	1	1	9	5	18	5	-	-	6	7	11
All Hurricanes	7	4	2	1	1	2	6	7	4	5	5	4	9	7	2	2	2	1	-	1	5	5	6	5	-	-	3	5	4
Great Hurricanes	4	-	-	-	-	1	1	-	-	2	2	-	2	3	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-

**Fig.4 Number of years between TROPICAL CYCLONE occurrences Average for the period 1886 - 1970**

Sector	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
All Tropical Cyclones	10	8	7	8	5	5	7	8	7	5	4	6	7	4	5	9	6	5	5	8	10	8	8	4	5	5	6	5	5
All Hurricanes	12	14	14	10	7	8	12	17	17	10	7	10	17	7	7	14	17	14	17	12	17	28	21	10	7	7	8	6	6
Great Hurricanes	42	21	28	28	28	28	28	85	-	-	42	28	85	-	-	-	-	-	-	-	85	42	85	42	28	42	21	14	14

Sector	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58
All Tropical Cyclones	9	14	14	14	28	21	6	12	12	7	14	7	5	10	42	42	28	85	85	85	9	17	4	17	-	-	14	12	7
All Hurricanes	12	21	42	85	85	42	14	12	21	17	17	21	9	12	42	42	42	85	-	85	17	17	14	17	-	-	28	17	21
Great Hurricanes	21	-	-	-	-	85	85	-	-	42	42	-	42	28	85	-	-	-	-	-	-	85	85	-	-	-	-	-	-

All TROPICAL CYCLONES (40MPH or higher)

All HURRICANES (74MPH or higher)

GREAT HURRICANES (125MPH or higher)

Figure 3 summarizes the actual count of the tropical cyclone landfalls which affected each coastal sector. Finally, Figure 4 lists the average number of years between tropical cyclone occurrences.

It is beyond the scope of this report to discuss any further the many details of the data contained herein. Certainly, some of the smaller-scale details must be considered cautiously in light of the nature of the data. However, it is hoped that this paper will serve as a useful starting point for the application of tropical cyclone summary data.

#### ACKNOWLEDGEMENTS

The authors are indebted to Mr. Robert L. Carrodus of the National Hurricane Research Laboratory who prepared the figures, and to Mr. Charles J. Neumann, Spaceflight Meteorology Group, Miami, Florida, who assisted with the programming for the numerical computations.

## APPENDIX

## Coastline Segment Locations

The following latitude/longitude combinations comprise a list of the left endpoints of the coastline segments as referenced from an off-shore viewing position and as illustrated in Fig. 1a. The right endpoint of any segment is the left endpoint of the next higher-numbered segment. There are two exceptions: segment no. 25 in extreme southern Florida; and segment no. 58, the northernmost segment. The right endpoints for the exceptions are indicated in the listings below.

Also, the cities identified below are only for the reader's convenience as points of reference.

## Coastline Segment Locations

<u>Coastline Segment No.</u>	<u>Left Endpoint</u>		
	Lat.	Long.	
1	25.95	97.15	(Brownsville)
2	26.75	97.35	
3	27.57	97.22	
4	28.23	96.62	
5	28.67	95.80	
6	29.13	95.02	(Galveston)
7	29.60	94.25	
8	29.77	93.30	
9	29.52	92.37	
10	29.32	91.43	
11	29.07	90.52	(New Orleans)
12	28.98	89.15	
13	30.20	88.93	
14	30.22	87.97	
15	30.35	87.02	

Coastline Segment No.	Left Endpoint		
	Lat.	Long.	
16	30.28	86.05	(Panama City)
17	29.68	85.38	
18	29.88	84.43	
19	29.70	83.50	
20	29.08	82.88	
21	28.23	82.87	(Tampa)
22	27.42	82.68	
23	26.67	82.25	
24	25.97	81.77	
25	25.12	81.13	---- Right Endpoint: Lat. 25.32, Long. 80.25
26	24.53	81.82	(Key West)
27	24.77	80.93	
28	25.32	80.25	
29	26.13	80.03	
30	27.00	80.05	
31	27.73	80.38	(Vero Beach)
32	28.55	80.55	
33	29.27	81.02	
34	30.05	81.33	(Jacksonville)
35	30.90	81.42	
36	31.68	81.12	(Savannah)
37	32.33	80.48	
38	32.83	79.70	
39	33.48	79.08	
40	33.77	78.15	(Wilmington, N.C.)
41	34.43	77.53	
42	34.60	76.53	
43	35.23	75.53	
44	36.05	75.67	(Norfolk)
45	36.85	75.97	
46	37.63	75.60	
47	38.35	75.07	
48	39.15	74.70	
49	39.83	74.08	
50	40.58	73.63	
51	40.80	72.57	
52	41.15	71.55	(Nantucket)
53	41.25	69.95	
54	42.08	69.90	
55	42.72	70.62	
56	43.52	70.32	(Portland)
57	43.91	69.32	
58	44.25	68.25	---- Right Endpoint: Lat. 44.80, Long. 66.90

R E F E R E N C E S

- Cry, George W., 1965: "Tropical Cyclones of the North Atlantic Ocean: Tracks and Frequencies of Hurricanes and Tropical Storms, 1871-1963", Technical Paper No. 55, U. S. Weather Bureau, Washington, D. C., 148 pp.
- Hope, John R., and Neumann, Charles J., 1968: "Probability of Tropical Cyclone Induced Winds at Cape Kennedy", ESSA Technical Memorandum WBIM SOS - 1, U. S. Department of Commerce, Washington, D.C., 67 pp.
- , and ----, 1969: "Climatology of Atlantic Tropical Cyclones by Two and One-Half Degree Latitude - Longitude Boxes", Technical Memorandum WBIM - SR - 44, U.S. Weather Bureau, Southern Region Headquarters, Fort Worth, Texas, 50 pp.
- , and ----, 1970: "An Operational Technique for Relating the Movement of Existing Tropical Cyclones to Past Tracks", Monthly Weather Review, Vol. 98, No. 12, pp 925 - 933.
- Thom, H. C. S., 1960: "The Distribution of Annual Tropical Cyclone Frequency", Journal of Geophysical Research, Vol. 65, pp 213-222.

(continued from inside front cover)

- NWS SR 55 Digitized Atlantic Tropical Cyclone Tracks. John R. Hope and Charles J. Neumann - February 1971
- NWS SR 56 Memorable Hurricanes of the United States Since 1873. Arnold L. Sugg, Leonard G. Pardue and Robert L. Carrodus - April 1971 (COM-71-00610)
- NWS SR 57 Some Aspects of Probability of Precipitation Forecast Performance by WSFOs in the Southern Region - November 1969 Through October 1970. Allen D. Cummings - May 1971