

| Source of flooding and location   | #Depth in feet above ground.<br>*Elevation in feet (NGVD) |
|---|---|
| <i>Cibolo Creek:</i>  |   |
| Approximately 14,500 feet downstream of FM 775 .....  | *459  |
| Elm Creek at confluence with Cibolo Creek .....   | *464  |
| Elm Creek at 10,700 feet upstream of confluence with Cibolo Creek .....   | *465  |
| Approximately 3,600 feet upstream of confluence of Dry Hollow Creek .....   | *483  |
| Just downstream of confluence of Martinez Creek .....   | *524  |
| <b>Maps are available for inspection</b> at Wilson County Courthouse, 1420 Third Street, Floresville, Texas.                      |   |
| <b>WASHINGTON</b>   |   |
| <b>Okanogan (city), Okanogan County (FEMA Docket No. 7118)</b>  |   |
| <i>Okanogan River:</i>  |   |
| Approximately 1.3 miles upstream of Oak Street .....  | *834  |
| Approximately 2.5 miles upstream of Oak Street .....  | *835  |
| <b>Maps are available for inspection</b> at the City of Okanogan, Office of Planning, 237 4th Avenue North, Okanogan, Washington. |   |

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.")  
 Dated: March 28, 1995.  
**Richard T. Moore,**  
*Associate Director for Mitigation.*  
 [FR Doc. 95-8183 Filed 4-3-95; 8:45 am]  
 BILLING CODE 6718-03-P

**Federal Emergency Management Agency**  
**44 CFR Part 67**  
**Final Flood Elevation Determinations**

**AGENCY:** Federal Emergency Management Agency (FEMA), Energy.  
**ACTION:** Final rule.

**SUMMARY:** Base (100-year) flood elevations and modified base (100-year) flood elevations are made final for the communities listed below. The base (100-year) flood elevations and modified base flood elevations are the basis for the floodplain management measures that each community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the

National Flood Insurance Program (NFIP).

**EFFECTIVE DATES:** The date of issuance of the Flood Insurance Rate Map (FIRM) showing base flood elevations and modified base flood elevations for each community. This date may be obtained by contacting the office where the maps are available for inspection as indicated on the table below.

**ADDRESSES:** The final base flood elevations for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

**FOR FURTHER INFORMATION CONTACT:** Michael K. Buckley, P.E., Chief, Hazard Identification Branch, Mitigation Directorate, 500 C Street SW., Washington, DC 20472, (202) 646-2756.

**SUPPLEMENTARY INFORMATION:** The Federal Emergency Management Agency (FEMA or Agency) makes final determinations listed below of base flood elevations and modified base flood elevations for each community listed. The proposed base flood elevations and proposed modified base flood elevations were published in newspapers of local circulation and an opportunity for the community or individuals to appeal the proposed determinations to or through the community was provided for a period of ninety (90) days. The proposed base flood elevations and proposed modified base flood elevations were also published in the **Federal Register**.

This final rule is issued in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR part 67.

The Agency has developed criteria for floodplain management in floodprone areas in accordance with 44 CFR part 60.

Interested lessees and owners of real property are encouraged to review the proof Flood Insurance Study and Flood Insurance Rate Map available at the address cited below for each community.

The base flood elevations and modified base flood elevations are made final in the communities listed below. Elevations at selected locations in each community are shown.

**National Environmental Policy Act**

This rule is categorically excluded from the requirements of 44 CFR part 10, Environmental Consideration. No environmental impact assessment has been prepared.

**Regulatory Flexibility Act**

The Associate Director, Mitigation Directorate, certifies that this rule is

exempt from the requirements of the Regulatory Flexibility Act because final or modified base flood elevations are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and are required to establish and maintain community eligibility in the National Flood Insurance Program. No regulatory flexibility analysis has been prepared.

**Regulatory Classification**

This final rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

**Executive Order 12612, Federalism**

This rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

**Executive Order 12778, Civil Justice Reform**

This rule meets the applicable standards of section 2(b)(2) of Executive Order 12778.

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is amended as follows:

**PART 67—[AMENDED]**

1. The authority citation for part 67 continues to read as follows:

**Authority:** 42 U.S.C. 4001 et seq.; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

**§ 67.11 [Amended]**

2. The tables published under the authority of § 67.11 are amended as follows:

| Source of flooding and location   | #Depth in feet above ground.<br>*Elevation in feet (NGVD) |
|---|---|
| <b>CONNECTICUT</b>  |   |
| <b>Orange (town), New Haven County (FEMA Docket No. 7116)</b>   |   |
| <i>Race Brook:</i>  |   |
| Approximately 0.14 mile upstream of Orange Center Road .....  | *108  |
| At upstream corporate limits (approximately 0.6 mile upstream of State Route 114) .   | *172  |
| <b>Maps available for inspection</b> at the Department of Public Works, Town Hall, 617 Orange Center Road, Orange, Connecticut. |   |

| Source of flooding and location  | #Depth in feet above ground.<br>*Elevation in feet (NGVD) | Source of flooding and location  | #Depth in feet above ground.<br>*Elevation in feet (NGVD) | Source of flooding and location   | #Depth in feet above ground.<br>*Elevation in feet (NGVD) |
|--|---|--|---|---|---|
| <b>OHIO</b>  |   |  |   |   |   |
| <b>Bexley (city), Franklin County, (FEMA Docket No. 7097)</b>  |   | Approximately 1,520 feet upstream of CONRAIL .....   | *803  | <i>Bishop Run:</i><br>Approximately 1,000 feet upstream of confluence with Little Walnut Creek .....  | *751  |
| <i>Alum Creek:</i><br>Approximately 1,000 feet upstream of downstream corporate limits .....               | *749  | <i>Turkey Run:</i><br>Upstream side of State Route 315 culvert .....   | *739  | At Canal Winchester South Road .....  | *780  |
| Approximately 1,250 feet downstream of CONRAIL ....  | *756  | Approximately 1,850 feet upstream of Tillbury Avenue at the City of Columbus corporate limits .....            | *781  | <i>Little Walnut Creek:</i><br>At downstream county boundary .....  | *722  |
| <b>Maps available for inspection</b> at the City Hall, 2242 East Main Street, Bexley, Ohio.                |   | <i>Little Walnut Creek:</i><br>Downstream corporate limits ...<br>Upstream corporate limits .....              | *730<br>*731  | Approximately 0.70 mile upstream of Hayes Road .....  | *731  |
| <b>Brice (village), Franklin County (FEMA Docket No. 7097)</b>   |   | <i>Big Run:</i><br>At upstream corporate limits (west of County Route 119) .                                   | *735  | <i>Lisle Ditch (formerly Big Run Tributary):</i><br>At confluence with Big Run ....<br>Approximately 100 feet downstream of Oregon Road ..... | *741<br>*756  |
| <i>Powell Ditch:</i><br>Approximately 600 feet downstream of Refugee Road ....                             | *776  | <i>Utzinger Ditch:</i><br>Approximately 200 feet downstream of Rose Hill Road ....                             | *882  | <i>Big Run:</i><br>Approximately 0.90 mile upstream of confluence with Little Walnut Creek .....  | *735  |
| Approximately 800 feet upstream of Refugee Road ....   | *781  | <i>Tudor Ditch:</i><br>Approximately 500 feet upstream of confluence with Scioto River .....                   | *768  | At downstream county boundary .....   | *809  |
| <b>Maps available for inspection</b> at the Village Municipal Building, 5990 Columbus Street, Brice, Ohio. |   | Approximately 857 feet upstream of confluence with Scioto River .....  | *780  | <i>Georges Creek:</i><br>At upstream side of C&O Railroad bridge .....  | *747  |
| <b>Canal Winchester (village), Franklin County (FEMA Docket No. 7097)</b>                                  |   | <b>Maps available for inspection</b> at the Fairwood Complex, 1250 Fairwood Avenue, Columbus, Ohio.            |   | Approximately 1,500 feet upstream of U.S. Route 33 .....  | *755  |
| <i>Georges Creek:</i><br>Approximately 650 feet downstream of U.S. Route 33 .....                          | *753  | <b>Dublin (city), Franklin County (FEMA Docket No. 7097)</b>   |   | <i>Spring Run:</i><br>Approximately 350 feet upstream of County Route 82 .<br>Approximately 0.4 mile upstream of County Route 82 .            | *850<br>*854  |
| At downstream side of County Route 376 (Winchester Pike)   | *758  | <i>South Fork Indian Run:</i><br>Approximately 1,400 feet upstream of Avery Road .....                         | *914  | <i>Unnamed Pounding Area:</i><br>In the vicinity of the intersection of Corbett Road and Front Street .....                                   | *733  |
| <b>Maps available for inspection</b> at the Village Hall, 10 North High Street, Canal Winchester, Ohio.    |   | At upstream Dublin corporate limits .....  | *940  | <i>Clover Groff Ditch:</i><br>Approximately 1,060 feet downstream of Interstate Route 70 .....  | *929  |
| <b>Columbus (city), Franklin County (FEMA Docket No. 7124)</b>   |   | <i>Cosgray Ditch:</i><br>Approximately 425 feet upstream of confluence with Scioto River .....                 | *775  | Approximately 0.66 mile downstream of Elliot Road .....   | *941  |
| <i>Barbee Ditch:</i><br>At Chippewa Street .....   | *801  | Approximately 2,200 feet upstream of Wilcox Road .....   | *921  | <i>Dry Run:</i><br>Approximately 160 feet downstream of the downstream CONRAIL .....  | *764  |
| Approximately 100 feet downstream of Trabue Road .....   | *826  | <i>Cramer Ditch:</i><br>At upstream side of Dublin Road .....  | *824  | Approximately 550 feet upstream of Hague Avenue ....  | *796  |
| <i>Barnes Ditch:</i><br>At confluence with Scioto River<br>At Wilson Road .....                            | *737<br>*836  | Approximately 2,500 feet upstream of Wilcox Road .....   | *920  | <i>Blau Ditch:</i><br>At confluence with Dry Run ....<br>Approximately 550 feet upstream of Maclam Drive .....                                | *796<br>*834  |
| <i>Blau Ditch:</i><br>Approximately 0.42 mile upstream of confluence with Dry Run .....                    | *818  | At county boundary .....   | *917  | <i>Barbee Ditch:</i><br>At confluence with Barnes Ditch .....   | *786  |
| Approximately 1,160 feet upstream of Maclam Drive .....  | *838  | <b>Maps available for inspection</b> at the Planning and Zoning Building, 5800 Shier-Rings Road, Dublin, Ohio. |   | At Trabue Road .....  | *826  |
| <i>Snyder Run:</i><br>At confluence with Barnes Ditch .....  | *808  | <b>Franklin County (unincorporated areas) (FEMA Docket No. 7105)</b>   |   | <i>Barnes Ditch:</i><br>At downstream corporate limits<br>Approximately 1,500 feet upstream of confluence of Snyder Run .....                 | *779<br>*824  |
| At Wilson Road .....   | *843  | <i>Blacklick Creek:</i><br>At upstream side of Central College Road (County Route 18) .....                    | *1,084  | <i>Faust County Ditch:</i><br>At Hayden Run Road .....  | *935  |
| <i>Dry Run:</i><br>At confluence with Scioto River<br>Approximately 160 feet upstream of Ruth Court .....  | *731<br>*790  | Approximately 0.69 mile upstream of Walnut Street (County Route 19) .....                                      | *1,119  | <i>Hayden Run:</i><br>At upstream side of CONRAIL<br>At Hayden Run Road .....   | *941<br>*907<br>*935                                      |
| <i>South Fork Dry Run:</i><br>At downstream corporate limits   | *786  |  |   | <i>Snyder Run:</i>  |   |

| Source of flooding and location   | #Depth in feet above ground.<br>*Elevation in feet (NGVD) | Source of flooding and location   | #Depth in feet above ground.<br>*Elevation in feet (NGVD) | Source of flooding and location  | #Depth in feet above ground.<br>*Elevation in feet (NGVD) |
|---|---|---|---|--|---|
| Approximately 800 feet upstream of Cross Creek Drive  | *823  | <b>Maps available for inspection</b> at the Municipal Building, 605 Cherry Street, Groveport, Ohio. |   | <b>Maps available for inspection</b> at the Village Hall, 1600 Fernwood Avenue, Columbus, Ohio (please contact Joan Klitch, Village Clerk at (614) 486-6993 to arrange for viewing). |   |
| Approximately 1,700 feet upstream of Cross Creek Drive  | *830  |   |   |  |   |
| <i>Molcomb Ditch:</i>   |   |   |   |  |   |
| At confluence with Tudor Ditch  | *820  | <b>Harrisburg (village), Franklin County (FEMA Docket No. 7097)</b>                                 |   |  |   |
| Approximately 1,700 feet downstream of Interstate Route 270 .....   | *857  |   |   |  |   |
| <i>Tudor Ditch:</i>   |   | <i>Big Darby Creek:</i>   |   | <b>Riverlea (village), Franklin County (FEMA Docket No. 7097)</b>  |   |
| Approximately 875 feet upstream of confluence with Scioto River .....   | *780  | At downstream corporate limits  | *788  |  |   |
| Approximately 500 feet downstream of Fishingier Boulevard .....   | *851  | At upstream corporate limits ...  | *789  | <i>Olentangy River:</i>  |   |
| <i>Cramer Ditch:</i>  |   | <b>Maps available for inspection</b> at the Village Hall, 1092 High Street, Harrisburg, Ohio.       |   | At downstream corporate limits   | *746  |
| Approximately 150 feet upstream of confluence with Scioto River .....   | *773  |   |   | At upstream corporate limits ...   | *749  |
| At downstream side of Dublin Road .....   | *773  | <b>Hilliard (city), Franklin County (FEMA Docket No. 7097)</b>                                      |   | <b>Maps available for inspection</b> at the Clerk/Treasurer, 124 West Riverglen, Worthington, Ohio.  |   |
| <i>Shallow Flooding Area:</i>   |   | <i>Hayden Run:</i>  |   |  |   |
| South of County Route 118 and north of C&O Railroad ..  | #1  | At upstream side of Avery Road .....  | *909  | <b>Urbancrest (village), Franklin County (FEMA Docket No. 7097)</b>  |   |
| Between Big Run and Lisle Ditch (north of Berger Road and south of Hayes Road) ...  | #1  | Approximately 900 feet upstream of Avery Road .....   | *910  |  |   |
| <b>Maps available for inspection</b> at the Franklin County Zoning Department, 373 South High Street, 15th Floor, Columbus, Ohio. |   | <i>Molcomb Ditch:</i>   |   | <i>Baumgardner Ditch:</i>  |   |
|   |   | Approximately 225 feet upstream of confluence with Tudor Ditch .....                                | *821  | Approximately 100 feet downstream of CSX Transportation .....  | *824  |
|   |   | Approximately 200 feet downstream of Lyman Drive .....  | *874  | At upstream corporate limits ...   | *848  |
|   |   | <i>Tudor Ditch:</i>   |   | <b>Maps available for inspection</b> at the City Hall, 3492 First Avenue, Urbancrest, Ohio.  |   |
|   |   | Approximately 675 feet downstream of Fishingier Boulevard .....                                     | *849  |  |   |
|   |   | Approximately 140 feet downstream of Parkway Lane .....   | *873  | <b>Upper Arlington (city), Franklin County (FEMA Docket No. 7097)</b>  |   |
| <b>Gahanna (city), Franklin County (FEMA Docket No. 7097)</b>   |   | <i>Clover Groff Ditch:</i>  |   | <i>Turkey Run:</i>   |   |
| <i>Utzinger Ditch:</i>  |   | At downstream corporate limits  | *936  | At downstream corporate limits of Upper Arlington .....  | *781  |
| At downstream corporate limits (downstream of CONRAIL) ..   | *893  | Approximately 0.66 mile downstream of Elliot Road .....   | *941  | Approximately 1,600 feet upstream of downstream corporate limits for Upper Arlington .....   | *794  |
| <b>Maps available for inspection</b> at the City Hall, 200 S. Hamilton Road, Gahanna, Ohio.                                       |   | <b>Maps available for inspection</b> at the City Hall, 3800 Municipal Way, Hilliard, Ohio.          |   | <b>Maps available for inspection</b> at the City Hall, 3600 Tremont Road, Upper Arlington, Ohio.   |   |
|   |   |   |   |  |   |
| <b>Glenford (village), Perry County (FEMA Docket No. 7112)</b>  |   | <b>Malvern (village), Carroll County (FEMA Docket No. 7112)</b>                                     |   | <b>Valleyview (village), Franklin County (FEMA Docket No. 7097)</b>  |   |
| <i>Jonathan Creek:</i>  |   | <i>Big Sandy Creek:</i>   |   | <i>Dry Run:</i>  |   |
| At downstream corporate limits, approximately 550 feet downstream of Main Street ..   | *844  | Approximately 600 feet downstream of downstream corporate limits .....                              | *994  | At downstream Village of Valleyview corporate limits ..  | *767  |
| At upstream corporate limits, approximately 1,200 feet upstream of Main Street .....  | *848  | Approximately 600 feet upstream of upstream corporate limits .....                                  | *998  | At upstream Village of Valleyview corporate limits ..  | *779  |
| <b>Maps available for inspection</b> at the Village Clerk's Residence, 123 Mill Street, Glenford, Ohio.                           |   | <b>Maps available for inspection</b> at the Village Hall, 116 West Main Street, Malvern, Ohio.      |   | <i>South Fork Dry Run:</i>   |   |
|   |   |   |   | Approximately 600 feet upstream of confluence with Dry Run .....   | *772  |
|   |   |   |   | At upstream Village of Valleyview corporate limits ..  | *786  |
| <b>Groveport (village), Franklin County (FEMA Docket No. 7097)</b>  |   | <b>Marble Cliff (village), Franklin County (FEMA Docket No. 7097)</b>                               |   | <b>Maps available for inspection</b> at the Village Hall, 432 N. Richardson Avenue, Columbus, Ohio.  |   |
| <i>Little Walnut Creek:</i>   |   | <i>Scioto River:</i>  |   |  |   |
| Approximately 0.47 mile upstream of Hayes Road .....  | *730  | Approximately 1,950 feet downstream of Fifth Avenue   | *737  |  |   |
| Approximately 250 feet east of Crescent Drive and Delane Road intersection .....  | *734  | At CONRAIL .....  | *740  |  |   |

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.")

Dated: March 28, 1995.

**Richard T. Moore,**

*Associate Director for Mitigation.*

[FR Doc. 95-8186 Filed 4-3-95; 8:45 am]

BILLING CODE 6718-03-M

## FEDERAL COMMUNICATIONS COMMISSION

### 47 CFR Part 73

[MM Docket No. 94-144; RM-8554]

#### Radio Broadcasting Services; Dickeyville, WI

**AGENCY:** Federal Communications Commission.

**ACTION:** Final rule.

**SUMMARY:** This document allots Channel 266A to Dickeyville, Wisconsin, as that community's first local transmission service in response to a petition filed by James F. Munson. See 59 FR 65749, December 21, 1994. The coordinates for Channel 266A at Dickeyville are 42-37-38 and 90-35-31. With this action, this proceeding is terminated.

**DATES:** Effective May 12, 1995. The window period for filing applications for Channel 266A at Dickeyville, will open on May 12, 1995, and close on June 12, 1995.

**FOR FURTHER INFORMATION CONTACT:** Kathleen Scheuerle, Mass Media Bureau, (202) 418-2180.

**SUPPLEMENTARY INFORMATION:** This is a summary of the Commission's *Report and Order*, MM Docket No. 94-144, adopted March 21, 1995, and released March 28, 1995. The full text of this Commission decision is available for inspection and copying during normal business hours in the Commission's Reference Center (Room 239), 1919 M Street, NW, Washington, D.C. The complete text of this decision may also be purchased from the Commission's copy contractors, International Transcription Services, Inc., 2100 M Street, NW, Suite 140, Washington, D.C. 20037, (202) 857-3800.

#### List of Subjects in 47 CFR Part 73

Radio broadcasting.

Part 73 of Title 47 of the Code of Federal Regulations is amended as follows:

#### PART 73—[AMENDED]

1. The authority citation for Part 73 continues to read as follows:

**Authority:** Sec. 303, 48 Stat., as amended, 1082; 47 U.S.C. 154, as amended.

#### § 73.202 [Amended]

2. Section 73.202(b), the Table of FM Allotments under Wisconsin, is amended by adding Dickeyville, Channel 266A.

Federal Communications Commission.

**John A. Karousos,**

*Chief, Allocations Branch, Policy and Rules Division, Mass Media Bureau.*

[FR Doc. 95-7949 Filed 4-3-95; 8:45 am]

BILLING CODE 6712-01-F

### 47 CFR Part 73

[MM Docket No. 89-459; RM-7009, RM-7260, RM-7261, RM-7263, RM-7264]

#### Radio Broadcasting Services; LaGrange and Rollingwood, TX

**AGENCY:** Federal Communications Commission.

**ACTION:** Final rule.

**SUMMARY:** This document denies an Application for Review filed by Fayette Broadcasting Corporation, licensee of Station KBUK, Channel 285A, LaGrange, Texas, directed to a staff action denying its request to substitute Channel 285C2 for Channel 285A and reallocate Channel 285C2 to Rollingwood, Texas. See 58 FR 12903, published March 8, 1993. With this action, the proceeding is terminated.

**EFFECTIVE DATE:** April 4, 1995.

**FOR FURTHER INFORMATION CONTACT:** Robert Hayne, Mass Media Bureau, (202) 776-1654.

**SUPPLEMENTARY INFORMATION:** This is a synopsis of the Commission's *Memorandum Opinion and Order*, MM Docket No. 89-459, adopted March 8, 1995, and released March 28, 1995. The full text of this decision is available for inspection and copying during normal business hours in the FCC Dockets Branch (Room 230), 1919 M Street, NW, Washington, D.C. The complete text of this decision may also be purchased from the Commission's copy contractor, International Transcription service, (202) 857-3800, 2100 M Street, NW, Washington, D.C. 20037.

#### List of Subjects in 47 CFR Part 73

Radio broadcasting.

**Authority:** Secs. 303, 48 Stat., as amended, 1082; 47 U.S.C. 154, as amended.

Federal Communications Commission.

**William F. Caton,**

*Acting Secretary.*

[FR Doc. 95-8162 Filed 4-3-95; 8:45 am]

BILLING CODE 6712-01-F

## GENERAL SERVICES ADMINISTRATION

### Board of Contract Appeals

#### 48 CFR Part 6101

RIN Number 3090-AF62

#### Rules of Procedure of the General Services Administration Board of Contract Appeals

**AGENCY:** Board of Contract Appeals, General Services Administration.

**ACTION:** Final rule.

**SUMMARY:** This document contains revisions to the rules of procedure of the GSA Board of Contract Appeals (Board), which will govern all proceedings before the Board. The revisions implement certain provisions of the Federal Acquisition Streamlining Act of 1994 (Pub. L. 103-355) (FASA or Act) which have amended the Brooks Automatic Data Processing Act, under which the Board hears and decides protests of procurements involving automatic data processing (ADP) equipment, and the Contract Disputes Act of 1978, under which the Board hears and decides contract disputes. The revisions conform the Board's rules of procedure to the amendments made to its jurisdictional statutes.

**EFFECTIVE DATE:** May 5, 1995.

**FOR FURTHER INFORMATION CONTACT:** Wilbur T. Miller, Chief Counsel, GSA Board of Contract Appeals, (202) 501-0891.

#### SUPPLEMENTARY INFORMATION:

##### A. Regulatory Flexibility Act

The General Services Administration certifies that these revisions will not have a significant economic impact on a substantial number of small entities within the meaning of the Regulatory Flexibility Act (5 U.S.C. 601 *et seq.*).

##### B. Paperwork Reduction Act

The Paperwork Reduction Act does not apply because the proposed revisions do not impose recordkeeping or information collection requirements, or the collection of information from offerors, contractors, or members of the public which require the approval of OMB under 44 U.S.C. 3501 *et seq.*

##### C. Effective Dates

Pursuant to Sections 10001 and 10002 of the FASA, these rules (as well as Sections 1432-1434, 1436-1438, and 2351 (c)-(d) of the Act) are applicable to all proceedings filed on or after May 5, 1995. Section 1435 of the Act shall be applicable to cost applications where