

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD).
Approximately 380 feet upstream of Spruce Street Maps are available for inspection at the Building Inspector's Office, City Hall, 117 Pine Street, Bellevue, Idaho.	* 5,199
Blaine County (Unincorporated Areas) (FEMA Docket No. 7234)	
<i>Quigley Creek:</i>	
At the intersection of Third and Cedar Streets	* 5,187
Approximately 380 feet upstream of Spruce Street	* 5,199
Maps are available for inspection at the Blaine County Planning and Zoning Department, Blaine County Courthouse, 206 First Avenue South, Hailey, Idaho.	
Louisiana	
Greenwood (Town), Caddo Parish (FEMA Docket No. 7234)	
<i>Cross Bayou Tributary 1:</i>	
Approximately 1,900 feet downstream of State Highway 79	* 203
Approximately 1,600 feet upstream of U.S. Highway 80	* 220
<i>Cross Bayou Tributary 2:</i>	
Approximately 800 feet downstream of Speedway Drive	* 202
Approximately 3,000 feet upstream of U.S. Highway 80	* 229
<i>Cross Bayou Tributary 3:</i>	
Approximately 100 feet downstream of the Union Pacific Railroad	* 209
Approximately 1,000 feet upstream of U.S. Highway 80	* 259
<i>Gilmer Bayou Tributary 1:</i>	
At limit of detailed study at the eastern corporate limits	* 234
Approximately 6,000 feet above the eastern corporate limits	* 265
<i>Gilmer Bayou Tributary 2:</i>	
Approximately 550 feet downstream of Waterwood Drive	* 234
Approximately 3,000 feet upstream of Beebe Drive	* 270
<i>Gilmer Bayou Tributary 3:</i>	
Approximately 1,750 feet downstream of Winburn Drive	* 244
Approximately 2,250 feet upstream of Winburn Drive ...	* 272
Maps are available for inspection at 9381 Greenwood Road, Greenwood, Louisiana.	
Oklahoma	
Allen (Town), Pontotoc and Hughes Counties (FEMA Docket No. 7234)	
<i>Town Branch:</i>	
Approximately 500 feet downstream of Commerce Street	* 837

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD).
Approximately 1,500 feet upstream of "B" Street	* 855
Maps are available for inspection at the Town of Allen Town Hall, Allen, Oklahoma.	
Oregon	
Troutdale (City), Multnomah County (FEMA Docket No. 7234)	
<i>Beaver Creek:</i>	
At Jackson Park Road	* 40
Just upstream of Troutdale Road	* 183
Approximately 200 feet downstream of Southeast Stark Street	* 242
Maps are available for inspection at the City of Troutdale Community Development Department, 104 Southeast Kibling Avenue, Troutdale, Oregon.	
Wyoming	
Rock Springs (City), Sweetwater County (FEMA Docket No. 7128)	
<i>Bitter Creek:</i>	
Approximately 500 feet downstream of confluence with Killpecker Creek	* 6,246
Approximately 1,000 feet downstream of the Union Pacific Railroad	* 6,263
Maps are available for inspection at the City of Rock Springs Department of Public Works, 212 D Street, Rock Springs, Wyoming.	

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance")

Dated: March 20, 1998.

Michael J. Armstrong,

Associate Director for Mitigation.

[FR Doc. 98-8074 Filed 3-27-98; 8:45 am]

BILLING CODE 6718-04-P

FEDERAL COMMUNICATIONS COMMISSION

47 CFR Part 76

[CS Docket No. 95-184; MM Docket No. 92-260; FCC 97-376]

Cable Television Consumer Protection and Competition Act of 1992

AGENCY: Federal Communications Commission.

ACTION: Final rule; announcement of effective date.

SUMMARY: The Commission amended its rules regarding cable home wiring and home run wiring for multichannel video

programming distributors. 47 CFR 76.613, 76.802 and 76.804 contained new and modified information collection requirements and became effective on March 13, 1998. Compliance with 47 CFR 76.5, 76.620, 76.800, 76.805 and 76.806 also is required as of March 13, 1998.

DATES: The amendments to 47 CFR 76.613, 76.802 and 76.804, published at 62 FR 61016, became effective on March 13, 1998. Compliance with 47 CFR 76.5, 76.620, 76.800, 76.805 and 76.806, published at 62 FR 61016, is required as of March 13, 1998.

FOR FURTHER INFORMATION CONTACT: JoAnn Lucanik or Lynn Crakes, Cable Services Bureau, (202) 418-7200.

SUPPLEMENTARY INFORMATION:

1. On October 9, 1997, the Commission adopted an order amending its rules regarding the disposition of cable home wiring and home run wiring of multichannel video programming distributors, signal leakage and interference from a multichannel video programming distributor, access to molding and customer pre-termination access to cable home wiring. See 62 FR 61016, November 14, 1997. Because amended §§76.613, 76.802 and 76.804 of the Commission's rules imposed new or modified information collection requirements, they could not become effective until approved by the Office of Management and Budget ("OMB"). In addition, compliance with the amendments to 47 CFR 76.5, 76.620, 76.800, 76.805, and 76.806, was not required until OMB approval of the information collection requirements in 47 CFR 76.613, 76.802 and 76.804. OMB approved the rule changes on March 13, 1998.

2. The order stated that the rules as amended would become effective upon approval by OMB, and that the Commission would publish a document announcing the effective date of the rules. The amendments to 47 CFR 76.613, 76.802 and 76.804 became effective on March 13, 1998. Compliance with 47 CFR 76.5, 76.620, 76.800, 76.805 and 76.806 is also required as of March 13, 1998.

List of Subjects in 47 CFR Part 76

Administrative practice and procedure, Cable television, Reporting and recordkeeping requirements.

Federal Communications Commission.

Magalie Roman Salas,

Secretary.

[FR Doc. 98-8185 Filed 3-27-98; 8:45 am]

BILLING CODE 6712-01-F