Dated: August 17, 2010. Carrie Selberg, Acting Director, Office of Sustainable Fisheries, National Marine Fisheries Service. [FR Doc. 2010–20866 Filed 8–18–10; 4:15 pm] BILLING CODE 3510-22-S

DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

50 CFR Part 660

[Docket No. 090428799-9802-01]

RIN 0648-BA10

Magnuson-Stevens Act Provisions; Fisheries Off West Coast States; Pacific Coast Groundfish Fishery; Inseason Adjustments to Fishery Management Measures

AGENCY: National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce.

ACTION: Final rule; inseason adjustments to biennial groundfish management measures; request for comments.

SUMMARY: This final rule makes inseason adjustments to commercial fishery management measures for several groundfish species taken in the U.S. exclusive economic zone (EEZ) off the coasts of Washington, Oregon, and California. These actions, which are authorized by the Pacific Coast Groundfish Fishery Management Plan (FMP), are intended to allow fisheries to access more abundant groundfish stocks while protecting overfished and depleted stocks.

DATES: Effective 0001 hours (local time) August 18, 2010. Comments on this final rule must be received no later than 5 p.m., local time on September 22, 2010.

ADDRESSES: You may submit comments, identified by RIN 0648–BA10, by any one of the following methods:

• *Electronic Submissions:* Submit all electronic public comments via the Federal eRulemaking Portal: *http://www.regulations.gov.*

• *Fax:* 206–526–6736, Attn: Gretchen Hanshew

• *Mail:* William W. Stelle, Jr., Regional Administrator, Northwest Region, NMFS, 7600 Sand Point Way, NE., Seattle, WA 98115–0070, Attn: Gretchen Hanshew.

Instructions: No comments will be posted for public viewing until after the comment period has closed. All comments received are a part of the public record and will generally be posted to *http://www.regulations.gov* without change. All Personal Identifying Information (for example, name, address, etc.) voluntarily submitted by the commenter may be publicly accessible. Do not submit Confidential Business Information or otherwise sensitive or protected information.

NMFS will accept anonymous comments (enter N/A in the required fields, if you wish to remain anonymous). You may submit attachments to electronic comments in Microsoft Word, Excel, WordPerfect, or Adobe PDF file formats only.

FOR FURTHER INFORMATION CONTACT: Gretchen Hanshew (Northwest Region, NMFS), 206–526–6147, fax: 206–526– 6736, gretchen.hanshew@noaa.gov. SUPPLEMENTARY INFORMATION:

Electronic Access

This final rule is accessible via the Internet at the Office of the Federal Register's Web site at *http:// www.gpoaccess.gov/fr/index.html.* Background information and documents are available at the Pacific Fishery Management Council's (the Council or PFMC) Web site at *http:// www.pcouncil.org/.*

Background

On December 31, 2008, NMFS published a proposed rule to implement the 2009-2010 specifications and management measures for the Pacific Coast groundfish fishery (73 FR 80516). The final rule to implement the 2009-2010 specifications and management measures for the Pacific Coast Groundfish Fishery was published on March 6, 2009 (74 FR 9874). This final rule was subsequently amended by inseason actions on April 27, 2009 (74 FR 19011), July 6, 2009 (74 FR 31874), October 28, 2009 (74 FR 55468), February 26, 2010 (75 FR 8820), May 4, 2010 (75 FR 23620), July 1, 2010 (75 FR 38030), and July 16, 2010 (75 FR 41386). Additional changes to the 2009–2010 specifications and management measures for petrale sole were made in two final rules: On November 4, 2009 (74 FR 57117), and December 10, 2009 (74 FR 65480). NMFS issued a final rule in response to a duly issued court order on July 8, 2010 (75 FR 39178). These specifications and management measures are at 50 CFR part 660, subpart G.

Limited Entry Non-Whiting Trawl Fishery Management Measures

Changes to the groundfish management measures implemented by this action were recommended by the Council, in consultation with Pacific Coast Treaty Indian Tribes and the

States of Washington, Oregon, and California, at its June 11–17, 2010, meeting in Foster City, CA. The Council recommended adjusting the groundfish management measures to respond to updated fishery information and other inseason management needs. These changes include increases to bi-monthly cumulative limits in the commercial fisheries off Washington, Oregon, and California and a change to the lingcod retention regulations for salmon troll fishermen. The increases to cumulative limits are intended to allow additional harvest opportunities for species for which catch estimates through the end of the year are lower than anticipated. The change to the lingcod retention regulations is intended to relieve a restriction for salmon trollers that do not fish inside the groundfish rockfish conservation area (RCA). The increase to chilipepper rockfish trip limits in the limited entry trawl fishery slightly increases the projected impacts to bocaccio, a co-occurring overfished species. However, even with the slight increase in impacts for bocaccio, when combined with the projected impacts from all other fisheries, the 2010 OY for this rebuilding species is not projected to be exceeded.

Estimated mortality of overfished and target species are the result of management measures designed to meet the Pacific Coast Groundfish FMP objective of achieving, to the extent possible, but not exceeding, OYs of target species, while fostering the rebuilding of overfished stocks by remaining within their rebuilding OYs.

Limited Entry Non-Whiting Trawl Fishery

Chilipepper rockfish is an underutilized species, primarily due to fishery management measures that are intended to reduce impacts to cooccurring bocaccio, an overfished species. Recent inseason restrictions to trip limits for sablefish, Dover sole, petrale sole and other flatfish in the limited entry trawl fishery to prevent exceeding the 2010 OY for petrale sole and the limited entry trawl allocation for sablefish have reduced projected impacts to bocaccio in the trawl fishery. Due to the lower than anticipated projected impacts to bocaccio, the Council considered increasing the trip limits for chilipepper rockfish to provide additional harvest opportunities for this underutilized healthy stock. With the recommended chilipepper rockfish trip limit adjustments, projected impacts to overfished bocaccio are anticipated to be 7.5 mt, or 47 percent of the trawl fisheries' initially projected bocaccio impacts of

16.1 mt and projected impacts to chilipepper rockfish are anticipated to be well below the 2010 OY.

Based on the considerations outlined above, the Council recommended and NMFS is implementing the following changes to cumulative limits in the limited entry non-whiting trawl fishery: Increase chilipepper rockfish cumulative limits caught with all trawl gears South of 40°10.00' N. lat. from "12,000 lb (5,443 kg) per 2 months" to "17,000 lb (7,711 kg) per 2 months" in July-December.

Limited Entry Fixed Gear Sablefish Daily Trip Limits

Catch of sablefish in the limited entry fixed gear daily trip limit (DTL) fishery north of 36° N. lat. is lower than anticipated. Based on the most recent fishery information, if no action is taken and catch remains lower than expected, only 236 mt out of the 321 mt sablefish allocation (73 percent) will be caught through the end of the year. The Council considered modest increases to the bimonthly cumulative limits in the limited entry fixed gear sablefish DTL fishery north of 36° N. lat. to allow the fishery to attain a larger proportion of its sablefish allocation.

Projected impacts to overfished species in the limited entry fixed gear fishery are calculated assuming the entire sablefish allocation is harvested. Therefore, increases to trip limits to harvest a larger proportion of the sablefish allocation do not result in higher than anticipated impacts to cooccurring overfished groundfish species.

Based on the considerations outlined above, the Council recommended and NMFS is implementing the following changes to cumulative limits in the limited entry fixed gear sablefish DTL fishery North of 36° N. lat.: Increase the sablefish trip limits from "1,750 lb (794 kg) per week, not to exceed 7,000 lb (3,175 kg) per 2 months" to "1,750 lb per week, not to exceed 8,500 lb (3,856 kg) per 2 months" in periods 4 and 5 and from "1,750 lb per week, not to exceed 7,000 lb per 2 months" to "1,750 lb per week, not to exceed 8,000 lb (3,629 kg) per 2 months" in period 6, beginning as soon as possible.

Open Access Fishery

As part of the 2009–2010 Groundfish harvest specifications and management measures, the Council considered a change to the lingcod retention regulations for fishermen in the salmon troll fishery that wish to retain incidentally caught lingcod North of 40°10.00' N. lat. Prior to 2009, salmon troll fishermen were not allowed to retain any groundfish, except yellowtail rockfish, if they were fishing inside the non-trawl rockfish conservation area (RCA). The Council recommended that salmon troll fishermen be allowed to retain a limited amount of lingcod, even if they were fishing for salmon inside of the non-trawl RCA, beginning in 2009. NMFS implemented language in Table 5 North that changed the lingcod retention regulations for salmon troll fishermen: "Salmon trollers may retain and land up to 1 lingcod per 15 Chinook, plus 1 lingcod up to a trip limit of 10 lingcod, both within and outside of the RCA." At their June 2010 meeting, the Council requested that NMFS revise the lingcod retention allowance language to clarify that if salmon trollers fished entirely outside of the non-trawl RCA on a trip then they were not subject to the lingcod landing ratio of 1:15 with a trip limit of 10 lingcod, but were subject to the lingcod cumulative limit for the open access fishery, which is currently 400 lb (181 kg) per month. The intent of the change to the regulations in 2009 was to allow limited lingcod retention opportunities for salmon trollers fishing for salmon within the groundfish non-trawl RCA, and no changes to regulations that apply to salmon trollers operating outside of the RCA were intended.

At their June 2010 meeting, the Council requested that NMFS revise the lingcod retention regulations for salmon troll fishermen to relieve the restriction of "1 lingcod per 15 Chinook, plus 1 lingcod up to a trip limit of 10 lingcod" for salmon trollers that are operating entirely outside of the groundfish nontrawl RCA.

Based on the considerations outlined above, the Council recommended and NMFS is implementing the following changes to lingcod retention allowances for vessels fishing in the salmon troll fishery and operating outside of the non-trawl RCA North of 40°10.00' N. lat.: From "Salmon trollers may retain and land up to 1 lingcod per 15 Chinook, plus 1 lingcod up to a trip limit of 10 lingcod, both within and outside of the RCA" to "Salmon trollers may retain and land up to 1 lingcod per 15 Chinook, plus 1 lingcod up to a trip limit of 10 lingcod, on a trip when any fishing occurs within the RCA."

Classification

This rule makes routine inseason adjustments to groundfish fishery management measures based on the best available information and is taken pursuant to the regulations implementing the Pacific Coast Groundfish FMP.

These actions are taken under the authority of 50 CFR 660.370(c) and are

exempt from review under Executive Order 12866.

These inseason adjustments are taken under the authority of the Magnuson-Stevens Fishery Conservation and Management Act (Magnuson-Stevens Act), and are in accordance with 50 CFR part 660, the regulations implementing the FMP. These actions are based on the most recent data available. The aggregate data upon which these actions are based are available for public inspection at the Office of the Administrator, Northwest Region, NMFS, (see **ADDRESSES**) during business hours.

For the following reasons, NMFS finds good cause to waive prior public notice and comment on the revisions to groundfish management measures under 5 U.S.C. 553(b)(B) because notice and comment would be impracticable and contrary to the public interest. Also, for the same reasons, NMFS finds good cause to waive the 30-day delay in effectiveness pursuant to 5 U.S.C. 553(d)(3), so that this final rule may become effective as quickly as possible.

The recently available data upon which these recommendations were based was provided to the Council, and the Council made its recommendations, at its June 11–17, 2010, meeting in Foster City, CA. The Council recommended that these changes be implemented as quickly as possible. There was not sufficient time after that meeting to draft this document and undergo proposed and final rulemaking before these actions need to be in effect. For the actions to be implemented in this final rule, affording the time necessary for prior notice and opportunity for public comment would prevent the Agency from managing fisheries using the best available science to approach, without exceeding, the OYs for federally managed species in accordance with the FMP and applicable laws. The adjustments to management measures in this document affect commercial fisheries off Washington, Oregon, and California.

These adjustments to management measures must be implemented in a timely manner to allow fishermen an opportunity to harvest higher limits in 2010 for chilipepper, sablefish and lingcod beginning as quickly as possible. Increases are necessary to relieve a restriction by allowing fishermen increased opportunities to harvest available healthy stocks while staying within the OYs for these species. These changes must be implemented in a timely manner, as quickly as possible, so that fishermen are allowed increased opportunities to harvest available healthy stocks and meet the objective of

the Pacific Coast Groundfish FMP to allow fisheries to approach, but not exceed, OYs. It would be contrary to the public interest to wait to implement these changes until after public notice and comment, because making this regulatory change quickly allows additional harvest in fisheries that are important to coastal communities.

List of Subjects in 50 CFR Part 660

Fisheries, Fishing, Indian fisheries.

Dated: August 18, 2010.

Carrie Selberg,

Acting Director, Office of Sustainable Fisheries, National Marine Fisheries Service.

• For the reasons set out in the preamble, 50 CFR part 660 is amended as follows:

PART 660--FISHERIES OFF WEST COAST STATES

■ 1. The authority citation for part 660 continues to read as follows:

Authority: 16 U.S.C. 1801 *et seq.* ■ 2. Table 3 (South), Tables 4 (North) and 4 (South), and Table 5 (North) to part 660, subpart G, are revised to read as follows: BILLING CODE 3510-22-P

)7102010

Table 3 (South) to Part 660, Subpart G 2010 Trip Limits for Limited Entry Trawl Gear South of 40°10' N. Lat.	
Other Limits and Requirements Apply Read & 660 301 - & 660 399 before using this table	

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC	
oc	kfish Conservation Area (RCA) ^{6/} :							
	South of 40°10' N. lat.			100 fm line ^{6/} -	150 fm line 6/7/			
NI tr	awl gear (large footrope, selective flatfis				· ·	award of the RCA	. Large footrope	
	trawl g	ear and midwater	trawl gear are pr	ohibited shorewa	rd of the RCA.			
	ee § 660.370 and § 660.381 for Additio							
00	60.394 and §§ 660.396-660.399 for Con		rdell Banks, and		Iciuding RCAS, 1	RCA, CCAS, Far	anon islands,	
	State trip limits and seasons ma	av be more restric	tive than federal t	rip limits, particula	arly in waters off (Pregon and Califor	rnia	
	Minor slope rockfish ^{2/} &							
	Darkblotched rockfish							
	40°10' - 38° N. lat.			15,000 lb/	2 months			
	0 the -f 20 ⁰ N t			55 000 lb	2 months			
-	South of 38° N. lat.			55,000 ID/				
~	·							
	40°10' - 38° N. lat.			15,000 lb/	2 months			
	South of 38° N. lat.			55,000 lb/	2 months			
Ī	DTS complex							
-	Sablefish	2	2,000 lb/ 2 month	IS	2	1,000 lb/ 2 month		
2	Longspine thornyhead	24,000 lb/ 2 months						
1	Shortspine thornyhead			18,000 lb/	2 months			
2	Dover sole	1	10,000 lb/ 2 mont	hs	10	00,000 lb/ 2 month		
3	Flatfish (except Dover sole)							
-	Other flatfish ^{3/} , English sole, &	110,000 lb/ 2	110.000 lb/ 2 m	nonths, no more	100.000 lb/ 2 m	onths, no more	100,000 lb/ 2	
4	starry flounder	months	than 9,500 lb/ 2	months of which	than 6,300 lb/ 2	months of which	months	
5	Petrale sole	9,500 lb/ 2 months	may be pe	etrale sole.	may be pe	etrale sole.	6,300 lb/ 2 months	
6	Arrowtooth flounder		.	10,000 lb/	2 months			
7 7	Whiting							
8	midwater trawl				uring the primary mit details Aft SED.			
9	large & small footrope gear	Before the prima		n: 20,000 lb/trip.	During the prima eason: 10,000 lb/		0 lb/trip After	

able 3	(South). Continued							
		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC	
	or shelf rockfish ^{1/} , Chilipepper, ortbelly, Widow, & Yelloweye kfish							
21	large footrope or midwater trawl for Minor shelf rockfish & Shortbelly	300 lb/ month						
22	large footrope or midwater trawl for Chilipepper		12,000 lb/ 2 months 17,000 lb/ 2 months					
23	large footrope or midwater trawl for Widow & Yelloweye			CLO	SED			
24	small footrope trawl for Minor Shelf, Shortbelly, Widow & Yelloweye			300 lb/	month			
25	small footrope trawl for Chilipepper		12,000 lb/ 2 month	hs		17,000 lb/ 2 month	าร	
86 Boo	caccio							
7	large footrope or midwater trawl			300 lb/ 2	months			
8	small footrope trawl			CLO	SED			
9 Car	nary rockfish							
0	large footrope or midwater trawl			CLO	SED			
1	small footrope trawl	100 lb	/ month	300 lb/	month	100 lb	/ month	
2	vcod			CLO	SED			
3 Bro	nzespotted rockfish			CLO	SED			
	or nearshore rockfish & Black kfish							
85	large footrope or midwater trawl	CLOSED						
6	small footrope trawl			300 lb/	month			
7 Lin	gcod ^{4/}							
8	large footrope or midwater trawl	1.200 lb/	2 months		4,000 lb	/ 2 months		
9	small footrope trawl	1,200 15/			1,200 lb	/ 2 months		
Pac	ific cod	30,000 lb	/ 2 months		0,000 lb/ 2 mont	hs	30,000 lb/ 2 months	
	ny dogfish	200,000 lk	o/ 2 months	150,000 lb/ 2 months	,	100,000 lb/ 2 mont	hs	
2 Oth	er Fish ^{5/} & Cabezon			Not li	mited			

1/ Yellowtail is included in the trip limits for minor shelf rockfish. Bronzespotted rockfish have a species specific trip limit.

2/ POP is included in the trip limits for minor slope rockfish
3/ "Other flatfish" are defined at § 660.302 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.
4/ The minimum size limit for lingcod is 24 inches (61 cm) total length South of 42° N. lat.

6/ The Rockfish Conservation Area is an area closed to fishing by particulary gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.391-660.394. This RCA is not defined by depth contours, and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to the RCA restrictions may not fish in the RCA, or operate in the

RCA for any purpose other than transiting. 7/ South of 34°27' N. lat., the RCA is 100 fm line - 150 fm line along the mainland coast; shoreline - 150 fm line around islands.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

Table 4 (North) to Part 660, Subpart G 2009-2010 Trip Limits for Limited Entry Fixed Gear North of 40°10' N	Lat.
Other Limits and Requirements Apply Read § 660.301 - § 660.399 before using this table	07102010

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC	
Rockf	ish Conservation Area (RCA) ^{6/} :							
1	North of 46°16' N. lat.	shoreline - 100 fm line ^{6/}						
2	46°16' N. lat 45°03.83' N. lat.	30 fm line ^{6/} - 100 fm line ^{6/}						
3	45°03.83' N. lat 43°00' N. lat.	30 fm line ^{6/} - 125 fm line ^{6/7/}						
4	43°00' N. lat 42°00' N. lat.	20 fm line ^{6/}						
5	42°00' N. lat 40°10' N. lat.				ontour - 100 fm lir	ne ^{6/}		
See §	See § 660.370 and § 660.382 for A § 660.390-660.394 and §§ 660.396-60	60.399 for Conse	ervation Area		and Coordinates			
	State trip limits and seasons may l	pe more restrictiv	e than federal	trip limits, partic	ularly in waters o	off Oregon and (California.	
	inor slope rockfish ^{2/} & arkblotched rockfish			4,000	b/ 2 months			
	acific ocean perch			1,800	b/ 2 months			
8 Sa	ablefish	1,750 lb per we	eek, not to exce months	eed 7,000 lb/ 2	1,750 lb per exceed 8,500		1,750 lb per week, not to exceed 8,000 lb/ 2 months	
9 L	ongspine thornyhead			10,000	lb/ 2 months			
0 SI	hortspine thornyhead			2,000	b/ 2 months			
1 D	over sole	10411 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5						
a Million Street	rowtooth flounder			,) lb/ month			
-	etrale sole			0		•	e gear with no more	
	nglish sole						measure 11 mm not subject to the	
and the second se	tarry flounder	(0.44 menes) p	ins per line are					
- 0	ther flatfish ^{1/}			F	RCAs.			
	ther flatfish ^{1/} hiting				RCAs. 			
7 W 8 M				10,0				
7 W 8 M W	hiting inor shelf rockfish ^{2/} , Shortbelly,			10,0 200	00 lb/ trip			
17 W 18 M W 19 C:	hiting inor shelf rockfish ^{2/} , Shortbelly, idow, & Yellowtail rockfish			10,0 200 Cl	100 lb/ trip Ib/ month			
17 W 18 M 19 Ca 20 Ye	hiting inor shelf rockfish ^{2/} , Shortbelly, idow, & Yellowtail rockfish anary rockfish			10,0 200 Cl	00 lb/ trip lb/ month _OSED			
27 W 28 M 29 Ca 20 Ye 21 N 21 N	hiting inor shelf rockfish ^{2/} , Shortbelly, idow, & Yellowtail rockfish anary rockfish elloweye rockfish inor nearshore rockfish & Black wckfish	5,000 lb/ 2 m	onths, no more	10,0 200 Cl Cl e than 1,200 lb c	00 lb/ trip lb/ month _OSED _OSED of which may be s	species other th	ian black or blue	
17 W 18 W 19 C: 20 Ye 21 M	hiting inor shelf rockfish ^{2/} , Shortbelly, idow, & Yellowtail rockfish anary rockfish elloweye rockfish inor nearshore rockfish & Black	5,000 lb/ 2 m	onths, no more	10,0 200 Cl Cl e than 1,200 lb c	00 lb/ trip lb/ month _OSED _OSED	species other th	ian black or blue	
17 W 18 M 19 Ci 20 Ye 21 ro 22	hiting inor shelf rockfish ^{2/} , Shortbelly, idow, & Yellowtail rockfish anary rockfish elloweye rockfish inor nearshore rockfish & Black ickfish North of 42° N. lat. 42° - 40°10' N. lat.	5,000 lb/ 2 m 6,000 lb/ 2 m months, no more than 1,200 lb of which may be species other than black or blue rockfish ^{3/}		10,0 200 Cl Cl e than 1,200 lb o roo	100 lb/ trip 1b/ month _OSED _OSED of which may be s	which may be s	species other than	
17 W 18 M 19 Ci 20 Ye 21 ro 22	hiting inor shelf rockfish ^{2/} , Shortbelly, idow, & Yellowtail rockfish anary rockfish elloweye rockfish inor nearshore rockfish & Black ickfish North of 42° N. lat. 42° - 40°10' N. lat.	6,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black or	7,000 lb/ 2 m	10,0 200 Cl e than 1,200 lb o roo	100 lb/ trip 10/ month 00SED 00SED 0f which may be s 0f which may be s 0f which may be s 0f which may be s 0f which may be s	which may be s 3/		
17 W 18 M 19 C: 20 Y. 21 ro 22 23 23	hiting inor shelf rockfish ^{2/} , Shortbelly, idow, & Yellowtail rockfish anary rockfish elloweye rockfish inor nearshore rockfish & Black ckfish North of 42° N. lat.	6,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black or blue rockfish ^{3/}	7,000 lb/ 2 m	10,0 200 Cl e than 1,200 lb c roo	100 lb/ trip lb/ month _OSED _OSED of which may be s ckfish ^{3/} than 1,200 lb of black rockfish	which may be s 3/	species other than	
17 W 18 M 19 C: 20 Ya 20 Ya 21 ro 22	hiting inor shelf rockfish ^{2/} , Shortbelly, idow, & Yellowtail rockfish anary rockfish elloweye rockfish inor nearshore rockfish & Black inor nearshore rockfish & Black inor nearshore rockfish & Black inor nearshore rockfish & Black 42° - 40° 10' N. lat. 42° - 40° 10' N. lat.	6,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black or blue rockfish ^{3/}	7,000 lb/ 2 m SED	10,0 200 Cl e than 1,200 lb c roo	100 lb/ trip 1b/ month OSED OSED of which may be s ckfish ^{3/} than 1,200 lb of black rockfish 800 lb/ 2 months b/ 2 months	which may be s 3/	species other than 400 lb/ CLOSED	

1/ "Other flatfish" are defined at § 660.302 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole. 2/ Bocaccio, chilipepper and cowcod are included in the trip limits for minor shelf rockfish and splitnose rockfish is included in the trip limits for minor slope rockfish.

4/ The minimum size limit for lingcod is 22 inches (56 cm) total length North of 42° N. lat. and 24 inches (61 cm) total length South of 42° N. lat.

 4) The minimum size infinit of imgcode is 22 increase (so cm) total reingth worth of 42. N. lat. and 24 increase (of cm) total reingth south of 42. N. lat.
 5/ "Other fish" are defined at § 660.302 and include sharks, skates (including longnose skates), ratfish, morids, grenadiers, and kelp greenling. Cabezon is included in the trip limits for "other fish."
 6/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.394. Choic 3.34. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other theat transition. other than transiting.

7/ The 125 fm line restriction is in place all year, except on days when the directed halibut fishery is open. On those days the 100 fm line restriction is in effect.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

Table 4 (South) to Part 660, Subpart G -- 2009-2010 Trip Limits for Limited Entry Fixed Gear South of 40°10' N. Lat. Other Limits and Requirements Apply -- Read § 660.301 - § 660.399 before using this table

	Other Linits and Requirements Appr	y == Reau § 000.	501 - 9 000.599	before using		•	07102010		
		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC		
Roo	ckfish Conservation Area (RCA) ^{5/} :								
1	40°10' - 34°27' N. lat.			30 fm line ⁵	^{;/} - 150 fm line ^{5/}				
2	South of 34°27' N. lat.		60 fm line		(also applies ar	ound islands)			
	See § 660.370 and § 660.382 for A	dditional Gear,					strictions.		
Se	e §§ 660.390-660.394 and §§ 660.396-66			-		s (including R	CAs, YRCA, CCAs,		
		Farallon Islan	ds, Cordell Ba	anks, and EFH	CAs).				
	State trip limits and seasons may l	be more restrictiv	ve than federal	trip limits, partic	ularly in waters	off Oregon and	California.		
3	Minor slope rockfish ^{2/} & Darkblotched rockfish			40,000	lb/ 2 months				
4	Splitnose			40,000	lb/ 2 months				
5	Sablefish								
6	40°10' - 36° N. lat.	1,750 lb per we	eek, not to exce months	ed 7,000 lb/ 2	1,750 lb per exceed 8,500	week, not to) lb/ 2 months	1,750 lb per week, not to exceed 8,000 lb/ 2 months		
7	South of 36° N. lat.	400 lb/ da	y, or 1 landing	per week of up t	o 1,500 lb	3,000	lb per week		
8	Longspine thornyhead			10,000	b / 2 months			-	
9	Shortspine thornyhead							\triangleright	
10	40°10' - 34°27' N. lat.				b/ 2 months			ω	
11	South of 34°27' N. lat.			3,000 I	b/ 2 months				
12	Dover sole								
13	Arrowtooth flounder	5,000 lb/ month South of 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no							
14	Petrale sole							4	
15	English sole	more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to shank, and up to two 1 lb (0.45 kg) weights per line are not subject to							
	Starry flounder			the	RCAs.			S)	
17	Other flatfish ^{1/}							0	
	Whiting			10,0	00 lb/ trip			u	
19	Minor shelf rockfish ^{2/} , Shortbelly, W	idow rockfish, a	nd Bocaccio (including Chil	pepper betwee	en 40°10' - 34°2	27' N. lat.)	+	
20	40°10' - 34°27' N. lat.				sh, bocaccio & c may be any spe		0 lb/ 2 months, of chilipepper.	h)	
21	South of 34°27' N. lat.	3,000 lb/ 2 months	CLOSED		3,000 lb	o/ 2 months			
22	Chilipepper rockfish								
23	40°10' - 34°27' N. lat.	Chilipepper ir	ncluded under r		fish, shortbelly, v above	widow and boca	accio limits See		
24	South of 34°27' N. lat.	2,000	lb/ 2 months, th	is opportunity o	nly available sea	ward of the non	trawl RCA		
25	Canary rockfish			CI	OSED				
26	Yelloweye rockfish			CI	OSED				
27	Cowcod			CI	OSED				
28	Bronzespotted rockfish			CI	OSED				
29	Bocaccio								
30	40°10' - 34°27' N. lat.	Bocaccio inclue	ded under Mino	r shelf rockfish,	shortbelly, wido	w & chilipepper	limits See above		
31	South of 34°27' N. lat.	300 lb/ 2 months	CLOSED		300 lb/	2 months			

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC	
2	Minor nearshore rockfish & Black roc	kfish						
3	Shallow nearshore	600 lb/ 2 months	CLOSED	800 lb/ 2 months	900 lb/ 2 months	800 lb/ 2 months	600 lb/ 2 months	
4	Deeper nearshore							
5	40°10' - 34°27' N. lat.	700 lb/ 2 months	CLOSED	700 lb/ 2			12 months	
6	South of 34°27' N. lat.	500 lb/ 2 months	CLOSED	600 lb/ 2	2 months	— 800 lb/ 2 months		
7	California scorpionfish	600 lb/ 2 months	CLOSED	600 lb/ 2 months		1,200 lb/ 2 months		
8	Lingcod ^{3/}	CLOS	SED		800 lb/ 2 months		400 lb/ month CLOSED	
9	Pacific cod	1,000 lb/ 2 months						
0	Spiny dogfish	200,000 lb/	2 months	150,000 lb/ 2 months	2 100,000 lb/ 2 months			
1	Other fish ^{4/} & Cabezon			No	t limited			

1/ "Other flatfish" are defined at § 660.302 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole. 2/ POP is included in the trip limits for minor slope rockfish. Yellowtail is included in the trip limits for minor shelf rockfish. Bronzespotted rockfish

have a species specific trip limit. 3/ The minimum size limit for lingcod is 24 inches (61 cm) total length South of 42° N. lat.

4/ "Other fish" are defined at § 660.302 and include sharks, skates (including longnose skates), ratfish, morids, grenadiers, and kelp greenling.

5/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.391-660.394. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

Table 5 (North) to Part 660, Subpart G -- 2009-2010 Trip Limits for Open Access Gears North of 40°10' N. Lat.

	Other Limits and Requirements App	1	1	1					
		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC		
ocł	rfish Conservation Area (RCA) ^{6/} :								
1	North of 46°16' N. lat.				100 fm line ^{6/}				
2	46°16' N. lat 45°03.83' N. lat.	30 fm line ^{6/} - 100 fm line ^{6/}							
3	45°03.83' N. lat 43°00' N. lat.	30 fm line ^{6/} - 125 fm line ^{6/7/}							
4	43°00' N. lat 42°00' N. lat.			20 fm line ^{6/}	- 100 fm line ^{6/}				
5	42°00' N. lat 40°10' N. lat.			20 fm depth con		6/			
Se	See § 660.370 and § 660.383 for A e §§ 660.390-660.394 and §§ 660.396-660		rip Limit, and (vation Area De	Conservation A escriptions and	rea Requireme Coordinates (i	nts and Restrict			
	State trip limits and seasons may b	e more restrictive	than federal trip	o limits, particulai	ly in waters off C	Dregon and Califo	rnia.		
	Minor slope rockfish ^{1/} & Darkblotched rockfish		Per trip, no n	nore than 25% o	f weight of the sa	ablefish landed			
-	Pacific ocean perch			100 lb	/ month				
8 :	Sablefish	300 lb/ day, or 1 lb, not to e:	landing per we xceed 2,400 lb/			1 landing per weel exceed 2,750 lb/ 2			
9 -	Thornyheads			CLC	SED				
-	Dover sole								
1	Arrowtooth flounder	0.000 lb (
2	Petrale sole				• •	her than Pacific sa			
~ ~	F !	- of 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than							
3	English sole	of 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to shank, and up to two 1 lb (0.45 kg) weights per line are not subject to the RCAs.							
-	English sole Starry flounder	· ·		U U	Number 2" hook	s, which measure	e 11 mm (0.44		
4	Starry flounder	· ·		U U	Number 2" hook	0	e 11 mm (0.44		
4 5	Starry flounder Other flatfish ^{2/}	· ·		to two 1 lb (0.45	Number 2" hook kg) weights per l	s, which measure	e 11 mm (0.44		
4 5 6	Starry flounder Other flatfish ^{2/} Whiting	· ·		to two 1 lb (0.45	Number 2" hook	s, which measure	e 11 mm (0.44		
4 5 6 7	Starry flounder Other flatfish ^{2/}	· ·		to two 1 lb (0.45 300 lb	Number 2" hook kg) weights per l	s, which measure	e 11 mm (0.44		
4 5 6 7	Starry flounder Other flatfish ^{2/} Whiting Minor shelf rockfish ^{1/} , Shortbelly,	· ·		to two 1 lb (0.45 300 lb 200 lb	Number 2" hook kg) weights per l / month	s, which measure	e 11 mm (0.44		
4 5 7 8	Starry flounder Other flatfish ^{2/} Whiting Minor shelf rockfish ^{1/} , Shortbelly, Widow, & Yellowtail rockfish	· ·		to two 1 lb (0.45 300 lb 200 lb CLC	Number 2 ^{er} hook kg) weights per / month / month	s, which measure	e 11 mm (0.44		
4 5 6 7 8 9	Starry flounder Other flatfish ^{2/} Whiting Minor shelf rockfish ^{1/} , Shortbelly, Widow, & Yellowtail rockfish Canary rockfish	· ·		to two 1 lb (0.45 300 lb 200 lb CLC	Number 2 [°] hook kg) weights per 1 / month / month DSED	s, which measure	e 11 mm (0.44		
4 5 6 7 8 9 	Starry flounder Other flatfish ^{2/} Whiting Minor shelf rockfish ^{1/} , Shortbelly, Widow, & Yellowtail rockfish Canary rockfish Yelloweye rockfish Minor nearshore rockfish & Black	inches) point to	shank, and up	to two 1 lb (0.45 300 lb 200 lb CLC CLC than 1,200 lb of 1	Number 2 [°] hook kg) weights per 1 / month / month DSED DSED	s, which measure	e 11 mm (0.44 et to the RCAs.		
14 15 16 17 18 19	Starry flounder Other flatfish ^{2/} Whiting Minor shelf rockfish ^{1/} , Shortbelly, Widow, & Yellowtail rockfish Canary rockfish Yelloweye rockfish Minor nearshore rockfish & Black rockfish	inches) point to	onths, no more	to two 1 lb (0.45 300 lb 200 lb CLC CLC than 1,200 lb of f	Number 2 ^{er} hook kg) weights per 1 / month / month DSED DSED which may be sp fish ^{3/}	s, which measure line are not subject becies other than	e 11 mm (0.44 et to the RCAs.		
4	Starry flounder Other flatfish ^{2/} Whiting Minor shelf rockfish ^{1/} , Shortbelly, Widow, & Yellowtail rockfish Canary rockfish Yelloweye rockfish Yelloweye rockfish Minor nearshore rockfish & Black rockfish North of 42° N. lat.	5,000 lb/ 2 mo 6,000 lb/ 2 mo 6,000 lb/ 2 more than 1,200 lb of which may be species other than black or	onths, no more	to two 1 lb (0.45 300 lb 200 lb CLC CLC than 1,200 lb of f	Number 2 [°] hook kg) weights per 1 / month / month DSED DSED which may be sp fish ^{3/}	s, which measure line are not subject	e 11 mm (0.44 et to the RCAs.		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	Starry flounder Other flatfish ^{2/} Whiting Minor shelf rockfish ^{1/} , Shortbelly, Widow, & Yellowtail rockfish Canary rockfish Canary rockfish Yelloweye rockfish Minor nearshore rockfish & Black rockfish North of 42° N. lat. 42° - 40°10' N. lat.	5,000 lb/ 2 monotest and the second s	onths, no more	to two 1 lb (0.45 300 lb 200 lb CLC CLC than 1,200 lb of r rock	Number 2" hook kg) weights per l / month / month DSED DSED which may be sp fish ^{3/} han 1,200 lb of v black rockfish	s, which measure line are not subject	e 11 mm (0.44 et to the RCAs.		
$ \begin{bmatrix} 4 \\ -5 \\ -7 \\ -7 \\ -7 \\ -7 \\ -7 \\ -7 \\ -7 \\ -7$	Starry flounder Other flatfish ^{2/} Whiting Minor shelf rockfish ^{1/} , Shortbelly, Widow, & Yellowtail rockfish Canary rockfish Yelloweye rockfish Minor nearshore rockfish & Black rockfish North of 42° N. lat. 42° - 40°10' N. lat.	5,000 lb/ 2 monotest and the second s	shank, and up onths, no more 7,000 lb/ 2 m SED	to two 1 lb (0.45 300 lb 200 lb CLC CLC than 1,200 lb of r rock	Number 2" hook kg) weights per l / month / month // month // month // month // month // month // month // month // month // months	s, which measure line are not subject	e 11 mm (0.44 et to the RCAs.		

	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
SALMON TROLL (subje	ct to RCAs when retaining any spe	cies of groundfis	sh except for ye	llowtail rockfish a	nd lingcod, as d	escribed below)
North	200 lb per month not in addition to trip, plus 1 lingco the RCA. Th "CLOSED." This in addition to that	e limit of 200 lb/ combined limit t that limit. Salm od per trip, up to his limit only app s limit is within th limit. All ground	month, both with for minor shelf ro on trollers may a trip limit of 10 lies during times he per month lim dfish species are	nin and outside of ockfish, widow ro retain and land u lingcod, on a trip when lingcod re it for lingcod des	the RCA. This ockfish and yellow p to 1 lingcod per where any fishi tention is allowe cribed in the tab pen access limi	limit is within the wtail rockfish, and or 15 Chinook per ing occurs within ad, and is not le above, and not ts, seasons, size
PINK SHRIMP NON-GRO	DUNDFISH TRAWL (not subject t	o RCAs)				
North	trip, not to exce overall 500 lb/da limit); sablefish 2 other ground groundfish limits.	eed 1,500 lb/trip y and 1,500 lb/tr ,000 lb/month; c lfish species tak Landings of the	The following s ip groundfish lim canary, thornyhe en are managed se species cou fic limits. The a	ads and yellowey d under the overa	ply and are cour Ib/month (minim ve rockfish are F Il 500 lb/day and day and per trip	nted toward the num 24 inch size PROHIBITED. All d 1,500 lb/trip o groundfish limits

1/ Bocaccio, chilipepper and cowcod rockfishes are included in the trip limits for minor shelf rockfish.

Splitnose rockfish is included in the trip limits for minor slope rockfish.

2/ "Other flatfish" are defined at § 660.302 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.
 3/ For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. (46°38.17' N. lat.), there is an additional limit of 100 lbs or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.

4/ The minimum size limit for lingcod is 22 inches (56 cm) total length North of 42° N. lat. and 24 inches (61 cm) total length South of 42° N. lat. 5/ "Other fish" are defined at § 660.302 and include sharks, skates (including longnose skates), ratfish, morids, grenadiers, and kelp greenling. Cabezon is included in the trip limits for "other fish."

6/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.391-660.394. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

7/ The 125 fm line restriction is in place all year, except on days when the directed halibut fishery is open. On those days the 100 fm line restriction is in effect.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

[FR Doc. 2010–20870 Filed 8–18–10; 4:15 pm] BILLING CODE 3510–22–C