DEPARTMENT OF HOMELAND SECURITY

Coast Guard

33 CFR Part 165

[Docket No. USCG-2010-0021]

RIN 1625-AA87

Security Zone; U.S. Coast Guard BSU Seattle, Pier 36, Seattle, WA; Correction

AGENCY: Coast Guard, DHS.

ACTION: Final rule; technical correction.

SUMMARY: The Coast Guard published a final rule in the Federal Register on August 31, 2010 which created a security zone around the U.S. Coast Guard Base Support Unit Seattle, Pier 36, on Elliot Bay in Seattle, WA. This correction document provides more precise coordinates to match the geographic description of the zone provided in the final rule to better depict the boundaries of the security zone for charting purposes. This document makes that change to the subject final rule security zone which, as described in the preamble of the final rule, extends from the north western tip of Pier 36 across the inlet to the south western tip of Pier 36, effectively closing off the access point such that unauthorized vessels are prohibited from entering the pier.

DATES: This amendment is effective on November 1, 2010 and is applicable beginning September 30, 2010.

FOR FURTHER INFORMATION CONTACT: If you have questions on this correction, call or e-mail LTJG Ashley M. Wanzer, Waterways Management Division, Coast Guard Sector Puget Sound; telephone 206–217–6175, e-mail SectorSeattleWWM@uscg.mil.

SUPPLEMENTARY INFORMATION: The Coast Guard published a document in the Federal Register of August 31, 2010, (75 FR 53195), which added 33 CFR 165.1334. The coordinates used in that section and in the preamble did not describe the security zone precisely enough for charting purposes. This document corrects that error.

The rule published on August 31, 2010, (75 FR 53195) contained inaccurate coordinates in § 165.1334(a). This correction document revises paragraph (a) to contain the correct coordinates.

List of Subjects in 33 CFR Part 165

Harbors, Marine safety, Navigation (water), Reporting and recordkeeping requirements, Security measures, Waterways.

■ Accordingly, the Coast Guard amends 33 CFR part 165 by making the following technical correction:

PART 165—REGULATED NAVIGATION AREAS AND LIMITED ACCESS AREAS

■ 1. The authority citation for part 165 continues to read as follows:

Authority: 33 U.S.C. 1231; 46 U.S.C. Chapter 701, 3306, 3703; 50 U.S.C. 191, 195; 33 CFR 1.05–1, 6.04–1, 6.04–6, and 160.5; Pub. L. 107–295, 116 Stat. 2064; Department of Homeland Security Delegation No. 0170.1.

■ 2. In § 165.1334, revise paragraph (a) to read as follows:

§165.1334 Security Zone; U.S. Coast Guard BSU Seattle, Pier 36, Elliot Bay, Seattle, WA.

(a) Location. The following area is a security zone: All waters in Elliot Bay east of a line from 47°35′26.67″ N 122°20′34.84″ W to 47°35′23.69″ N 122°20′34.77″ W at Pier 36, Elliot Bay, Seattle, WA.

Dated: September 29, 2010.

S.J. Ferguson,

Captain, U.S. Coast Guard, Captain of the Port, Puget Sound.

[FR Doc. 2010–27480 Filed 10–29–10; 8:45 am] BILLING CODE 9110–04–P

DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

50 CFR Part 660

[Docket No. 100212086-0354-04]

RIN 0648-AY68

Fisheries Off West Coast States; Pacific Coast Groundfish Fishery Management Plan; Amendments 20 and 21; Trawl Rationalization Program; Correction

AGENCY: National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce.

ACTION: Final rule; correction.

SUMMARY: This final rule corrects trip limits for commercial groundfish fisheries through the end of 2010 to reflect recent changes that were implemented on October 4, 2010. This final rule is necessary to ensure that the correct trip limit tables remain effective after November 1, 2010.

DATES: This rule is effective November 1, 2010.

SUPPLEMENTARY INFORMATION:

Background

On October 1, 2010, NMFS published a final rule (75 FR 32994, 100212086–0354–04) that implemented certain key components necessary for issuance of permits and endorsements in time for use in the 2011 fishery and in order to have the 2011 specifications reflect the new allocation scheme (the "Initial Issuance Final Rule"). In addition, that rule restructured the entire Pacific Coast groundfish regulations to more closely track the organization of the proposed management measures and to make the total groundfish regulations more clear.

On October 4, 2010, NMFS published inseason adjustments, effective October 1, 2010, to commercial trip limits that were recommended by the Pacific Fishery Management Council (Council) at its September 10-16, 2010 meeting in Boise, ID. These changes in the trip limit tables included increases for the remainder of the year to bimonthly cumulative limits in the limited entry trawl commercial fisheries off Washington, Oregon, and California, and reductions to daily trip limits (DTL) for sablefish in the limited entry fixed gear and open access commercial fisheries south of 36° N. lat.

The trip limit tables that published in the October 1, 2010, initial issuance final rule did not include the October 4, 2010, inseason changes to commercial trip limits. Without action to correct the trip limit tables in the initial issuance final rule, the inseason adjustments in the October 4, 2010, inseason final rule will be undone on November 1, 2010, when the initial issuance final rule becomes final.

Accordingly, this final rule corrects the trip limit tables in the trawl fishery for sablefish, shortspine and longspine thornyheads, Dover sole, arrowtooth flounder and other flatfish (Table 1 North and Table 1 South to Part 660, Subpart D) consistent with the October 4, 2010, inseason changes. This final rule also corrects the trip limit tables in the limited entry fishery south of 36° N. lat. (Table 2 South to Part 660, Subpart E) and open access fisheries (Table 3 South to Part 660, Subpart F) south of 36° N. lat. for sablefish consistent with October 4, 2010 inseason changes.

Classification

For the following reasons, NMFS finds good cause to waive prior notice and comment and the 30-day delay in effectiveness pursuant to 5 U.S.C. 553 so that this correction is effective on November 1, 2010, concurrent with the October 1, 2010, initial issuance final rule (75 FR 32994).

The correction to the trip limit tables in the limited entry trawl fishery must

be implemented in a timely manner to allow fishermen an opportunity to achieve the 2010 OYs specified for sablefish, longspine and shortspine thornyheads, Dover sole, arrowtooth flounder, other flatfish, and slope rockfish. Increases are necessary to relieve a restriction by allowing fishermen increased opportunities to harvest available healthy stocks while staying within the OYs for all species. These corrections must be implemented in a timely manner, as quickly as possible, so that fishermen are allowed consistent, increased opportunities to harvest available healthy stocks and meet the objective of the Pacific Coast Groundfish FMP to allow fisheries to approach, but not exceed, OYs.

Corrections to restrict cumulative limits in the limited entry fixed gear and open access sablefish DTL fishery are needed to prevent the 2010 sablefish OY in the area South of 36° N. lat. from being exceeded and prevent premature closure of fisheries that take sablefish. This correction must be implemented in a timely manner by November 1, 2010.

Failure to correct the October 4, 2010, trip limit restrictions by November 1, 2010, would risk premature closure of fisheries that are important to coastal communities, which would fail to meet the objectives of the Pacific Coast Groundfish FMP to allow for year round fishing opportunities to provide community stability.

These corrections are needed to keep the harvest of groundfish species within the harvest levels projected for 2010, while allowing fishermen access to healthy stocks. Without these measures in place, the fisheries could risk exceeding harvest levels, causing early and unanticipated fishery closures and economic harm to fishing communities. Delaying this correction would put management measures in place that are not based on the best available data and that could lead to early closures of the fishery if harvest of groundfish exceeds levels projected for 2010. Such delay would impair achievement of one of the Pacific Coast Groundfish FMP objectives of providing for year-round harvest opportunities or extending fishing

opportunities as long as practicable during the fishing year.

List of Subjects in 50 CFR Part 660

Fisheries, Fishing, and Indian fisheries.

Dated: October 27, 2010.

John Oliver.

Deputy Assistant Administrator for Operations, National Marine Fisheries Service.

■ For the reasons set out in the preamble, 50 CFR Chapter VI is amended as follows:

PART 660—FISHERIES OFF WEST COAST STATES

■ 1. The authority citation for part 660 continues to read as follows:

Authority: 16 U.S.C. 1801 *et seq.* and 16 U.S.C. 7001 *et seq.*

■ 2. Table 1 (North) and Table 1 (South) to part 660, subpart D are revised to read as follows:

BILLING CODE 4160-01-P

Table 1 (North) to Part 660, Subpart D -- 2010 Trip Limits for Limited Entry Trawl Gear North of 40°10' N. Lat. Other Limits and Requirements Apply -- Read § 660.10 - § 660.160 before using this table

11012010

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Rockfish	h Conservation Area (RCA) ^{6/} :	shore -	shore - 200 fm				-1
1	North of 48°10' N. lat.	modified ^{7/} 200 fm line ^{6/}	line ^{6/}	shore - 15	50 fm line ^{6/}	shore - 200 fm line ^{6/}	shore - modified ^{7/} 200 fm line ^{6/}
2	48°10' N. lat 45°46' N. lat.	75 fm line ^{6/} -	75 fm line ^{6/} -	75 fm line ^{6/} - 150 fm line ^{6/}	100 fm line ^{6/} - 150 fm line ^{6/}	75 fm line ^{6/} -	75 fm line ^{6/} -
3	45°46' N. lat 40°10' N. lat.	fm line ^{6/}	200 fm line ^{6/}	75 fm line ^{6/} - 200 fm line ^{6/}	100 fm line ^{6/} - 200 fm line ^{6/}	200 fm line ^{6/}	fm line ^{6/}

Selective flatfish trawl gear is required shoreward of the RCA; all trawl gear (large footrope, selective flatfish trawl, and small footrope trawl gear) is permitted seaward of the RCA. Large footrope and small footrope trawl gears (except for selective flatfish trawl gear) are prohibited shoreward of the RCA. Midwater trawl gear is permitted only for vessels participating in the primary whiting season.

See § 660.60 and § 660.130 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See §§ 660.70-660.74 and §§ 660.76-660.79 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).

Minor slope rockfish ^{2/} & Darkblotched rockfish		6,000 lb/ 2 months	2,000 lb/ 2 months		4,000 lb/ 2 months			
Pacif	fic ocean perch	1,500 lb/ 2 months						
DTS	complex							
	Sablefish							
	large & small footrope gear	large & small footrope gear 20,000 lb/ 2 months 24,000 lb months		21,000 lb/ 2 months	24,000 lb/ 2 months			
	selective flatfish trawl gear	9,000 lb/	2 months		10,000 lb/ 2 months			
	multiple bottom trawl gear 8/	9,000 lb/	2 months		10,000 lb/ 2 months			
	Longspine thornyhead							
	large & small footrope gear	24,000 lb	/ 2 months		26,000 lb/ 2 months			
	selective flatfish trawl gear	5,000 lb/	2 months		5,500 lb/ 2 months			
	multiple bottom trawl gear 8/	5,000 lb/		5,500 lb/ 2 months				
	Shortspine thornyhead			•				
	large & small footrope gear	18,000 lb	2 months		20,000 lb/ 2 months			
	selective flatfish trawl gear	5,000 lb/	2 months		5,500 lb/ 2 months			
	multiple bottom trawl gear 8/	5,000 lb/	2 months		5,500 lb/ 2 months			
	Dover sole							
	large & small footrope gear	110,000 lb/ 2 months 100,000 lb/ 2 months		110,000 lb/ 2 months				
	selective flatfish trawl gear	65,000 lb		70,000 lb/ 2 months				
	multiple bottom trawl gear 8/	65,000 lb	70,000 lb/ 2 months					

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Whi	iting						
	midwater trawl	•	,	season and trip li		season: mid-wate er the primary wh	•
	large & small footrope gear	Before the prima	, ,		During the prime eason: 10,000 lb/	ary season: 10,00 trip.	00 lb/trip After
Flat	tfish (except Dover sole)						
•	Arrowtooth flounder						
	large & small footrope gear		150,000 lb	/ 2 months		180,000 lb	/ 2 months
	selective flatfish trawl gear		90,000 lb/	2 months		100,000 lb	/ 2 months
	multiple bottom trawl gear 8/		90,000 lb/	2 months		100,000 lb	/ 2 months
	Other flatfish ^{3/} , English sole, starry flounder, & Petrale sole						
?	large & small footrope gear for Other flatfish ^{3/} , English sole, & starry flounder	110,000 lb/ 2 months	than 9,500 lb/ 2	onths, no more months of which	100,000 lb/ 2 months, no more than 6,300 lb/ 2 months of	110,000 lb/ 2 months, no more than 6,300 lb/ 2 months of	110,000 lb/ 2 months
ł	large & small footrope gear for Petrale sole	9,500 lb/ 2 months	may be pe	etrale sole.	which may be petrale sole.	which may be petrale sole.	6,300 lb/ 2 months
	selective flatfish trawl gear for	90,000 lb/ 2			60,000 lb/ 2		
!	Other flatfish ^{3/,} English sole, & starry flounder	months, no more than 9,500 lb/ 2 months of	than 9,500 lb/ 2	onths, no more months, no more than 6,300		I than h 300 in/ 2 months of whi	
5	selective flatfish trawl gear for Petrale sole	which may be petrale sole.	may be pe	etrale sole.	which may be petrale sole.	may be pe	etrale sole.
·	multiple bottom trawl gear ^{8/}	90,000 lb/ 2 months, no more than 9,500 lb/ 2 months of which may be petrale sole.	than 9,500 lb/ 2	onths, no more months of which etrale sole.	60,000 lb/ 2 months, no more than 6,300 lb/ 2 months of which may be petrale sole.	70,000 lb/ 2 mo than 6,300 lb/ 2 i may be pe	months of which
	or shelf rockfish ^{1/} , Shortbelly, low & Yelloweye rockfish						
3	midwater trawl for Widow rockfish	10,000 lb of whit	ing, combined wi	dow and yellowta ed in the RCA. Se	il limit of 500 lb/ tr	hiting season: In ip, cumulative wid imary whiting sea CLOSED.	ow limit of 1,500
9	large & small footrope gear			300 lb/ 2	2 months		
)	selective flatfish trawl gear	300 lb/	month		h, no more than 2 nay be yelloweye		300 lb/ month
1	multiple bottom trawl gear ^{8/}	300 lb/	month		ns, no more than 2 nay be yelloweye		300 lb/ month

able 1 (North). Continued	IANLEED	MAD ADD	L MANY HINI	11 11 11 10	CED OCT	NOV DEC			
		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC			
₁₂ Cana	ary rockfish									
13	large & small footrope gear			CLOSED						
14	selective flatfish trawl gear	100 lb/	month	300 lb/	month	100 lb/	month			
15	multiple bottom trawl gear ^{8/}		CLOSED							
6 Yello	owtail									
17	midwater trawl	10,000 lb of wi	niting: combined . Mid-water trawl	on: CLOSED I widow and yellowt permitted in the R s After the prim	ail limit of 500 lb/1 .CA. See §660.13	trip, cumulative ye 31 for primary whit	ellowtail limit of			
18	large & small footrope gear			300 lb/ 2	months					
9	selective flatfish trawl gear			2,000 lb/ 2	2 months					
io	multiple bottom trawl gear ^{8/}			300 lb/ 2	months					
Mind of rock	or nearshore rockfish & Black fish									
2	large & small footrope gear			CLO	SED					
3	selective flatfish trawl gear			300 lb/	month					
4	multiple bottom trawl gear 8/			CLO	SED					
5 Ling	cod ^{4/}									
6	large & small footrope gear				4,000 lb/ 2	2 months				
7	selective flatfish trawl gear	1,200 lb/	2 months							
8	multiple bottom trawl gear ^{8/}	1,200 lb/2 months								
Paci	fic cod	30,000 lb/	2 months	70	0,000 lb/ 2 month	s	30,000 lb/ 2 months			
Spin	ny dogfish	200,000 lb	/ 2 months	150,000 lb/ 2 months	10	00,000 lb/ 2 month	าร			
Othe	er Fish ^{5/}		Not limited							

- 1/ Bocaccio, chilipepper and cowcod are included in the trip limits for minor shelf rockfish.
- 2/ Splitnose rockfish is included in the trip limits for minor slope rockfish.

 3/ "Other flatfish" are defined at § 660.11 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.
- 4/ The minimum size limit for lingcod is 22 inches (56 cm) total length North of 42° N. lat. and 24 inches (61 cm) total length South of 42° N. lat.
- 5/ "Other fish" are defined at § 660.11 and include sharks, skates (including longnose skate), ratfish, morids, grenadiers, and kelp greenling. Cabezon is included in the trip limits for "other fish."
- 6/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours, and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to the RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.
- 7/ The "modified" fathom lines are modified to exclude certain petrale sole areas from the RCA.
- 8/ If a vessel has both selective flatfish gear and large or small footrope gear on board during a cumulative limit period (either simultaneously or successively), the most restrictive cumulative limit for any gear on board during the cumulative limit period applies for the entire cumulative limit period.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

Table 1 (South) to Part 660, Subpart D -- 2010 Trip Limits for Limited Entry Trawl Gear South of 40°10' N. Lat.
Other Limits and Requirements Apply -- Read § 660.10 - § 660.160 before using this table

Oth	ner Limits and Requirements Apply	/ Read § 660.1	0 - § 660.160 bef	ore using this ta	ble		11012010	
		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC	
ockfis	sh Conservation Area (RCA) ^{6/} :							
	South of 40°10' N. lat.			100 fm line ^{6/} -	150 fm line 6/7/			
II traw	l gear (large footrope, selective flatfis trawl g		trawl, and small f			award of the RCA	. Large footrope	
_	660.60 and § 660.130 for Additional §§ 660.76-660.79 for Conservation			ates (including		_	· .	
	State trip limits and seasons ma	ay be more restric	tive than federal t	rip limits, particula	arly in waters off (Dregon and Califor	rnia.	
	nor slope rockfish ^{2/} & rkblotched rockfish							
	40°10' - 38° N. lat.			15,000 lb/	2 months			
	South of 38° N. lat.			55,000 lb/	2 months			
Spl	itnose							
	40°10' - 38° N. lat.	15,000 lb/ 2 months						
	South of 38° N. lat.	55,000 lb/ 2 months						
DT	S complex							
	Sablefish	22,000 lb/ 2 months 21,000 lb/ 2 months			24,000 lb/ 2 months			
)	Longspine thornyhead		24,000 lb/	2 months		26,000 lb/	2 months	
	Shortspine thornyhead		18,000 lb/	2 months		20,000 lb/ 2 months		
2	Dover sole	1	10,000 lb/ 2 month	าร	100,000 lb/ 2 months	110,000 lb/ 2 months		
Fla	tfish (except Dover sole)							
4	Other flatfish ^{3/} , English sole, & starry flounder	110,000 lb/ 2 months		onths, no more	100,000 lb/ 2 months, no	110,000 lb/ 2 months, no more than 6,300	110,000 lb/ 2 months	
5	Petrale sole	9,500 lb/ 2 months		months of which etrale sole.	lb/ 2 months of which may be petrale sole.	lb/ 2 months of which may be petrale sole.	6,300 lb/ 2 months	
6	Arrowtooth flounder		10,000 lb/	2 months		12,000 lb/	2 months	
	iting							
' —— 8	midwater trawl			season and trip li		season: mid-wate er the primary wh		
9	large & small footrope gear	Before the prima	, ,		During the prim eason: 10,000 lb	ary season: 10,00 /trip.	0 lb/trip After	

Table 1 (South). Continued

	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC		
Minor shelf rockfish 11, Chilipepper, Shortbelly, Widow, & Yelloweye orockfish								
large footrope or midwater trawl for Minor shelf rockfish & Shortbelly		300 lb/ month						
large footrope or midwater trawl for Chilipepper	1	12,000 lb/ 2 months 17,000 lb/ 2 months						
large footrope or midwater trawl for Widow & Yelloweye		CLOSED						
small footrope trawl for Minor Shelf, Shortbelly, Widow & Yelloweye			300 lb/	month			֓֞֞֞֜֞֞֜֞֜֞֜֞֜֞֜֞֜֞֓֓֓֓֓֓֓֓֓֓֓֓֡֓֜֞֜֜֞֓֓֡֓֓֡֓֡֓֡֓֞֓֡֓֡֞֡֓֡֡֡	
small footrope trawl for Chilipepper	1	12,000 lb/ 2 month	าร		17,000 lb/ 2 month	S	 	
6 Bocaccio							「	
large footrope or midwater trawl			300 lb/ 2	months			-	
small footrope trawl			CLO	SED			ر [
Canary rockfish								
large footrope or midwater trawl			CLO	SED			9	
small footrope trawl	100 lb	/ month	300 lb/	month	100 lb/	month	2	
2 Cowcod			CLO	SED] [
Bronzespotted rockfish			CLO	SED			.	
Minor nearshore rockfish & Black rockfish								
g large footrope or midwater trawl			CLO	SED] =	
small footrope trawl			300 lb/	month			•	
7 Lingcod ^{4/}								
g large footrope or midwater trawl	1 200 lb/	2 months		4,000 lb/	2 months			
g small footrope trawl	1,200 10/	2 months		1,200 lb/	2 months			
Pacific cod	30,000 lb/	2 months	7	0,000 lb/ 2 month	าร	30,000 lb/ 2 months		
Spiny dogfish	200,000 lb	/ 2 months	150,000 lb/ 2 months	1	00,000 lb/ 2 montl	าร		
⁵ Other Fish Cabezon			Not lin	mited				

^{1/} Yellowtail is included in the trip limits for minor shelf rockfish. Bronzespotted rockfish have a species specific trip limit.

■ 3. Table 2 (South) to part 660, subpart E is revised to read as follows:

^{1/} Yellowtail is included in the trip limits for minor shelf rockfish. Bronzespotted rockfish have a species specific trip limit.
2/ POP is included in the trip limits for minor slope rockfish.
3/ "Other flatfish" are defined at § 660.11 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.
4/ The minimum size limit for lingcod is 24 inches (61 cm) total length South of 42° N. lat.
5/ Other fish are defined at § 660.11 and include sharks, skates (including longnose skate), ratfish, morids, grenadiers, and kelp greenling.
6/ The Rockfish Conservation Area is an area closed to fishing by particulary gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours, and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to the RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting. RCA for any purpose other than transiting.

^{7/} South of 34°27' N. lat., the RCA is 100 fm line - 150 fm line along the mainland coast; shoreline - 150 fm line around islands.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

Table 2 (South) to Part 660, Subpart E -- 2010 Trip Limits for Limited Entry Fixed Gear South of 40°10' N. Lat.

Other Limits and Requirements Apply -- Read §§ 660.10 - 660.65 and §§ 660.210 - 660.232 before using this table

11012010

	Other Limits and Requirements Apply									
		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC			
Roc	ckfish Conservation Area (RCA) ^{5/} :									
1	40°10' - 34°27' N. lat.			30 fm line	^{5/} - 150 fm line ^{5/}					
2	South of 34°27' N. lat.		60 fm line	e ^{5/} - 150 fm line	^{5/} (also applies a	round islands)				
	See § 660.60 and § 660.230 for A	dditional Gear,					trictions.			
	See §§ 660.70-660.74 and §§ 660.76-66			escriptions an anks, and EFH		(including RCAs	s, YRCA, CCAs,			
	State trip limits and seasons may	be more restrictiv	e than federal	trip limits, parti	cularly in waters	off Oregon and C	California.			
3	Minor slope rockfish ^{2/} & Darkblotched rockfish		40,000 lb/ 2 months							
4	Splitnose			40,000	lb/ 2 months					
5	Sablefish						-			
6	40°10' - 36° N. lat.	1,750 lb per we	ek, not to exce months	eed 7,000 lb/ 2		ek, not to exceed 2 months	1,750 lb per week, not to exceed 8,000 lb/ 2 months			
7	South of 36° N. lat.	400 lb/ day	, or 1 landing p	per week of up	to 1,500 lb	3,000 lb/ week 2,	800 lb per week			
8	Longspine thornyhead			10,000	lb / 2 months					
9	Shortspine thornyhead									
10	40°10' - 34°27' N. lat.				lb/ 2 months		1.3			
11	South of 34°27' N. lat.			3,000	lb/ 2 months					
	Dover sole									
13	Arrowtooth flounder			5,00	0 lb/ month					
13 14	Arrowtooth flounder Petrale sole			ng for "other flat	fish," vessels us		gear with no more			
13 14 15	Arrowtooth flounder Petrale sole English sole	than 12 hooks pe	er line, using ho	ng for "other flat ooks no larger t	fish," vessels us han "Number 2"	hooks, which me	gear with no more assure 11 mm (0.44			
13 14 15 16	Arrowtooth flounder Petrale sole English sole Starry flounder	than 12 hooks pe	er line, using ho	ng for "other flat ooks no larger t	fish," vessels us han "Number 2"	hooks, which me	e gear with no more leasure 11 mm (0.44 bject to the RCAs.			
13 14 15 16	Arrowtooth flounder Petrale sole English sole	than 12 hooks pe	er line, using ho	ng for "other flat ooks no larger t	fish," vessels us han "Number 2"	hooks, which me	gear with no more assure 11 mm (0.44			
13 14 15 16 17	Arrowtooth flounder Petrale sole English sole Starry flounder Other flatfish 1/ Whiting	than 12 hooks pe inches) point to	er line, using ho	ng for "other flat ooks no larger t o to two 1 lb (0	fish," vessels us han "Number 2" 45 kg) weights pe 000 lb/ trip	hooks, which me er line are not sub	e gear with no more assure 11 mm (0.44 oject to the RCAs.			
13 14 15 16 17	Arrowtooth flounder Petrale sole English sole Starry flounder Other flatfish 1/	than 12 hooks pe inches) point to	er line, using ho	ng for "other flat ooks no larger t o to two 1 lb (0	fish," vessels us han "Number 2" 45 kg) weights pe 000 lb/ trip	hooks, which me er line are not sub	e gear with no more assure 11 mm (0.44 bject to the RCAs.			
13 14 15 16 17 18	Arrowtooth flounder Petrale sole English sole Starry flounder Other flatfish 1/ Whiting	than 12 hooks peinches) point to	er line, using he shank, and up	ng for "other flat ooks no larger to to to two 1 lb (0 10, (including Chil	fish," vessels us han "Number 2" 45 kg) weights pe 000 lb/ trip ipepper betwee ish, bocaccio & 6	hooks, which me er line are not sub en 40°10' - 34°27	e gear with no more assure 11 mm (0.44 oject to the RCAs. "N. lat.) D lb/ 2 months, of			
13 14 15 16 17 18 19	Arrowtooth flounder Petrale sole English sole Starry flounder Other flatfish 1/ Whiting Minor shelf rockfish 2/, Shortbelly, W	than 12 hooks peinches) point to	er line, using he shank, and up	ng for "other flat ooks no larger to to to two 1 lb (0 10, (including Chil	fish," vessels us han "Number 2" 45 kg) weights per 15 kg) weights per	hooks, which me er line are not sub en 40°10' - 34°27 chilipepper: 2,500	e gear with no more assure 11 mm (0.44 oject to the RCAs. "N. lat.) D lb/ 2 months, of			
13 14 15 16 17 18 19 20	Arrowtooth flounder Petrale sole English sole Starry flounder Other flatfish 11/ Whiting Minor shelf rockfish 21/, Shortbelly, W 40°10' - 34°27' N. lat.	inches) point to inches) point to idow rockfish, ar Minor shelf roc which n	er line, using he shank, and up and Bocaccio (ckfish, shortbe o more than 5	ng for "other flat ooks no larger to to to two 1 lb (0 10, (including Chil	fish," vessels us han "Number 2" 45 kg) weights per 15 kg) weights per	hooks, which me er line are not subset line ar	e gear with no more assure 11 mm (0.44 oject to the RCAs. "N. lat.) D lb/ 2 months, of			
13 14 15 16 17 18 19 20	Arrowtooth flounder Petrale sole English sole Starry flounder Other flatfish 1/ Whiting Minor shelf rockfish 2/, Shortbelly, W 40°10' - 34°27' N. lat. South of 34°27' N. lat.	than 12 hooks perinches) point to	er line, using he shank, and up and Bocaccio (ckfish, shortbe o more than 5 CLOSED	ng for "other flat books no larger to to to two 1 lb (0 10, (including Chil slly, widow rockf 00 lb/ 2 months	fish," vessels us han "Number 2" 45 kg) weights per 15 kg) weights per 16 kg) weights per	hooks, which me er line are not subserved and 40°10′ - 34°27 chilipepper: 2,500 acies other than cob/ 2 months	e gear with no more assure 11 mm (0.44 oject to the RCAs. "N. lat.) D lb/ 2 months, of			
13 14 15 16 17 18 19 20 21	Arrowtooth flounder Petrale sole English sole Starry flounder Other flatfish 11/ Whiting Minor shelf rockfish 21/, Shortbelly, W 40°10' - 34°27' N. lat. South of 34°27' N. lat. Chilipepper rockfish	than 12 hooks perinches) point to inches) point to inches) point to inches poi	er line, using he shank, and up and Bocaccio (ckfish, shortbe o more than 5 CLOSED	ng for "other flat coks no larger to to to two 1 lb (0 10, (including Chil elly, widow rockf 00 lb/ 2 months	fish," vessels us han "Number 2" 45 kg) weights per 15 kg) weights per 15 kg) weights per 16 kg) weights per	hooks, which me er line are not subserved and 40°10′ - 34°27 chilipepper: 2,500 acies other than cob/ 2 months	e gear with no more assure 11 mm (0.44 bject to the RCAs. "N. lat.) D lb/ 2 months, of shillipepper.			
13 14 15 16 17 18 19 20 21 22 23	Arrowtooth flounder Petrale sole English sole Starry flounder Other flatfish 11/ Whiting Minor shelf rockfish 21/, Shortbelly, W 40°10' - 34°27' N. lat. South of 34°27' N. lat. Chilipepper rockfish 40°10' - 34°27' N. lat.	than 12 hooks perinches) point to inches) point to inches) point to inches poi	er line, using he shank, and up and Bocaccio (ckfish, shortbe o more than 5 CLOSED	ng for "other flat books no larger to to to two 1 lb (0 10, (including Chill billy, widow rocki 00 lb/ 2 months minor shelf roc his opportunity of	fish," vessels us han "Number 2" 45 kg) weights per 15 kg) weights per 15 kg) weights per 16 kg) weights per	hooks, which me er line are not subsern 40°10' - 34°27 chilipepper: 2,500 cices other than cob/ 2 months	e gear with no more assure 11 mm (0.44 bject to the RCAs. "N. lat.) D lb/ 2 months, of shillipepper.			
13 14 15 16 17 18 19 20 21 22 23 24 25	Arrowtooth flounder Petrale sole English sole Starry flounder Other flatfish 1/ Whiting Minor shelf rockfish 2/, Shortbelly, W 40°10' - 34°27' N. lat. South of 34°27' N. lat. Chilipepper rockfish 40°10' - 34°27' N. lat. South of 34°27' N. lat.	than 12 hooks perinches) point to inches) point to inches) point to inches poi	er line, using he shank, and up and Bocaccio (ckfish, shortbe o more than 5 CLOSED	ng for "other flat books no larger to to to two 1 lb (0 10, (including Chil telly, widow rockf 00 lb/ 2 months minor shelf roc C	fish," vessels us han "Number 2" 45 kg) weights per 145 kg) weights per 15000 lb/ trip 15000 lb/	hooks, which me er line are not subsern 40°10' - 34°27 chilipepper: 2,500 cices other than cob/ 2 months	e gear with no more assure 11 mm (0.44 bject to the RCAs. "N. lat.) D lb/ 2 months, of shillipepper.			
13 14 15 16 17 18 19 20 21 22 23 24 25 26	Arrowtooth flounder Petrale sole English sole Starry flounder Other flatfish 11/ Whiting Minor shelf rockfish 21/ 40°10' - 34°27' N. lat. South of 34°27' N. lat. Chilipepper rockfish 40°10' - 34°27' N. lat. South of 34°27' N. lat. Canary rockfish	than 12 hooks perinches) point to inches) point to inches) point to inches poi	er line, using he shank, and up and Bocaccio (ckfish, shortbe o more than 5 CLOSED	ng for "other flat books no larger to to to two 1 lb (0 10, (including Chil elly, widow rockf 00 lb/ 2 months minor shelf roc C C	fish," vessels us han "Number 2" 45 kg) weights per 145 kg) weights per 15000 lb/ trip 15000 lb/	hooks, which me er line are not subsern 40°10' - 34°27 chilipepper: 2,500 cices other than cob/ 2 months	e gear with no more assure 11 mm (0.44 bject to the RCAs. "N. lat.) D lb/ 2 months, of shillipepper.			
13 14 15 16 17 18 19 20 21 22 23 24 25 26 27	Arrowtooth flounder Petrale sole English sole Starry flounder Other flatfish 11/ Whiting Minor shelf rockfish 21/, Shortbelly, W 40°10' - 34°27' N. lat. South of 34°27' N. lat. Chilipepper rockfish 40°10' - 34°27' N. lat. South of 34°27' N. lat. Canary rockfish Yelloweye rockfish	than 12 hooks perinches) point to inches) point to inches) point to inches poi	er line, using he shank, and up and Bocaccio (ckfish, shortbe o more than 5 CLOSED	ng for "other flat books no larger to to to two 1 lb (0 10, (including Chil lilly, widow rockt 00 lb/ 2 months minor shelf roc C C C	fish," vessels us han "Number 2" 45 kg) weights per 145 kg) weights per 15000 lb/ trip 15000 lb/	hooks, which me er line are not subsern 40°10' - 34°27 chilipepper: 2,500 cices other than cob/ 2 months	e gear with no more assure 11 mm (0.44 bject to the RCAs. "N. lat.) D lb/ 2 months, of shillipepper.			
13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28	Arrowtooth flounder Petrale sole English sole Starry flounder Other flatfish 11/ Whiting Minor shelf rockfish 21/, Shortbelly, W 40°10' - 34°27' N. lat. South of 34°27' N. lat. Chilipepper rockfish 40°10' - 34°27' N. lat. South of 34°27' N. lat. Canary rockfish Yelloweye rockfish Cowcod	than 12 hooks perinches) point to inches) point to inches) point to inches poi	er line, using he shank, and up and Bocaccio (ckfish, shortbe o more than 5 CLOSED	ng for "other flat books no larger to to to two 1 lb (0 10, (including Chil lilly, widow rockt 00 lb/ 2 months minor shelf roc C C C	fish," vessels us han "Number 2" 45 kg) weights per 145 kg) weights per 15000 lb/ trip 15000 lb/	hooks, which me er line are not subsern 40°10' - 34°27 chilipepper: 2,500 cices other than cob/ 2 months	e gear with no more assure 11 mm (0.44 bject to the RCAs. "N. lat.) D lb/ 2 months, of shillipepper.			
13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28	Arrowtooth flounder Petrale sole English sole Starry flounder Other flatfish 1/ Whiting Minor shelf rockfish 2/, Shortbelly, W 40°10' - 34°27' N. lat. South of 34°27' N. lat. Chilipepper rockfish 40°10' - 34°27' N. lat. South of 34°27' N. lat. Canary rockfish Yelloweye rockfish Cowcod Bronzespotted rockfish	than 12 hooks perinches) point to inches) point to inches) point to inches poi	er line, using he shank, and up and Bocaccio (cockfish, shortbe o more than 5 CLOSED acluded under the bold 2 months, the share share should be shown that the share should be shown that the share share share share share share shown that the share	ng for "other flat coks no larger to to to two 1 lb (0 10, (including Chil elly, widow rockf 00 lb/ 2 months minor shelf roc C C C C	fish," vessels us han "Number 2" 45 kg) weights per 145 kg) weights per 15000 lb/ trip 15000 lb/	hooks, which me er line are not subsern 40°10′ - 34°27 chilipepper: 2,500 cices other than cob/ 2 months widow and bocade award of the nont	e gear with no more assure 11 mm (0.44 bject to the RCAs. "N. lat.) D lb/ 2 months, of shillipepper.			

Table 2 (South). Continued

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
٨	linor nearshore rockfish & Black roc	ckfish			•		•
	Shallow nearshore	600 lb/ 2 months	CLOSED	800 lb/ 2 months	900 lb/ 2 months	800 lb/ 2 months	600 lb/ 2 months
	Deeper nearshore			•			
	40°10' - 34°27' N. lat.	700 lb/ 2 months	CLOSED	700 lb/ 2	2 months	900 15/	2
	South of 34°27' N. lat.	South of 34°27' N. lat. 500 lb/ 2 months		600 lb/ 2 months		800 lb/ 2 months	
	California scorpionfish	600 lb/ 2 months	CLOSED	600 lb/ 2 months		1,200 lb/ 2 mont	hs
L	ingcod ^{3/}	CLOS	SED		800 lb/ 2 months	s	400 lb/ month CLOSED
F	Pacific cod			1,000	lb/ 2 months		
S	Spiny dogfish	200,000 lb/	2 months	150,000 lb/ 2 months		100,000 lb/ 2 mor	nths
- 1 C	Other fish ^{4/} & Cabezon			No	ot limited		

- 1/ "Other flatfish" are defined at § 660.11 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.
- 2/ POP is included in the trip limits for minor slope rockfish. Yellowtail is included in the trip limits for minor shelf rockfish. Bronzespotted rockfish have a species specific trip limit.
- 3/ The minimum size limit for lingcod is 24 inches (61 cm) total length South of 42° N. lat.
- 4/ "Other fish" are defined at § 660.11 and include sharks, skates (including longnose skates), ratfish, morids, grenadiers, and kelp greenling.
- 5/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

■ 4. Table 3 (South) to part 660, subpart F is revised to read as follows:

Table 3 (South) to Part 660, Subpart F -- 2010 Trip Limits for Open Access Gears South of 40°10' N. Lat.

Other Limits and Requirements Apply -- Read §§ 660.10 - 660.65 and §§ 660.310 - 660.333 before using this table

South of 34°27' N. lat.		Other Limits and Requirements App	ly Read §§ 660.	.10 - 660.65 and	d §§ 660.310 - 6	60.333 before ι	ising this tab	le 11012010		
40°10' - 34°27' N. lat. 30 fm lines 150 fm lines 200 fm lines 30 fm lines			JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OC	T NOV-DEC		
40°10' - 34°27' N. lat. 30 fm lines 150 fm lines 200 fm lines 30 fm lines	Roc	kfish Conservation Area (RCA) ^{5/} :								
South of 34°27' N. lat.	1				30 fm line ⁵	^{i/} - 150 fm line ^{5/}				
See § 660.0, § 660.330, and § 660.331 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See § 660.70-660.74 and § 660.76-660.79 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA CCAs, Faralon Islands, Cordell Banks, and EFHCAs). State trip limits and seasons may be more restrictive than federal trip limits, particularly in waters off Oregon and California. Minor slope rockfish ¹⁰ & Darkbitoched ockfish 4	2									
State trip limits and seasons may be more restrictive than federal trip limits, particularly in waters off Oregon and California. Minor slope rockfish		See § 660.60, § 660.330, and § 660.333	For Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions.							
State trip limits and seasons may be more restrictive than federal trip limits, particularly in waters off Oregon and California. 3 Minor slope rockfish 1/8 Darkblotched rockfish 4/0°10′ - 38° N. lat. Per trip, no more than 25% of weight of the sablefish landed 10.000 lb/ 2 months 5/000 lb/ 2 mon	Se	e §§ 660.70-660.74 and §§ 660.76-660.79		-		dinates (includi	ng RCAs, YR	CA, CCAs, Farallon		
Minor slope rockfish 2 Darkblotched rockfish 4		State trin limits and seasons may				arly in waters off	Oregon and C	alifornia		
Tockfish			be more resulctive	than lederal th	p iiriits, particul	arry in waters on	Oregon and C	Zamorriia.		
South of 38° N. lat. 10,000 lb/ 2 months 200 lb/ month	3	rockfish								
Spittnose 200 lb/ month 300 lb/ day, or 1 landing per week of up to 800 lb, not to exceed 2,750 lb/ 2 months 300 lb/ day, or 1 landing per week of up to 800 lb, not to exceed 2,750 lb/ 2 months 300 lb/ day, or 1 landing per week of up to 1,500 lb, not to exceed 2,750 lb/ 2 months 400 lb/ day, or 1 landing per week of up to 1,500 lb, not to exceed 2,750 lb/ 2 months 400 lb/ day, or 1 landing per week of up to 1,500 lb, not to exceed 2,750 lb/ 2 months 8,000 lb/ 2 months 400 lb/ day, or 1 landing per week of up to 1,500 lb, not to exceed 2,750 lb/ 2 months 8,000 lb/ 2 mont	4			Per trip, no i			ablefish lande	ed		
	5									
300 lb/ day, or 1 landing per week of up to 900 lb, not to exceed 2,750 lb/ 2 months South of 36° N. lat. 400 lb/ day, or 1 landing per week of up to 1,500 lb, not to exceed 2,750 lb/ 2 months South of 36° N. lat. 400 lb/ day, or 1 landing per week of up to 1,500 lb, not to exceed 2,750 lb/ 2 months 400 lb/ day, or 1 landing per week of up to 1,500 lb, not to exceed 2,750 lb/ 2 months 400 lb/ day, or 1 landing per week of up to 1,500 lb, not to exceed 1,600 lb/ month of day, or 1 landing per week of up to 1,500 lb, not to exceed 1,600 lb/ month of day, or 1 landing per week of up to 1,500 lb, not to exceed 1,600 lb/ month of day, or 1 landing per week of up to 1,500 lb, not to exceed 1,600 lb/ month of day, or 1 landing per week of up to 1,500 lb, not to exceed 2,750 lb/ 2 months CLOSED Thornyheads CLOSED Thornyheads CLOSED Thornyheads CLOSED Thornyheads CLOSED South of 36° N. lat. 400 lb/ day, or 1 landing per week of up to 1,500 lb, not to exceed 2,750 lb/ 2 months 800 lb/ week, not to exceed 1,600 lb/ month of 2,500 lb/ 2 months 800 lb/ week, not to low exceed 1,600 lb/ month of 2,500 lb/ 2 months 100 lb/ ay, or 1 landing per week of up to 1,500 lb, not to exceed 1,600 lb/ exceed 1,600 lb/ month 100 lb/ ay, or 1 landing per week of up to 1,500 lb, not to exceed 2,750 lb/ 2 months 100 lb/ ay, or 1 landing per week of up to 1,500 lb, not to exceed 2,750 lb/ 2 months 100 lb/ ay, or 1 landing per week of up to 1,500 lb, not to exceed 1,600 lb/ ay, or 1 landing per week of up to 1,500 lb, not to exceed 1,600 lb/ ay, or 1 landing per week of up to 1,500 lb/ 2 months 100 lb/ ay, or 1 landing per week of up to 1,500 lb, not to exceed 1,600 lb/ ay, or 1 landing per week of up to 1,500 lb/ ay, or 1 landing per week of up to 1,500 lb/ ay, or 1 landing per week of up to 1,500 lb/ ay, or 1 landing per week of up to 1,500 lb/ ay, or 1 landing per week of up to 1,500 lb/ ay, or 1 landing per week of up to 1,500 lb/ ay, or 1 landing per week of up to 1,500 lb/ ay, or 1 landing per week of up to 1,500	6				200	lb/ month				
South of 36° N. lat. South of 36° N. lat. 400 lb/ day, or 1 landing per week of up to 1,500 lb, not to exceed 2,750 lb/ 2 months 400 lb/ day, or 1 landing per week of up to 1,500 lb, not to exceed 1,600 lb/ week, not to exceed 1,600 lb/ month 2,500 lb 2 months 8,000 lb/	7	Sablefish				T				
South of 36° N. lat. A00 lb/ day, or 1 landing per week of up to 1,500 lb, not to exceed landing land landing per week of up to 1,500 lb, not to exceed landing per week of up to 1,500 lb landing per week of up to 1,500 lb, not to exceed 1,600 lb/ month landing per week of up to 1,500 lb landing per week of up to 1,500 lb landing per week of up to 1,500 lb, not to exceed 1,600 lb/ month landing per week of up to 1,500 lb, not to exceed 1,600 lb/ month landing per week of up to 1,500 lb landing per week of up to 1,500 lb, not to exceed 1,600 lb/ month landing per week of up to 1,500 lb, not to exceed 1,600 lb/ month landing per week of up to 1,500 lb, not to exceed 1,600 lb/ month landing per week of up to 1,500 lb, not to exceed 1,600 lb/ month landing per week of up to 1,500 lb, not to exceed 1,600 lb/ month landing per week of up to 1,500 lb, not to exceed 1,600 lb/ month landing per week of up to 1,500 lb, 2 months	8	40°10' - 36° N. lat.								
1 40°10' - 34°27' N. lat. South of 34°27' N. lat. Sout	9	South of 36° N. lat.	400 lb/ day, or 1 l	00 lb/ day, or 1 landing per week of up to 1,500 lb, not to exceed 8,000 lb/ 2 months day, or 1 landing per week of up to						
South of 34°27' N. lat. South of 34°27' N. la	10	Thornyheads								
3 Dover sole 4 Arrowtooth flounder 5 Petrale sole 6 English sole 7 Starry flounder 8 Whiting 8 Minor shelf rockfish 1 South of 34°27' N. lat. 9 Canary rockfish 7 South of 34°27' N. lat. 7 So lb/ 2 months 7 Canary rockfish 7 Cowcod 8 Cowcod 9 Cowc	11	40°10' - 34°27' N. lat.			CL	OSED				
3 Dover sole 4 Arrowtooth flounder 5 Petrale sole 6 English sole 7 Starry flounder 8 Other flatfish ^{2/2} 9 Whiting 7 Minor shelf rockfish ^{1/3} , Shortbelly, Widow & Chilipepper rockfish 7 South of 34°27' N. lat. 7 Solb / 2 months 7 Canary rockfish 7 Closed 7 Velloweye rockfish 8 Characcio 8 Bronzespotted rockfish 8 Characcio 8 Bronzespotted rockfish 8 Closed 8 Bronzespotted rockfish 9 Closed	12	South of 34°27' N. lat.	50 lb/ day, no more than 1,000 lb/ 2 months							
Set a sole and the species of the species of the set shard sol to for which may be species of the set shard sol to for which may be species of the set shard sol to for which may be species of the set shard sol to for which may be species of the set shard sole and shard shard sole and shard sole and shard sole and shard shard sole and shard sole and shard sha	13	Dover sole								
42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to shank, and up to two 1 lb (0.45 kg) weights per line are not subject to the RCAs. Whiting 300 lb/ month Minor shelf rockfish 1/, Shortbelly, Widow & Chillipepper rockfish A0°10' - 34°27' N. lat. 300 lb/ 2 months CLOSED 750 lb/ 2 months	14	Arrowtooth flounder	3.000 lb/month. n	o more than 30	0 lb of which ma	av be species oth	er than Pacifi	c sanddabs. South of		
Starry flounder point to shank, and up to two 1 lb (0.45 kg) weights per line are not subject to the RCAs. Starry flounder point to shank, and up to two 1 lb (0.45 kg) weights per line are not subject to the RCAs. Whiting 300 lb/ month Minor shelf rockfish ^{1/} , Shortbelly, Widow & Chillipepper rockfish 40°10' - 34°27' N. lat. South of 34°27' N. lat. Tooks per line, using nooks no larger than "Number 2" nooks, which measure 11 mm (0.44 inches) point to shank, and up to two 1 lb (0.45 kg) weights per line are not subject to the RCAs. CLOSED 40°10' - 34°27' N. lat. Tooks per line, using nooks no larger than "Number 2" nooks, which measure 11 mm (0.44 inches) point to shank, and up to two 1 lb (0.45 kg) weights per line are not subject to the RCAs. 200 lb/ 2 months CLOSED CLOSED CLOSED CLOSED Bronzespotted rockfish CLOSED CLOSED CLOSED 100 lb/ 2 months CLOSED	15	Petrale sole								
Other flatfish Othe	16	English sole		•	•			` '		
Other flatfish Whiting 300 lb/ month	17	-	point to sh	ank, and up to t	wo 1 lb (0.45 kg) weights per line	are not subje	ct to the RCAs.		
Whiting 300 lb/ month 300 lb/ 2 months 300	18	Other flatfish ^{2/}								
Widow & Chilipepper rockfish 200 lb/ 2 months 200 lb/ 2 months 300 lb/ 2 months 22 South of 34°27' N. lat. 750 lb/ 2 months CLOSED 750 lb/ 2 months 23 Canary rockfish CLOSED CLOSED 24 Yelloweye rockfish CLOSED CLOSED 25 Cowcod CLOSED CLOSED 26 Bronzespotted rockfish CLOSED CLOSED 27 Bocaccio 100 lb/ 2 months 200 lb/ 2 months					300	lb/ month				
South of 34°27' N. lat. 750 lb/ 2 months CLOSED	20									
South of 34°27' N. lat. 750 lb/ 2 months T50 lb/ 2 months	21	40°10' - 34°27' N. lat.	300 lb/ 2 months	CLOSED	200 lb/	2 months	300	lb/ 2 months		
Yelloweye rockfish	22	South of 34°27' N. lat.	750 lb/ 2 months			750 lb/	2 months			
Cowcod CLOSED Closed CLOSED Closed CLOSED Closed Clos	23	Canary rockfish			CL	OSED				
Bronzespotted rockfish CLOSED	24	Yelloweye rockfish			CL	OSED				
Bocaccio 40°10' - 34°27' N. lat. 200 lb/ 2 months	25	Cowcod			CL	OSED				
28 40°10' - 34°27' N. lat. 200 lb/ 2 months CLOSED 100 lb/ 2 months 200 lb/ 2 months		<u> </u>	CLOSED							
CLOSED	27	Bocaccio			1		T			
	28	40°10' - 34°27' N. lat.	200 lb/ 2 months	CLOSED	100 lb/	2 months	200	lb/ 2 months		
	29	South of 34°27' N. lat.	100 lb/ 2 months			100 lb/	2 months			

Table 3 (South). Continued

_		I I				1	
_		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
)	Minor nearshore rockfish & Black rockfish			*			
1	Shallow nearshore	600 lb/ 2 months	CLOSED	800 lb/ 2 months	900 lb/ 2 months	800 lb/ 2 months	600 lb/ 2 months
2	Deeper nearshore						
3	40°10' - 34°27' N. lat.	700 lb/ 2 months	CLOSED	700 lb/ 2	2 months	800 lb/ 2	? months
4	South of 34°27' N. lat.	500 lb/ 2 months			2 months		
5 _	California scorpionfish	600 lb/ 2 months	CLOSED	600 lb/ 2 months		1,200 lb/ 2 months	s
β <u>ι</u>	Lingcod ^{3/}	CLOS	SED		400 lb/ m	onth	CLOSED
7 I	Pacific cod			1,000 lb	o/ 2 months		
3 5	Spiny dogfish	200,000 lb/	2 months	150,000 lb/ 2 months		100,000 lb/ 2 montl	hs
9 (Other Fish ^{4/} & Cabezon	Not limited					
) <u>-</u>	RIDGEBACK PRAWN AND, SOUTH OF :	38°57.50' N. LAT.,	, CA HALIBUT	AND SEA CUCI	UMBER NON-G	ROUNDFISH TR	AWL
-	NON-GROUNDFISH TRAWL Rockfis	h Conservation	Area (RCA) for	CA Halibut, Se	a Cucumber &	Ridgeback Prawr	1:
	40°10' - 38° N. lat.	100 fm - 100 fm				100 fm - modified 200 fm	
;	38° - 34°27' N. lat.			100 fm	n - 150 fm		
!	South of 34°27' N. lat.	100 f	m - 150 fm alor	ng the mainland o	coast; shoreline	- 150 fm around isl	ands
-		Groundfish: 300 lb/trip. Trip limits in this table also apply and are counted toward the 300 lb groundfish per trip limit. The amount of groundfish landed may not exceed the amount of the target species landed, except that the amount of spiny dogfish landed may exceed the amount of target species landed. Spiny dogfish are limited by the 300 lb/trip overall groundfish limit. The daily trip limits for sablefish coastwide and thornyheads south of Pt. Conception and the overall groundfish "per trip" limit may not be multiplied by the number of days of the trip. Vessels participating in the California halibut fishery south of 38°57.50' N. lat. are allowed to (1) land up to 100 lb/day of groundfish without the ratio requirement, provided that at least one California halibut is landed and (2) land up to 3,000 lb/month of flatfish, no more than 300 lb of which may be species other than Pacific sanddabs, sand sole, starry flounder, rock sole, curlfin sole, or California scorpionfish (California scorpionfish is also subject to the trip limits and closures in line 31).					
6 I	PINK SHRIMP NON-GROUNDFISH TRA	WL GEAR (not s	subject to RCAs	s)			
7	South	not to exceed 1,5 lb/day and 1,4 sablefish 2,000 groundfish specie Landings of the	000 lb/trip. The 5000 lb/trip grour lb/ month; cana staken are mase species cou	following sublimindfish limits: ling ry, thornyheads naged under the nt toward the perount of groundfis	ts also apply and good 300 lb/ mon and yelloweye ro overall 500 lb/da r day and per trip	ed by the number of are counted towand the (minimum 24 into pockfish are PROHIB ay and 1,500 lb/trip of groundfish limits and texceed the amounted the second the amounted the second the s	rd the overall 500 ch size limit); BITED. All other groundfish limits. and do not have

^{1/} Yellowtail rockfish is included in the trip limits for minor shelf rockfish. POP is included in the trip limits for minor slope rockfish. Bronzespotted rockfish have a species specific trip limit.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

^{2/ &}quot;Other flatfish" are defined at § 660.11 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.

³/ The size limit for lingcod is 24 inches (61 cm) total length South of 42 $^{\circ}$ N. lat.

^{4/ &}quot;Other fish" are defined at § 660.11 and include sharks, skates (including longnose skates), ratfish, morids, grenadiers, and kelp greenling.

^{5/} The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

^{6/} The "modified 200 fm" line is modified to exclude certain petrale sole areas from the RCA.