

**DEPARTMENT OF THE INTERIOR****Fish and Wildlife Service****50 CFR Parts 10 and 21**[Docket No. FWS-R9-MB-2010-0088,  
FF09M21200-134-FXMB1231099BPP0]**RIN 1018-AX48****General Provisions; Revised List of Migratory Birds****AGENCY:** Fish and Wildlife Service, Interior.**ACTION:** Final rule.

**SUMMARY:** We, the U.S. Fish and Wildlife Service, revise the List of Migratory Birds by both adding and removing species. Reasons for the changes to the list include adding species based on new taxonomy and new evidence of occurrence in the United States or U.S. territories, removing species no longer known to occur within the United States, and changing names to conform to accepted use. The net increase of 19 species (23 added and 4 removed) brings the total number of species protected by the Migratory Bird Treaty Act (MBTA) to 1,026. We regulate most aspects of the taking, possession, transportation, sale, purchase, barter, exportation, and importation of migratory birds. An accurate and up-to-date list of species protected by the MBTA is essential for public notification and regulatory purposes.

**DATES:** This rule is effective December 2, 2013.

**FOR FURTHER INFORMATION CONTACT:**  
George Allen at 703-358-1825.

**SUPPLEMENTARY INFORMATION:****Background****What statutory authority does the service have for this rulemaking?**

We have statutory authority and responsibility for enforcing the Migratory Bird Treaty Act (MBTA) (16 U.S.C. 703–712), the Fish and Wildlife Improvement Act of 1978 (16 U.S.C. 742l), and the Fish and Wildlife Act of 1956 (16 U.S.C. 742a–j). The MBTA implements Conventions between the United States and four neighboring countries for the protection of migratory birds, as follows:

(1) Canada: Convention between the United States and Great Britain [on behalf of Canada] for the Protection of Migratory Birds, August 16, 1916, 39 Stat. 1702 (T.S. No. 628);

(2) Mexico: Convention between the United States and Mexico for the Protection of Migratory Birds and Game

Mammals, February 7, 1936, 50 Stat. 1311 (T.S. No. 912);

(3) Japan: Convention between the Government of the United States of America and the Government of Japan for the Protection of Migratory Birds and Birds in Danger of Extinction, and Their Environment, March 4, 1972, 25 U.S.T. 3329 (T.I.A.S. No. 7990); and

(4) Russia: Convention between the United States of America and the Union of Soviet Socialist Republics Concerning the Conservation of Migratory Birds and Their Environment (Russia), November 19, 1976, 29 U.S.T. 4647 (T.I.A.S. No. 9073).

**What is the purpose of this rulemaking?**

Our purpose is to inform the public of the species protected by the MBTA and its implementing regulations. These regulations are found in Title 50, Code of Federal Regulations (CFR), Parts 10, 20, and 21. We regulate most aspects of the taking, possession, transportation, sale, purchase, barter, exportation, and importation of migratory birds. An accurate and up-to-date list of species protected by the MBTA is essential for regulatory purposes.

**Why is this amendment of the list of migratory birds necessary?**

The amendment is needed to: (1) Add five species previously overlooked from a family protected under the MBTA; (2) correct the spelling of six species on the alphabetized list; (3) correct the spelling of three species on the taxonomic list; (4) add 11 species based on new distributional records documenting their natural occurrence in the United States since April 2007; (5) add one species from a family now protected under the MBTA as a result of taxonomic changes; (6) add six species newly recognized as a result of recent taxonomic changes; (7) remove four species not known to occur within the boundaries of the United States or its territories as a result of recent taxonomic changes; (8) change the common (English) names of nine species to conform with accepted use; and (9) change the scientific names of 36 species to conform to accepted use.

The List of Migratory Birds (50 CFR 10.13) was last revised on March 1, 2010 (75 FR 9282). These amendments were necessitated by three published supplements to the 7th (1998) edition of the American Ornithologists' Union's (AOU's) *Check-list of North American birds* (AOU 2008, AOU 2009, and AOU 2010).

In addition, we correct the legal authorities citations at 50 CFR 10.13(a).

We also make a small change to a definition in 50 CFR 21.3. We update

the definition of "raptor" to also include the Order Accipitriformes, corresponding to recent taxonomic changes reflected in the List of Migratory Birds.

**What scientific authorities are used to amend the list of migratory birds?**

Although bird names (common and scientific) are relatively stable, staying current with standardized use is necessary to avoid confusion in communications. In making our determinations, we primarily relied on the American Ornithologists' Union's *Check-list of North American birds* (AOU 1998), as amended (AOU 1999, 2000, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, and 2010), on matters of taxonomy, nomenclature, and the sequence of species and other higher taxonomic categories (orders, families, subfamilies) for species that occur in North America. The AOU Checklist contains all bird species that have occurred in North America from the Arctic through Panama, including the West Indies and the Hawaiian Islands, and includes distributional information for each species, which specifies whether the species is known to occur in the United States. For the 39 species that occur outside the geographic area covered by the *Check-list* (28 that occur in the Pacific island territories and 11 listed in the Japanese and/or Russian conventions that have not occurred in the AOU area), we relied primarily on Clements (2007). Although we primarily rely on the above checklists, when informed taxonomic opinion is inconsistent or controversial, we evaluate available published and unpublished information and come to our own conclusion regarding the validity of taxa.

**What criteria are used to identify individual species protected by the MBTA?**

A species qualifies for protection under the MBTA by meeting one or more of the following four criteria:

(1) It is covered by the Canadian Convention of 1916, as amended in 1996, by virtue of meeting the following three criteria: (a) It belongs to a family or group of species named in the Canadian Convention, as amended; (b) specimens, photographs, videotape recordings, or audiotape recordings provide convincing evidence of natural occurrence in the United States or its territories; and (c) the documentation of such records has been recognized by the AOU or other competent scientific authorities.

(2) It is covered by the Mexican Convention of 1936, as amended in

1972, by virtue of meeting the following three criteria: (a) It belongs to a family or group of species named in the Mexican Convention, as amended; (b) specimens, photographs, videotape recordings, or audiotape recordings provide convincing evidence of natural occurrence in the United States or its territories; and (c) the documentation of such records has been recognized by the AOU or other competent scientific authorities.

(3) It is listed in the annex to the Japanese Convention of 1972, as amended.

(4) It is listed in the appendix to the Russian Convention of 1976.

In accordance with the Migratory Bird Treaty Reform Act of 2004 (MBTRA) (Pub. L. 108–447, 118 Stat. 2809, 3071–72), we include all species native to the United States or its territories, which are those that occur as a result of natural biological or ecological processes (see 70 FR 12710, March 15, 2005). We do not include nonnative species whose occurrences in the United States are solely the result of intentional or unintentional human-assisted introduction(s).

#### How do the changes affect the list of migratory birds?

Several taxonomic changes were made at the Order and Family level by the AOU since our 2010 publication of the list (75 FR 9282, March 1, 2010). These changes affect the inclusion and taxonomic order of species on this list. Specifically, the Orders Phaethontiformes and Suliformes were split from the Pelecaniformes. Phaethontiformes now includes the Family Phaethontidae (tropicbirds); Suliformes now includes the Families Fregatidae (frigatebirds), Sulidae (boobys), Phalacrocoracidae (cormorants), and Anhingidae (anhingas). In addition, the Order Accipitriformes was split from the Falconiformes and now include the Families Cathartidae (vultures), Pandionidae (Osprey), and Accipitridae (hawks and eagles). At the Family level, the Ardeidae (herons and egrets) and Threskiornithidae (ibis and spoonbills) were moved from the Ciconiiformes to the Pelecaniformes Order, the Pandionidae (Osprey) was split from the Accipitridae (hawks and eagles), and the Stercorariidae (jaegers and skuas) was split from the Laridae (gulls, terns, and skimmers). The Polioptilidae (gnatcatchers), Phylloscopidae (Phylloscopus warblers), and Acrocephalidae (*Acrocephalus* warblers), and Megaluridae (*Locustella* warblers) were split from the Sylviidae, and the Calcariidae (longspurs and

snow buntings) was split from the Emberizidae (buntings and sparrows). The euphonias were put into their own Subfamily (Euphoeniinae) and moved from the Thraupidae to the Fringillidae Family. All species within these newly created Families continue to be protected under the MBTA. In addition, the Wrentit was moved from the Timaliidae (babblers) to the Sylviidae and is now in a Family protected by the MBTA.

The amendments (23 additions, 4 removals, and 54 name changes) affect a grand total of 79 species and result in a net addition of 19 species to the List of Migratory Birds, increasing the species total from 1,007 to 1,026. Of the 23 species that we add to the list, 6 were previously covered under the MBTA as subspecies of listed species. These amendments can be logically arranged in the following 9 categories:

(1) Add five species from the family Muscicapidae, a family specifically listed in the 1996 protocol amending the 1916 convention with Canada. The omission of these species on the previous list was an oversight. All are considered accidental or casual in Alaska. The species and relevant AOU publication(s) are:

- Mugimaki Flycatcher, *Ficedula mugimaki* (AOU 1987, 1997, 1998);
- Taiga Flycatcher, *Ficedula albicilla* (AOU 1982, 1983, 1998, 2006);
- Dark-sided Flycatcher, *Muscicapa sibirica* (AOU 1982, 1983, 1998, 2004);
- Asian Brown Flycatcher, *Muscicapa dauurica* (AOU 1987, 1989, 1998); and
- Spotted Flycatcher, *Muscicapa striata* (AOU 2004).

(2) Correct the spelling of six scientific names on the alphabetized list:

*Nesofregata fuliginosa* (Polynesian Storm-Petrel), becomes *Nesofregetta fuliginosa*;

*Thalasseus maximus* (Royal Tern), becomes *Thalasseus maximus*;

*Thalasseus sandvicensis* (Sandwich Tern), becomes *Thalasseus sandvicensis*;

*Vireo atricapillus* (Black-capped Vireo), becomes *Vireo atricapilla*;

*Phylloscopus silatrix* (Wood Warbler), becomes *Phylloscopus sibilatrix*; and

*Locustella lanceolata* (Lanceolated Warbler), becomes *Locustella lanceolata*.

(3) Correct the spelling of three scientific names on the taxonomic list:

*Nesofregetta fujiginosa* (Polynesian Storm-Petrel), becomes *Nesofregetta fuliginosa*;

*Vireo atricapillus* (Black-capped Vireo), becomes *Vireo atricapilla*; and

*Tiaris olivacea* (Yellow-faced Grassquit), becomes *Tiaris olivaceus*.

(4) Add 11 species based on review and acceptance by AOU (since April 2007) of new distributional records documenting their occurrence in the United States, Puerto Rico, or the U.S. Virgin Islands. These species belong to families covered by the Canadian and/or Mexican Conventions, and all are considered to be of accidental or casual occurrence. For each species, we list the State in which it has been recorded plus the relevant publication:

- Parkinson's Petrel, *Procellaria parkinsoni*—California (AOU 2008);
- Swinhoe's Storm-Petrel, *Oceanodroma monorhis*—North Carolina (AOU 2010);
- Swallow-tailed Gull, *Creagrus furcatus*—California (AOU 2008);
- Brown Hawk-Owl, *Ninox scutulata*—Alaska (AOU 2009);
- White-crested Elaenia, *Elaenia albiceps*—Texas (AOU 2010);
- Crowned Slaty Flycatcher, *Empidonax aurantioatrocristatus*—Louisiana (AOU 2010);
- Sinaloa Wren, *Thryothorus sinaloa*—Arizona (AOU 2010);
- Pallas's Leaf-Warbler, *Phylloscopus proregulus*—Alaska (AOU 2008);
- Sedge Warbler, *Acrocephalus schoenobaenus*—Alaska (AOU 2009);
- Rufous-tailed Robin, *Luscinia sibilans*—Alaska (AOU 2010); and
- Yellow-browed Bunting, *Emberiza chrysophrys*—Alaska (AOU 2009).

(5) Add one species because of recent taxonomic changes transferring a species in a family formerly not protected by the MBTA (Timaliidae) into a family protected under the MBTA (Sylviidae). We reference the AOU publication supporting the change: Wrentit, *Chamaea fasciata* (AOU 2010).

(6) Add six species because of recent taxonomic changes in which taxa formerly treated as subspecies have been determined to be distinct species. Given that each of these species was formerly treated as subspecies of a listed species, these additions will not change the protective status of any of these taxa, only the names by which they are known. In each case, we reference the AOU publication supporting the change:

- Eastern Spot-billed Duck, *Anas zonorhyncha*—formerly considered a subspecies of *Anas poecilorhyncha*, Spot-billed Duck (AOU 2008);

- Black Scoter, *Melanitta americana*—formerly treated as a subspecies of *Melanitta nigra*, Common [Black] Scoter (AOU 2009);

- Mexican Whip-poor-will, *Caprimulgus arizonicus*—formerly treated as a subspecies of *Caprimulgus vociferus*, Whip-poor-will (AOU 2010);

- Pacific Wren, *Troglodytes pacificus*—formerly treated as a subspecies of

*Troglodytes troglodytes*, Eurasian [Winter] Wren (AOU 2010);  
 Winter Wren, *Troglodytes hiemalis*—formerly treated as a subspecies of *Troglodytes troglodytes*, Eurasian [Winter] Wren (AOU 2010); and  
 Puerto Rican Oriole, *Icterus portoricensis*—formerly treated as a subspecies of *Icterus dominicensis*, Hispaniolan [Greater Antillean] Oriole (AOU 2010).

(7) Remove four species based on revised taxonomic treatments and distributional evidence confirming that their known geographic ranges lie entirely outside the political boundaries of the United States and its territories. In each case, we reference the AOU publication supporting these changes:

Spot-billed Duck, *Anas poecilorhyncha* (AOU 2008);

Common [Black] Scoter, *Melanitta nigra* (AOU 2009);

Eurasian [Winter] Wren, *Troglodytes troglodytes* (AOU 2010); and

Hispaniolan [Greater Antillean] Oriole, *Icterus dominicensis* (AOU 2010).

(8) Revise the common (English) names of nine species to conform to the most recent nomenclatural treatment. These revisions do not change the protective status of any of these taxa, only the names by which they are known. In each case, we reference the published source for the name change:

Greater Flamingo, *Phoenicopterus ruber*, becomes American Flamingo (AOU 2008);

Greater Shearwater, *Puffinus gravis*, becomes Great Shearwater (AOU 2010);

Whip-poor-will, *Caprimulgus vociferus*, becomes Eastern Whip-poor-will (AOU 2010);

Green Violet-ear, *Colibri thalassinus*, becomes Green Violetear (AOU 2008);

Blue Rock Thrush, *Monticola solitarius*, becomes Blue Rock-Thrush (Clements 2007);

Clay-colored Robin, *Turdus grayi*, becomes Clay-colored Thrush (AOU 2008);

White-throated Robin, *Turdus assimilis*, becomes White-throated Thrush (AOU 2008);

Nelson's Sharp-tailed Sparrow, *Ammodramus nelsoni*, becomes Nelson's Sparrow (AOU 2009); and

Saltmarsh Sharp-tailed Sparrow, *Ammodramus caudacutus*, becomes Saltmarsh Sparrow (AOU 2009).

(9) Revise the scientific names of 36 species to conform to the most recent nomenclatural treatment. These revisions do not change the protective status of any of these taxa, only the names by which they are known. In each case, we reference the AOU publication documenting the name change:

*Larus philadelphia* (Bonaparte's Gull) becomes *Chroicocephalus philadelphia* (AOU 2008);

*Larus cirrocephalus* (Gray-hooded Gull) becomes *Chroicocephalus cirrocephalus* (AOU 2008);

*Larus ridibundus* (Black-headed Gull) becomes *Chroicocephalus ridibundus* (AOU 2008);

*Larus minutus* (Little Gull) becomes *Hydrocoloeus minutus* (AOU 2008);

*Larus atricilla* (Laughing Gull) becomes *Leucophaeus atricilla* (AOU 2008);

*Larus pipixcan* (Franklin's Gull) becomes *Leucophaeus pipixcan* (AOU 2008);

*Cyanocorax morio* (Brown Jay) becomes *Psilorhinus morio* (AOU 2010);

*Poecile hudsonica* (Boreal Chickadee) becomes *Poecile hudsonicus* (AOU 2009);

*Poecile cincta* (Gray-headed Chickadee) becomes *Poecile cinctus* (AOU 2009);

*Calcarius mccownii* (McCown's Longspur) becomes *Rhynchophanes mccownii* (AOU 2010);

*Vermivora pinus* (Blue-winged Warbler) becomes *Vermivora cyanoptera* (AOU 2010);

*Vermivora peregrina* (Tennessee Warbler) becomes *Oreothlypis peregrina* (AOU 2010);

*Vermivora celata* (Orange-crowned Warbler) becomes *Oreothlypis celata* (AOU 2010);

*Vermivora ruficapilla* (Nashville Warbler) becomes *Oreothlypis ruficapilla* (AOU 2010);

*Vermivora virginiae* (Virginia's Warbler) becomes *Oreothlypis virginiae* (AOU 2010);

*Vermivora crissalis* (Colima Warbler) becomes *Oreothlypis crissalis* (AOU 2010);

*Vermivora luciae* (Lucy's Warbler) becomes *Oreothlypis luciae* (AOU 2010);

*Parula superciliosa* (Crescent-chested Warbler) becomes *Oreothlypis superciliosa* (AOU 2010);

*Seiurus noveboracensis* (Northern Waterthrush) becomes *Parkesia noveboracensis* (AOU 2010);

*Seiurus motacilla* (Louisiana Waterthrush) becomes *Parkesia motacilla* (AOU 2010);

*Pipilo fuscus* (Canyon Towhee) becomes *Melozone fusca* (AOU 2010);

*Pipilo crissalis* (California Towhee) becomes *Melozone crissalis* (AOU 2010);

*Pipilo aberti* (Abert's Towhee) becomes *Melozone aberti* (AOU 2010);

*Aimophila carpalis* (Rufous-winged Sparrow) becomes *Peucaea carpalis* (AOU 2010);

*Aimophila botterii* (Botteri's Sparrow) becomes *Peucaea botterii* (AOU 2010);

*Aimophila cassini* (Cassin's Sparrow) becomes *Peucaea cassini* (AOU 2010);

*Aimophila aestivalis* (Bachman's Sparrow) becomes *Peucaea aestivalis* (AOU 2010);

*Aimophila quinquestriata* (Five-striped Sparrow) becomes *Amphispiza quinquestriata* (AOU 2010);

*Carduelis flammea* (Common Redpoll) becomes *Acanthis flammea* (AOU 2009);

*Carduelis hornemannii* (Hoary Redpoll) becomes *Acanthis hornemannii* (AOU 2009);

*Carduelis spinus* (Eurasian Siskin) becomes *Spinus spinus* (AOU 2009);

*Carduelis pinus* (Pine Siskin) becomes *Spinus pinus* (AOU 2009);

*Carduelis psaltria* (Lesser Goldfinch) becomes *Spinus psaltria* (AOU 2009);

*Carduelis lawrencei* (Lawrence's Goldfinch) becomes *Spinus lawrencei* (AOU 2009);

*Carduelis tristis* (American Goldfinch) becomes *Spinus tristis* (AOU 2009); and

*Carduelis sinica* (Oriental Greenfinch) becomes *Chloris sinica* (AOU 2009).

For ease of comparison, changes are summarized in the following table (numbers reference the categories treated above). Species whose names have been revised (categories 2, 3, 8, and 9) appear in both the left-hand column (old name removed) and right-hand column (new name added), as are species that have been added based on taxonomic splits (category 6) of extralimital species that have been removed (category 7).

Removed (taxonomically)	Added (taxonomically)
Spot-billed Duck, <i>Anas poecilorhyncha</i> (7) .....	Eastern Spot-billed Duck, <i>Anas zonorhyncha</i> (6).
Common [Black] Scoter, <i>Melanitta nigra</i> (7) .....	Black Scoter, <i>Melanitta americana</i> (6).
Greater Flamingo, <i>Phoenicopterus ruber</i> (8) .....	American Flamingo, <i>Phoenicopterus ruber</i> (8).
Greater Shearwater, <i>Puffinus gravis</i> (8) .....	Great Shearwater, <i>Puffinus gravis</i> (8).
Polynesian Storm-Petrel, <i>Nesofregata fuliginosa</i> (2) .....	Polynesian Storm-Petrel, <i>Nesofregetta fuliginosa</i> (2).

Removed (taxonomically)	Added (taxonomically)
Polynesian Storm-Petrel, <i>Nesofregetta fuliginosa</i> (3) .....	Polynesian Storm-Petrel, <i>Nesofregetta fuliginosa</i> (3). Swinhoe's Storm-Petrel, <i>Oceanodroma monorhis</i> (4).
Bonaparte's Gull, <i>Larus philadelphia</i> (9) .....	Bonaparte's Gull, <i>Chroicocephalus philadelphia</i> (9).
Gray-hooded Gull, <i>Larus cirrocephalus</i> (9) .....	Gray-hooded Gull, <i>Chroicocephalus cirrocephalus</i> (9).
Black-headed Gull, <i>Larus ridibundus</i> (9) .....	Black-headed Gull, <i>Chroicocephalus ridibundus</i> (9).
Little Gull, <i>Larus minutus</i> (9) .....	Little Gull, <i>Hydrocoloeus minutus</i> (9).
Laughing Gull, <i>Larus atricilla</i> (9) .....	Laughing Gull, <i>Leucophaeus atricilla</i> (9).
Franklin's Gull, <i>Larus pipixcan</i> (9) .....	Franklin's Gull, <i>Leucophaeus pipixcan</i> (9).
Royal Tern, <i>Thalasseus maximus</i> (2) .....	Royal Tern, <i>Thalasseus maximus</i> (2).
Sandwich Tern, <i>Thalasseus sandvicensis</i> (2) .....	Sandwich Tern, <i>Thalasseus sandvicensis</i> (2).
Whip-poor-will, <i>Caprimulgus vociferus</i> (8) .....	Brown Hawk-Owl, <i>Ninox scutulata</i> (4). Eastern Whip-poor-will, <i>Caprimulgus vociferus</i> (8). Mexican Whip-poor-will, <i>Caprimulgus arizonae</i> (6).
Green Violet-ear, <i>Colibri thalassinus</i> (8) .....	Green Violetear, <i>Colibri thalassinus</i> (8). White-crested Elaenia, <i>Elaenia albiceps</i> (4). Crowned Slaty Flycatcher, <i>Empidonax aurantioatrocristatus</i> (4).
Black-capped Vireo, <i>Vireo atricapillus</i> (2, 3) .....	Black-capped Vireo, <i>Vireo atricapilla</i> (2, 3). Brown Jay, <i>Psiolirinus morio</i> (9).
Brown Jay, <i>Cyanocorax morio</i> (9) .....	Boreal Chickadee, <i>Poecile hudsonicus</i> (9).
Boreal Chickadee, <i>Poecile hudsonica</i> (9) .....	Gray-headed Chickadee, <i>Poecile cinctus</i> (9).
Gray-headed Chickadee, <i>Poecile cincta</i> (9) .....	Sinaloa Wren, <i>Thryothorus sinaloa</i> (4). Pacific Wren, <i>Troglodytes pacificus</i> (6). Winter Wren, <i>Troglodytes hiemalis</i> (6).
Eurasian [Winter] Wren, <i>Troglodytes troglodytes</i> (7) .....	Wood Warbler, <i>Phylloscopus sibilatrix</i> (2). Pallas's Leaf-Warbler, <i>Phylloscopus proregulus</i> (4).
Wood Warbler, <i>Phylloscopus sibilatrix</i> (2) .....	Lanceolated Warbler, <i>Locustella lanceolata</i> (2). Wrentit, <i>Chamaea fasciata</i> (5).
Lanceolated Warbler, <i>Locustella lanceoloata</i> (2) .....	Sedge Warbler, <i>Acrocephalus schoenobaenus</i> (4). Mugimaki Flycatcher, <i>Ficedula mugimaki</i> (1). Taiga Flycatcher, <i>Ficedula albicilla</i> (1).
Blue Rock Thrush, <i>Monticola solitarius</i> (8) .....	Dark-sided Flycatcher, <i>Muscicapa sibirica</i> (1). Asian Brown Flycatcher, <i>Muscicapa dauurica</i> (1). Spotted Flycatcher, <i>Muscicapa striata</i> (1). Blue Rock-Thrush, <i>Turdus grayi</i> (8).
Clay-colored Robin, <i>Turdus grayi</i> (8) .....	Rufous-tailed Robin, <i>Luscinia sibilans</i> (4). Clay-colored Thrush, <i>Turdus grayi</i> (8).
White-throated Robin, <i>Turdus assimilis</i> (8) .....	White-throated Thrush, <i>Turdus assimilis</i> (8). McCown's Longspur, <i>Rhynchophanes mccownii</i> (9).
McCown's Longspur, <i>Calcarius mccownii</i> (9) .....	Blue-winged Warbler, <i>Vermivora cyanoptera</i> (9). Tennessee Warbler, <i>Oreothlypis peregrina</i> (9).
Blue-winged Warbler, <i>Vermivora pinus</i> (9) .....	Orange-crowned Warbler, <i>Oreothlypis celata</i> (9). Nashville Warbler, <i>Oreothlypis ruficapilla</i> (9).
Tennessee Warbler, <i>Vermivora peregrina</i> (9) .....	Virginia's Warbler, <i>Oreothlypis virginiae</i> (9). Colima Warbler, <i>Oreothlypis crissalis</i> (9).
Orange-crowned Warbler, <i>Vermivora celata</i> (9) .....	Lucy's Warbler, <i>Oreothlypis luciae</i> (9). Crescent-chested Warbler, <i>Parula superciliosa</i> (9).
Nashville Warbler, <i>Vermivora ruficapilla</i> (9) .....	Northern Waterthrush, <i>Seiurus noveboracensis</i> (9). Louisiana Waterthrush, <i>Seiurus motacilla</i> (9).
Virginia's Warbler, <i>Vermivora virginiae</i> (9) .....	Yellow-faced Grassquit, <i>Tiaris olivacea</i> (3). Canyon Towhee, <i>Pipilo fuscus</i> (9).
Colima Warbler, <i>Vermivora crissalis</i> (9) .....	California Towhee, <i>Pipilo crissalis</i> (9). Albert's Towhee, <i>Pipilo aberti</i> (9).
Lucy's Warbler, <i>Vermivora luciae</i> (9) .....	Rufous-winged Sparrow, <i>Aimophila carpalis</i> (9). Crescent-chested Warbler, <i>Oreothlypis superciliosa</i> (9).
Crescent-chested Warbler, <i>Parula superciliosa</i> (9) .....	Northern Waterthrush, <i>Parkesia noveboracensis</i> (9). Louisiana Waterthrush, <i>Parkesia motacilla</i> (9).
Northern Waterthrush, <i>Seiurus noveboracensis</i> (9) .....	Yellow-faced Grassquit, <i>Tiaris olivaceus</i> (3). Canyon Towhee, <i>Melozone fusca</i> (9).
Louisiana Waterthrush, <i>Seiurus motacilla</i> (9) .....	California Towhee, <i>Melozone crissalis</i> (9). Albert's Towhee, <i>Melozone aberti</i> (9).
Yellow-faced Grassquit, <i>Tiaris olivacea</i> (3) .....	Rufous-winged Sparrow, <i>Peucaea carpalis</i> (9). Botteri's Sparrow, <i>Peucaea botterii</i> (9).
Canyon Towhee, <i>Pipilo fuscus</i> (9) .....	Cassin's Sparrow, <i>Peucaea cassini</i> (9). Bachman's Sparrow, <i>Aimophila aestivalis</i> (9).
California Towhee, <i>Pipilo crissalis</i> (9) .....	Bachman's Sparrow, <i>Amphispiza aestivalis</i> (9). Five-striped Sparrow, <i>Amphispiza quinquestriata</i> (9).
Albert's Towhee, <i>Pipilo aberti</i> (9) .....	Nelson's Sparrow, <i>Ammodramus nelsoni</i> (8). Saltmarsh Sharp-tailed Sparrow, <i>Ammodramus caudacutus</i> (8).
Rufous-winged Sparrow, <i>Aimophila carpalis</i> (9) .....	Yellow-browed Bunting, <i>Emberiza chrysophrys</i> (4). Puerto Rican Oriole, <i>Icterus portoricensis</i> (6).
Botteri's Sparrow, <i>Aimophila botterii</i> (9) .....	Common Redpoll, <i>Acanthis flammea</i> (9). Hoary Redpoll, <i>Acanthis hornemannii</i> (9).
Cassin's Sparrow, <i>Aimophila cassini</i> (9) .....	Eurasian Siskin, <i>Spinus spinus</i> (9). Pine Siskin, <i>Spinus pinus</i> (9).
Bachman's Sparrow, <i>Aimophila aestivalis</i> (9) .....	Lesser Goldfinch, <i>Spinus psaltria</i> (9). Lawrence's Goldfinch, <i>Spinus lawrencei</i> (9).
Five-striped Sparrow, <i>Amphispiza quinquestriata</i> (9) .....	American Goldfinch, <i>Spinus tristis</i> (9). Oriental Greenfinch, <i>Chloris sinica</i> (9).
Nelson's Sharp-tailed Sparrow, <i>Ammodramus nelsoni</i> (8) .....	
Saltmarsh Sharp-tailed Sparrow, <i>Ammodramus caudacutus</i> (8) .....	
Hispaniolan [Greater Antillean] Oriole, <i>Icterus dominicensis</i> (7) .....	
Common Redpoll, <i>Carduelis flammea</i> (9) .....	
Hoary Redpoll, <i>Carduelis hornemannii</i> (9) .....	
Eurasian Siskin, <i>Carduelis spinus</i> (9) .....	
Pine Siskin, <i>Carduelis pinus</i> (9) .....	
Lesser Goldfinch, <i>Carduelis psaltria</i> (9) .....	
Lawrence's Goldfinch, <i>Carduelis lawrencei</i> (9) .....	
American Goldfinch, <i>Carduelis tristis</i> (9) .....	
Oriental Greenfinch, <i>Carduelis sinica</i> (9) .....	

## How do the changes implemented here differ from those discussed in the proposed rule?

The scientific name of one species spelled erroneously in the proposed rule is corrected to conform to the AOU Check-list (1998) and supplements:

Black-capped Vireo, *Vireo atricapillus* becomes *Vireo atricapilla*.

## How is the list of migratory birds organized?

The species are listed in two formats to suit the needs of different segments of the public: alphabetically in 50 CFR 10.13(c)(1) and taxonomically in 50 CFR 10.13(c)(2). In the alphabetical listing, species are listed by common (English) group names, with the scientific name of each species following the English group name. This format, similar to that used in modern telephone directories, is most useful to members of the lay public. In the taxonomic listing, species are listed in phylogenetic sequence by scientific name, with the English name following the scientific name. To help clarify species relationships, we also list the higher-level taxonomic categories of Order, Family, and Subfamily. This format follows the sequence adopted by the AOU (1998, 2010) and is most useful to ornithologists and other scientists.

## What species are not protected by the Migratory Bird Treaty Act?

The MBTA does not apply to:

(1) Nonnative species introduced into the United States or its territories by means of intentional or unintentional human assistance that belong to families or groups covered by the Canadian, Mexican, or Russian Conventions, in accordance with the MBTRA. See 70 FR 12710 (March 15, 2005) for a partial list of nonnative, human-introduced bird species in this category. Note, though, that native species that are introduced into parts of the United States where they are not native are still protected under the MBTA regardless of where they occur in the United States or its territories.

(2) Nonnative, human-introduced species that belong to families or groups not covered by the Canadian, Mexican, or Russian Conventions, including Tinamidae (tinamous), Cracidae (chachalacas), Megapodiidae (megapodes), Phasianidae (grouse, ptarmigan, and turkeys), Turnicidae (buttonquails), Odontophoridae (New World quail), Pteroclidae (sandgrouse), Psittacidae (parrots), Dicruridae (drongos), Rhamphastidae (toucans), Musophagidae (turacos), Bucerotidae (hornbills), Bucorvidae (ground-hornbills), Pycnonotidae

(bulbuls), Pittidae (pittas), Irenidae (fairy-bluebirds), Timaliidae (babblers), Zosteropidae (white-eyes), Sturnidae (starlings; except as listed in the Japanese Convention), Passeridae (Old World sparrows), Ploceidae (weavers), Estrildidae (estrildid finches), and numerous other families not currently represented in the United States or its territories.

(3) Native species that belong to families or groups represented in the United States, but which are not expressly mentioned by the Canadian, Mexican, or Russian Conventions, including the Megapodiidae (megapodes), Phasianidae (grouse, ptarmigan, and turkeys), Odontophoridae (New World quail), Burhinidae (thick-knees), Glareolidae (pratincoles), Psittacidae (parrots), Todidae (todies), Meliphagidae (honeyeaters), Monarchidae (monarch flycatchers [elepaios]), Zosteropidae (white-eyes), and Coerebidae (bananaquit). It should be noted that this rule supersedes the 70 FR 12710 notice to the extent that they are inconsistent. Specifically, the 1996 amendment to the Canadian Convention included the family Muscicapidae (Old World flycatchers). Thus, all members of the Muscicapidae family are now included on this list. In addition, the Wrentit is now considered a member of the Sylviidae family rather than the Timaliidae family and is now included on this list.

Partial lists of the species included in categories 2 and 3 are available at <http://www.fws.gov/migratorybirds/RegulationsPolicies/mbta/MBTAProtectedNonprotected.html>.

## Responses to Public Comments

On April 26, 2011, we published in the **Federal Register** (76 FR 23428) a proposed rule to revise the list of migratory birds at 50 CFR 10.13. We solicited public comments on the proposed rule for 90 days, ending on July 25, 2011.

We received 7 comments in response to the proposed rule; 5 were from agencies, and 2 were from private individuals. The following text discusses the substantive comments we received and provides our responses to them.

**Comment:** One individual indicated that Brown Hawk-Owl, and the 10 other species we proposed to add based on new distributional records (Category 4), should not be added because they are either extremely rare vagrants or were moved by humans. The commenter further pointed out that the MBTA loses biological and ecological credibility when species are added that do not

naturally occur in the United States or its territories, and pointed to the Eurasian Kestrel as one example.

**Response:** In 2004, the Migratory Bird Treaty Reform Act (MBTRA; Pub. L. 108–447) amended the MBTA. While the primary purpose of the MBTRA was to eliminate protection for introduced species, it also defined native species as those “occurring in the United States or its territories as a result of natural biological or ecological processes.” Vagrancy is a natural biological process, so these species are protected under the MBTA.

There is credible evidence to support our contention that these species have occurred in the United States as natural vagrants unhindered by human intervention. The AOU and other bird record committees take human intervention into account whenever they evaluate such records. Several of these species, including the Brown Hawk-Owl, have occurred in some of the remotest parts of Alaska, and are most unlikely to have been moved there by humans. Furthermore, multiple records of Eurasian Kestrel have been accepted from Western Alaska, and at scattered locations across North America, by the AOU and other competent scientific authorities.

**Comment:** The Arkansas Game and Fish Commission urged the Service to carefully consider the implications to State regulations when making recommendations, and ensure that they do not occur so frequently as to become burdensome. Specifically, they point out that the split of the order Accipitriformes from the Falconiformes will necessitate a change in State falconry regulations.

**Response:** The Service appreciates the State’s concern regarding changes to Federal regulations that affect States, and we make a concerted effort to work closely with the States through the Flyway Councils. To comply with the intent of the migratory bird treaties and the MBTA, we are obligated to update the list at intervals. However, the List of Migratory Birds has been updated only twice since 1985, which is not frequently enough to stay current with changes in bird taxonomy. Consequently, we intend to update this list on a 5-year cycle to coincide with updates to the Birds of Conservation Concern, thus balancing the frequency of updates with the frequency of changes in bird taxonomy. In this update, taxonomic changes at the Order level did not change which species are protected under the MBTA, as the species within those families were previously protected. Furthermore, this is the first change we have made to the

Falconiformes since the families within that Order were first protected in 1972.

**Comment:** The Indiana Division of Fish and Wildlife (IDFW) was pleased that the Service intends to continue to treat cackling geese as Canada geese, pointing out that hunting management of white-cheeked geese could become more difficult if they were split. The IDFW also pointed out that the Mississippi Flyway Council is trying to simplify hunting regulations for Canada geese, and splitting them into two species for management purposes could cause progress toward simplification to stall.

**Response:** The Service recognizes the management concerns referred to by the commenter. While we appreciate the complexities of white-cheeked goose management, our decision to continue to include the Cackling Goose within the listing for Canada Goose is based on lingering uncertainty regarding their taxonomic relationship. Work is currently being conducted in Alaska and northern Canada to resolve that uncertainty. We will consider new information when it is available, at which time we may reconsider our decision. In any case, regardless of name, goose subspecies identified as Cackling Goose by the AOU are currently protected under the MBTA as Canada Goose.

#### Required Determinations

##### *Regulatory Planning and Review (Executive Order 12866)*

Executive Order (EO) 12866 provides that the Office of Information and Regulatory Affairs (OIRA) in the Office of Management and Budget will review all significant rules. OIRA has determined that this rule is not significant.

EO 13563 reaffirms the principles of EO 12866, while calling for improvements in the nation's regulatory system to promote predictability, to reduce uncertainty, and to use the best, most innovative, and least burdensome tools for achieving regulatory ends. EO 13563 directs agencies to consider regulatory approaches that reduce burdens and maintain flexibility and freedom of choice for the public where these approaches are relevant, feasible, and consistent with regulatory objectives.

EO 13563 emphasizes further that regulations must be based on the best available science and that the rulemaking process must allow for public participation and an open exchange of ideas. We have developed this rule in a manner consistent with these requirements.

##### *Regulatory Flexibility Act (5 U.S.C. 601 et seq.)*

Under the Regulatory Flexibility Act (5 U.S.C. 601 et seq., as amended by the Small Business Regulatory Enforcement Fairness Act (SBREFA) of 1996 (Pub. L. 104–121)), whenever an agency is required to publish a notice of rulemaking for any proposed or final rule, it must prepare and make available for public comment a regulatory flexibility analysis that describes the effect of the rule on small entities (i.e., small businesses, small organizations, and small government jurisdictions). However, no regulatory flexibility analysis is required if the head of an agency certifies the rule does not have a significant economic impact on a substantial number of small entities.

SBREFA amended the Regulatory Flexibility Act to require Federal agencies to provide the statement of the factual basis for certifying that a rule will not have a significant economic impact on a substantial number of small entities. We have examined this rule's potential effects on small entities as required by the Regulatory Flexibility Act, and have determined that this action will not have a significant economic impact on a substantial number of small entities, because we are simply updating the list of migratory bird species protected under the Conventions. Consequently, we certify that because this rule does not have a significant economic effect on a substantial number of small entities, a regulatory flexibility analysis is not required.

This rule is not a major rule under SBREFA (5 U.S.C. 804(2)). It does not have a significant impact on a substantial number of small entities.

a. This rule does not have an annual effect on the economy of \$100 million or more.

b. This rule does not cause a major increase in costs or prices for consumers, individual industries, Federal, State, or local government agencies, or geographic regions.

c. This rule does not have significant adverse effects on competition, employment, investment, productivity, innovation, or the ability of U.S.-based enterprises to compete with foreign-based enterprises.

##### *Unfunded Mandates Reform Act*

In accordance with the Unfunded Mandates Reform Act (2 U.S.C. 1501 et seq.), we have determined the following:

a. This rule does not "significantly or uniquely" affect small governments. A small government agency plan is not required. Actions under the regulation

do not affect small government activities in any significant way.

b. This rule does not produce a Federal mandate of \$100 million or greater in any year; i.e., it is not a "significant regulatory action" under the Unfunded Mandates Reform Act.

#### *Takings*

In accordance with Executive Order 12630, the rule does not have significant takings implications. This rule does not contain a provision for taking of private property. Therefore, a takings implication assessment is not required.

#### *Federalism*

This rule does not have sufficient Federalism effects to warrant preparation of a Federalism summary impact statement under Executive Order 13132. It does not interfere with the States' ability to manage themselves or their funds. No significant economic impacts are expected to result from the updating of the list of migratory bird species.

#### *Civil Justice Reform*

In accordance with Executive Order 12988, the Office of the Solicitor has determined that the rule does not unduly burden the judicial system and meets the requirements of sections 3(a) and 3(b)(2) of the Order.

#### *Paperwork Reduction Act*

We examined this rule under the Paperwork Reduction Act of 1995 (44 U.S.C. 3501 et seq.). There are no new information collection requirements associated with this rule. We do not require any new permits, reports, or recordkeeping in this rule.

#### *National Environmental Policy Act (NEPA)*

Given that the revision of 50 CFR 10.13 is strictly administrative in nature and will have no or minor environmental effects, it is categorically excluded from further NEPA requirements (43 CFR 46.210(i)).

#### *Endangered Species Act (ESA)*

Seventy-four of the species on the List of Migratory Birds are also designated as endangered or threatened in all or some portion of their U.S. range under provisions of the Endangered Species Act of 1973 (16 U.S.C. 1531–44; 50 CFR 17.11). No legal complications arise from the dual listing as the two lists are developed under separate authorities and for different purposes. Because the rule is strictly administrative in nature, it has no effect on threatened or endangered species. It does not require ESA consultation.

### Government-to-Government Relationship With Tribes

In accordance with the President's memorandum of April 29, 1994, "Government-to-Government Relations with Native American tribal Governments" (59 FR 22951), Executive Order 13175, and 512 DM 2, we have evaluated potential effects on federally recognized Indian tribes and have determined that there are no potential effects. The revisions to existing regulations in this rule are purely administrative in nature and do not interfere with the tribes' ability to manage themselves or their funds or to regulate migratory bird activities on tribal lands.

### Energy Supply, Distribution, or Use (Executive Order 13211)

On May 18, 2001, the President issued Executive Order 13211 addressing regulations that significantly affect energy supply, distribution, and use. Executive Order 13211 requires agencies to prepare Statements of Energy Effects when undertaking certain actions. Because this rule only affects the listing of protected species in the United States, it is not a significant regulatory action under Executive Order 12866, and does not significantly affect energy supplies, distribution, or use. Therefore, this action is not a significant energy action and no Statement of Energy Effects is required.

### References Cited

A complete list of all references cited is available upon request (see **FOR FURTHER INFORMATION CONTACT** above).

### List of Subjects

#### 50 CFR Part 10

Exports, Fish, Imports, Law enforcement, Plants, Transportation, Wildlife.

#### 50 CFR Part 21

Exports, Hunting, Imports, Reporting and recordkeeping requirements, Transportation, Wildlife.

### Regulation Promulgation

For the reasons discussed in the preamble, we amend title 50, chapter I, subchapter B, parts 10 and 21 of the Code of Federal Regulations, as follows:

### PART 10—[AMENDED]

#### ■ 1. The authority citation for part 10 continues to read as follows:

**Authority:** 18 U.S.C. 42; 16 U.S.C. 703–712; 16 U.S.C. 668a–d; 19 U.S.C. 1202; 16 U.S.C. 1531–1543; 16 U.S.C. 1361–1384, 1401–1407; 16 U.S.C. 742a–742j–l; 16 U.S.C. 3371–3378.

#### ■ 2. Revise § 10.13 to read as follows:

#### § 10.13 List of Migratory Birds.

(a) **Legal authority for this list.** The legal authorities for this list are the Migratory Bird Treaty Act (MBTA; 16 U.S.C. 703–712), the Fish and Wildlife Improvement Act of 1978 (16 U.S.C. 742l), and the Fish and Wildlife Act of 1956 (16 U.S.C. 742a–742j). The MBTA implements Conventions between the United States and four neighboring countries for the protection of migratory birds, as follows:

(1) **Canada:** Convention between the United States and Great Britain [on behalf of Canada] for the Protection of Migratory Birds, August 16, 1916, 39 Stat. 1702 (T.S. No. 628), as amended;

(2) **Mexico:** Convention between the United States and Mexico for the Protection of Migratory Birds and Game Mammals, February 7, 1936, 50 Stat. 1311 (T.S. No. 912), as amended;

(3) **Japan:** Convention between the Government of the United States of America and the Government of Japan for the Protection of Migratory Birds and Birds in Danger of Extinction, and Their Environment, March 4, 1972, 25 U.S.T. 3329 (T.I.A.S. No. 7990); and

(4) **Russia:** Convention between the United States of America and the Union of Soviet Socialist Republics Concerning the Conservation of Migratory Birds and Their Environment, November 19, 1976, 20 U.S.T. 4647 (T.I.A.S. No. 9073).

(b) **Purpose of this list.** The purpose is to inform the public of the species protected by regulations that enforce the terms of the MBTA. These regulations, found in parts 10, 20, and 21 of this chapter, cover most aspects of the taking, possession, transportation, sale, purchase, barter, exportation, and importation of migratory birds.

(c) **What species are protected as migratory birds?** Species protected as migratory birds are listed in two formats to suit the varying needs of the user: Alphabetically in paragraph (c)(1) of this section and taxonomically in paragraph (c)(2) of this section. Taxonomy and nomenclature generally follow the 7th edition of the American Ornithologists' Union's *Check-list of North American birds* (1998, as amended through 2010). For species not treated by the AOU *Check-list*, we generally follow *The Clements Checklist of Birds of the World* (Clements 2007).

(1) **Alphabetical listing.** Species are listed alphabetically by common (English) group names, with the scientific name of each species following the common name.  
**ACCENTOR, Siberian, *Prunella montanella***  
**AKEKEE, *Loxops caeruleirostris***

**AKEPA, *Loxops coccineus***

**AKIALOA, Greater, *Hemignathus ellisianus***

**AKIAPOLAAU, *Hemignathus munroi***

**AKIKIKI, *Oreomystis bairdi***

**AKOHEKOHE, *Palmeria dolei***

**ALAUAHIO, Maui, *Paroreomyza montana***

**Oahu, *Paroreomyza maculata***

**ALBATROSS, Black-browed, *Thalassarche melanophris***

**Black-footed, *Phoebastria nigripes***

**Laysan, *Phoebastria immutabilis***

**Light-mantled, *Phoebetria palpebrata***

**Short-tailed, *Phoebastria albatrus***

**Shy, *Thalassarche cauta***

**Wandering, *Diomedea exulans***

**Yellow-nosed, *Thalassarche chlororhynchos***

**AMAKIHI, Hawaii, *Hemignathus virens***

**Kauai, *Hemignathus kauaiensis***

**Oahu, *Hemignathus flavus***

**ANHINGA, *Anhinga anhinga***

**ANI, Groove-billed, *Crotophaga sulcirostris***

**Smooth-billed, *Crotophaga ani***

**ANIANIAU, *Magumma parva***

**APAPANE, *Himatione sanguinea***

**AUKLET, Cassin's, *Ptychoramphus aleuticus***

**Crested, *Aethia cristatella***

**Least, *Aethia pusilla***

**Parakeet, *Aethia psittacula***

**Rhinoceros, *Cerorhinca monocerata***

**Whiskered, *Aethia pygmaea***

**AVOCET, American, *Recurvirostra americana***

**BEAN-GOOSE, Taiga, *Anser fabalis***

**Tundra, *Anser serrirostris***

**BEARDLESS-TYRANNULET, Northern, *Camptostoma imberbe***

**BECARD, Rose-throated, *Pachyramphus aglaiae***

**BITTERN, American, *Botaurus lentiginosus***

**Black, *Ixobrychus flavicollis***

**Least, *Ixobrychus exilis***

**Schrenck's, *Ixobrychus eurhythmus***

**Yellow, *Ixobrychus sinensis***

**BLACK-HAWK, Common, *Buteogallus anthracinus***

**BLACKBIRD, Brewer's, *Euphagus cyanocephalus***

**Red-winged, *Agelaius phoeniceus***

**Rusty, *Euphagus carolinus***

**Tawny-shouldered, *Agelaius humeralis***

**Tricolored, *Agelaius tricolor***

**Yellow-headed, *Xanthocephalus xanthocephalus***

**Yellow-shouldered, *Agelaius xanthomus***

**BLUEBIRD, Eastern, *Sialia sialis***

**Mountain, *Sialia currucoides***

**Western, *Sialia mexicana***

**BLUETAIL, Red-flanked, *Tarsiger cyanurus***

**BLUETHROAT, *Luscinia svecica***

**BOBOLINK, *Dolichonyx oryzivorus***

BOOBY, Blue-footed, <i>Sula nebulosus</i>	COWBIRD, Bronzed, <i>Molothrus aeneus</i>	White-tailed, <i>Haliaeetus albicilla</i>
Brown, <i>Sula leucogaster</i>	Brown-headed, <i>Molothrus ater</i>	EGRET, Cattle, <i>Bubulcus ibis</i>
Masked, <i>Sula dactylatra</i>	Shiny, <i>Molothrus bonariensis</i>	Chinese, <i>Egretta eulophotes</i>
Red-footed, <i>Sula sula</i>	CRAKE, Corn, <i>Crex crex</i>	Great, <i>Ardea alba</i>
BRAMBLING, <i>Fringilla montifringilla</i>	Paint-billed, <i>Neocrex erythrops</i>	Intermediate, <i>Mesophoyx intermedia</i>
BRANT, <i>Branta bernicla</i>	Spotless, <i>Porzana tabuensis</i>	Little, <i>Egretta garzetta</i>
BUFFLEHEAD, <i>Bucephala albeola</i>	Yellow-breasted, <i>Porzana flaviventer</i>	Reddish, <i>Egretta rufescens</i>
BULLFINCH, Eurasian, <i>Pyrrhula pyrrhula</i>	CRANE, Common, <i>Grus grus</i>	Snowy, <i>Egretta thula</i>
Puerto Rican, <i>Loxigilla portoricensis</i>	Sandhill, <i>Grus canadensis</i>	EIDER, Common, <i>Somateria mollissima</i>
BUNTING, Blue, <i>Cyanocompsa parellina</i>	Whooping, <i>Grus americana</i>	King, <i>Somateria spectabilis</i>
Gray, <i>Emberiza variabilis</i>	CREEPER, Brown, <i>Certhia americana</i>	Spectacled, <i>Somateria fischeri</i>
Indigo, <i>Passerina cyanea</i>	Hawaii, <i>Oreomystis mana</i>	Steller's, <i>Polysticta stelleri</i>
Little, <i>Emberiza pusilla</i>	CROSSBILL, Red, <i>Loxia curvirostra</i>	ELAENIA, Caribbean, <i>Elaenia martinica</i>
Lark, <i>Calamospiza melanocorys</i>	White-winged, <i>Loxia leucoptera</i>	Greenish, <i>Myiopagis viridicata</i>
Lazuli, <i>Passerina amoena</i>	CROW, American, <i>Corvus brachyrhynchos</i>	White-crested, <i>Elaenia albiceps</i>
McKay's, <i>Plectrophenax hyperboreus</i>	Fish, <i>Corvus ossifragus</i>	EMERALD, Puerto Rican, <i>Chlorostilbon maugaeus</i>
Painted, <i>Passerina ciris</i>	Hawaiian, <i>Corvus hawaiiensis</i>	EUPHONIA, Antillean, <i>Euphonia musica</i>
Pallas's, <i>Emberiza pallasi</i>	Mariana, <i>Corvus kubaryi</i>	FALCON, Aplomado, <i>Falco femoralis</i>
Pine, <i>Emberiza leucocephala</i>	Northwestern, <i>Corvus caurinus</i>	Peregrine, <i>Falco peregrinus</i>
Reed, <i>Emberiza schoeniclus</i>	Tamaulipas, <i>Corvus imparatus</i>	Prairie, <i>Falco mexicanus</i>
Rustic, <i>Emberiza rustica</i>	White-necked, <i>Corvus leucognaphalus</i>	Red-footed, <i>Flaco vespertinus</i>
Snow, <i>Plectrophenax nivalis</i>	CUCKOO, Black-billed, <i>Coccyzus erythrophthalmus</i>	FIELDFARE, <i>Turdus pilaris</i>
Varied, <i>Passerina versicolor</i>	Common, <i>Cuculus canorus</i>	FINCH, Cassin's, <i>Carpodacus cassini</i>
Yellow-breasted, <i>Emberiza aureola</i>	Mangrove, <i>Coccyzus minor</i>	House, <i>Carpodacus mexicanus</i>
Yellow-browed, <i>Emberiza chrysophrys</i>	Oriental, <i>Cuculus optatus</i>	Laysan, <i>Telespiza cantans</i>
Yellow-throated, <i>Emberiza elegans</i>	Yellow-billed, <i>Coccyzus americanus</i>	Nihoa, <i>Telespiza ultima</i>
BUSHKIT, <i>Psaltriparus minimus</i>	CURLEW, Bristle-thighed, <i>Numenius tahitiensis</i>	Purple, <i>Carpodacus purpureus</i>
CANVASBACK, <i>Aythya valisineria</i>	Eskimo, <i>Numenius borealis</i>	FLAMINGO, American, <i>Phoenicopterus ruber</i>
CARACARA, Crested, <i>Caracara cheriway</i>	Eurasian, <i>Numenius arquata</i>	FLICKER, Gilded, <i>Colaptes chrysoides</i>
CARDINAL, Northern, <i>Cardinalis cardinalis</i>	Far Eastern, <i>Numenius madagascariensis</i>	Northern, <i>Colaptes auratus</i>
CARIB, Green-throated, <i>Eulampis holosericeus</i>	Little, <i>Numenius minutus</i>	FLYCATCHER, Acadian, <i>Empidonax virescens</i>
Purple-throated, <i>Eulampis jugularis</i>	Long-billed, <i>Numenius americanus</i>	Alder, <i>Empidonax alnorum</i>
CATBIRD, Black, <i>Melanoptila glabrirostris</i>	DICKCISSEL, <i>Spiza americana</i>	Ash-throated, <i>Myiarchus cinerascens</i>
Gray, <i>Dumetella carolinensis</i>	DIPPER, American, <i>Cinclus mexicanus</i>	Asian Brown, <i>Muscicapa dauurica</i>
CHAFFINCH, Common, <i>Fringilla coelebs</i>	DOTTEREL, Eurasian, <i>Charadrius morinellus</i>	Brown-crested, <i>Myiarchus tyrannulus</i>
CHAT, Yellow-breasted, <i>Icteria virens</i>	DOVE, Inca, <i>Columbina inca</i>	Buff-breasted, <i>Empidonax fulvifrons</i>
CHICKADEE, Black-capped, <i>Poecile atricapillus</i>	Mourning, <i>Zenaida macroura</i>	Cordilleran, <i>Empidonax occidentalis</i>
Boreal, <i>Poecile hudsonicus</i>	White-tipped, <i>Leptotila verreauxi</i>	Crowned Slaty, <i>Empidonax aurantioatrocristatus</i>
Carolina, <i>Poecile carolinensis</i>	White-winged, <i>Zenaida asiatica</i>	Dark-sided, <i>Muscicapa sibirica</i>
Chestnut-backed, <i>Poecile rufescens</i>	Zenaida, <i>Zenaida aurita</i>	Dusky, <i>Empidonax oberholseri</i>
Gray-headed, <i>Poecile cinctus</i>	DOVEKIE, <i>Alle alle</i>	Dusky-capped, <i>Myiarchus tuberculifer</i>
Mexican, <i>Poecile sclateri</i>	DOWITCHER, Long-billed, <i>Limnodromus scolopaceus</i>	Fork-tailed, <i>Tyrannus savana</i>
Mountain, <i>Poecile gambeli</i>	Short-billed, <i>Limnodromus griseus</i>	Gray, <i>Empidonax wrightii</i>
CHUCK-WILL'S-WIDOW, <i>Caprimulgus carolinensis</i>	DUCK, American Black, <i>Anas rubripes</i>	Gray-streaked, <i>Muscicapa griseisticta</i>
CONDOR, California, <i>Gymnogyps californianus</i>	Eastern Spot-billed, <i>Anas zonorhyncha</i>	Great Crested, <i>Myiarchus crinitus</i>
COOT, American, <i>Fulica americana</i>	Falcated, <i>Anas falcata</i>	Hammond's, <i>Empidonax hammondi</i>
Caribbean, <i>Fulica caribaea</i>	Harlequin, <i>Histrionicus histrionicus</i>	La Sagra's, <i>Myiarchus sagrae</i>
Eurasian, <i>Fulica atra</i>	Hawaiian, <i>Anas wyvilliana</i>	Least, <i>Empidonax minimus</i>
Hawaiian, <i>Fulica alai</i>	Laysan, <i>Anas laysanensis</i>	Mugimaki, <i>Ficedula mugimaki</i>
CORMORANT, Brandt's, <i>Phalacrocorax penicillatus</i>	Long-tailed, <i>Clangula hyemalis</i>	Narcissus, <i>Ficedula narcissina</i>
Double-crested, <i>Phalacrocorax auritus</i>	Masked, <i>Nomonyx dominicus</i>	Nutting's, <i>Myiarchus nuttingi</i>
Great, <i>Phalacrocorax carbo</i>	Mottled, <i>Anas fulvigula</i>	Olive-sided, <i>Contopus cooperi</i>
Little Pied, <i>Phalacrocorax melanoleucos</i>	Muscovy, <i>Cairina moschata</i>	Pacific-slope, <i>Empidonax difficilis</i>
Neotropic, <i>Phalacrocorax brasiliensis</i>	Pacific Black, <i>Anas superciliosa</i>	Piratic, <i>Legatus leucophalus</i>
Pelagic, <i>Phalacrocorax pelagicus</i>	Ring-necked, <i>Aythya collaris</i>	Puerto Rican, <i>Myiarchus antillarum</i>
Red-faced, <i>Phalacrocorax urile</i>	Ruddy, <i>Oxyura jamaicensis</i>	Scissor-tailed, <i>Tyrannus forficatus</i>
	Tufted, <i>Aythya fuligula</i>	Social, <i>Myiozetetes similis</i>
	Wood, <i>Aix sponsa</i>	Spotted, <i>Muscicapa striata</i>
	DUNLIN, <i>Calidris alpina</i>	Sulphur-bellied, <i>Myiodynastes luteiventris</i>
	EAGLE, Bald, <i>Haliaeetus leucocephalus</i>	Taiga, <i>Ficedula albicilla</i>
	Golden, <i>Aquila chrysaetos</i>	Tufted, <i>Mitrephanes phaeocercus</i>
		Variegated, <i>Empidonax varius</i>
		Vermilion, <i>Pyrocephalus rubinus</i>

Willow, <i>Empidonax traillii</i>	Nordmann's, <i>Tringa guttifer</i>	White-tailed, <i>Buteo albicaudatus</i>
Yellow-bellied, <i>Empidonax flaviventris</i>	GROSBEAK, Black-headed, <i>Pheucticus melanocephalus</i>	Zone-tailed, <i>Buteo albonotatus</i>
FOREST-FALCON, Collared, <i>Micrastur semitorquatus</i>	Blue, <i>Passerina caerulea</i>	HAWK-CUCKOO, Hodgson's, <i>Cuculus fugax</i>
FRIGATEBIRD, Great, <i>Fregata minor</i>	Crimson-collared, <i>Rhodothraupis celaeno</i>	HAWK-OWL, Brown, <i>Ninox scutulata</i>
Lesser, <i>Fregata ariel</i>	Evening, <i>Coccothraustes vespertinus</i>	HERON, Gray, <i>Ardea cinerea</i>
Magnificent, <i>Fregata magnificens</i>	Pine, <i>Pinicola enucleator</i>	Great Blue, <i>Ardea herodias</i>
FROG-HAWK, Gray, <i>Accipiter soloensis</i>	Rose-breasted, <i>Pheucticus ludovicianus</i>	Green, <i>Butorides virescens</i>
FRUIT-DOVE, Crimson-crowned, <i>Ptilinopus porphyraceus</i>	Yellow, <i>Pheucticus chrysopileplus</i>	Little Blue, <i>Egretta caerulea</i>
Many-colored, <i>Ptilinopus perousii</i>	GROUND-DOVE, Common, <i>Columbina passerina</i>	Tricolored, <i>Egretta tricolor</i>
Mariana, <i>Ptilinopus roseicapilla</i>	Friendly, <i>Gallicolumba stairi</i>	HOBBY, Eurasian, <i>Falco subbuteo</i>
FULMAR, Northern, <i>Fulmarus glacialis</i>	Ruddy, <i>Columbina talpacoti</i>	HOOPOE, Eurasian, <i>Upupa epops</i>
GADWALL, <i>Anas strepera</i>	White-throated, <i>Gallicolumba xanthonura</i>	HOUSE-MARTIN, Common, <i>Delichon urbicum</i>
GALLINULE, Azure, <i>Porphyrio flavirostris</i>	GUILLEMOT, Black, <i>Cephus grylle</i>	HUMMINGBIRD, Allen's, <i>Selasphorus sasin</i>
Purple, <i>Porphyrio martinica</i>	Pigeon, <i>Cephus columba</i>	Anna's, <i>Calypte anna</i>
GANNET, Northern, <i>Morus bassanus</i>	GULL, Belcher's, <i>Larus belcheri</i>	Antillean Crested, <i>Orthorhyncus cristatus</i>
GARGANEY, <i>Anas querquedula</i>	Black-headed, <i>Chroicocephalus ridibundus</i>	Berylline, <i>Amazilia beryllina</i>
GNATCATCHER, Black-capped, <i>Polioptila nigriceps</i>	Black-tailed, <i>Larus crassirostris</i>	Black-chinned, <i>Archilochus alexandri</i>
Black-tailed, <i>Polioptila melanura</i>	Bonaparte's, <i>Chroicocephalus philadelphicus</i>	Blue-throated, <i>Lamponis clemenciae</i>
Blue-gray, <i>Polioptila caerulea</i>	California, <i>Larus californicus</i>	Broad-billed, <i>Cynanthus latirostris</i>
California, <i>Polioptila californica</i>	Franklin's, <i>Leucophaeus pipixcan</i>	Broad-tailed, <i>Selasphorus platycercus</i>
GODWIT, Bar-tailed, <i>Limosa lapponica</i>	Glaucous, <i>Larus hyperboreus</i>	Buff-bellied, <i>Amazilia yucatanensis</i>
Black-tailed, <i>Limosa limosa</i>	Glaucous-winged, <i>Larus glaucescens</i>	Bumblebee, <i>Atthis heloisa</i>
Hudsonian, <i>Limosa haemastica</i>	Gray-hooded, <i>Chroicocephalus cirrocephalus</i>	Calliope, <i>Stellula calliope</i>
Marbled, <i>Limosa fedoa</i>	Great Black-backed, <i>Larus marinus</i>	Cinnamon, <i>Amazilia rutila</i>
GOLDEN-PLOVER, American, <i>Pluvialis dominica</i>	Heermann's, <i>Larus heermanni</i>	Costa's, <i>Calypte costae</i>
European, <i>Pluvialis apricaria</i>	Herring, <i>Larus argentatus</i>	Lucifer, <i>Calothorax lucifer</i>
Pacific, <i>Pluvialis fulva</i>	Iceland, <i>Larus glaucopterus</i>	Magnificent, <i>Eugenes fulgens</i>
GOLDENEYE, Barrow's, <i>Bucephala islandica</i>	Ivory, <i>Pagophila eburnea</i>	Ruby-throated, <i>Archilochus colubris</i>
Common, <i>Bucephala clangula</i>	Kelp, <i>Larus dominicanus</i>	Rufous, <i>Selasphorus rufus</i>
GOLDFINCH, American, <i>Spinus tristis</i>	Laughing, <i>Leucophaeus atricilla</i>	Violet-crowned, <i>Amazilia violiceps</i>
Lawrence's, <i>Spinus lawrencei</i>	Lesser Black-backed, <i>Larus fuscus</i>	White-eared, <i>Hylocharis leucotis</i>
Lesser, <i>Spinus psaltria</i>	Little, <i>Hydrocoloeus minutus</i>	Xantus's, <i>Hylocharis xantusii</i>
GOOSE, Barnacle, <i>Branta leucopsis</i>	Mew, <i>Larus canus</i>	IBIS, Glossy, <i>Plegadis falcinellus</i>
Canada, <i>Branta canadensis</i> (including Cackling Goose, <i>Branta hutchinsii</i> )	Ring-billed, <i>Larus delawarensis</i>	Scarlet, <i>Eudocimus ruber</i>
Emperor, <i>Chen canagica</i>	Ross's, <i>Rhodostethia rosea</i>	White, <i>Eudocimus albus</i>
Greater White-fronted, <i>Anser albifrons</i>	Sabine's, <i>Xema sabini</i>	White-faced, <i>Plegadis chihi</i>
Hawaiian, <i>Branta sandvicensis</i>	Slaty-backed, <i>Larus schistisagus</i>	IIWI, <i>Vestiaria coccinea</i>
Lesser White-fronted, <i>Anser erythropus</i>	Swallow-tailed, <i>Creagrutus furcatus</i>	IMPERIAL-PIGEON, Pacific, <i>Ducula pacifica</i>
Ross's, <i>Chen rossii</i>	Thayer's, <i>Larus thayeri</i>	JABIRU, <i>Jabiru mycteria</i>
Snow, <i>Chen caerulescens</i>	Western, <i>Larus occidentalis</i>	JACANA, Northern, <i>Jacana spinosa</i>
GOSHAWK, Northern, <i>Accipiter gentilis</i>	Yellow-footed, <i>Larus livens</i>	JAEGER, Long-tailed, <i>Stercorarius longicaudus</i>
GRACKLE, Boat-tailed, <i>Quiscalus major</i>	Yellow-legged, <i>Larus michahellis</i>	Parasitic, <i>Stercorarius parasiticus</i>
Common, <i>Quiscalus quiscula</i>	GYRFALCON, <i>Falco rusticolus</i>	Pomarine, <i>Stercorarius pomarinus</i>
Great-tailed, <i>Quiscalus mexicanus</i>	HARRIER, Northern, <i>Circus cyaneus</i>	JAY, Blue, <i>Cyanocitta cristata</i>
Greater Antillean, <i>Quiscalus niger</i>	HAWFINCH, <i>Coccothraustes coccothraustes</i>	Brown, <i>Psilorhinus morio</i>
GRASSHOPPER-WARBLER, Middendorff's, <i>Locustella ochotensis</i>	HAWK, Broad-winged, <i>Buteo platypterus</i>	Gray, <i>Perisoreus canadensis</i>
GRASSQUIT, Black-faced, <i>Tiaris bicolor</i>	Cooper's, <i>Accipiter cooperii</i>	Green, <i>Cyanocorax yncas</i>
Yellow-faced, <i>Tiaris olivaceus</i>	Crane, <i>Geranospiza caerulescens</i>	Mexican, <i>Aphelocoma ultramarina</i>
GREBE, Clark's, <i>Aechmophorus clarkii</i>	Ferruginous, <i>Buteo regalis</i>	Pinyon, <i>Gymnorhinus cyanocephalus</i>
Eared, <i>Podiceps nigricollis</i>	Gray, <i>Buteo nitidus</i>	Steller's, <i>Cyanocitta stelleri</i>
Horned, <i>Podiceps auritus</i>	Harris's, <i>Parabuteo unicinctus</i>	JUNCO, Dark-eyed, <i>Junco hyemalis</i>
Least, <i>Tachybaptus dominicus</i>	Hawaiian, <i>Buteo solitarius</i>	Yellow-eyed, <i>Junco phaeonotus</i>
Pied-billed, <i>Podilymbus podiceps</i>	Red-shouldered, <i>Buteo lineatus</i>	KAKAWAHIE, <i>Paroreomyza flammea</i>
Red-necked, <i>Podiceps grisegena</i>	Red-tailed, <i>Buteo jamaicensis</i>	KAMAO, <i>Myadestes myadestinus</i>
Western, <i>Aechmophorus occidentalis</i>	Roadside, <i>Buteo magnirostris</i>	KESTREL, American, <i>Falco sparverius</i>
GREENFINCH, Oriental, <i>Chloris sinica</i>	Rough-legged, <i>Buteo lagopus</i>	Eurasian, <i>Falco tinnunculus</i>
GREENSHANK, Common, <i>Tringa nebularia</i>	Sharp-shinned, <i>Accipiter striatus</i>	KILLDEER, <i>Charadrius vociferus</i>
	Short-tailed, <i>Buteo brachyurus</i>	KINGBIRD, Cassin's, <i>Tyrannus vociferans</i>
	Swainson's, <i>Buteo swainsoni</i>	Couch's, <i>Tyrannus couchii</i>
		Eastern, <i>Tyrannus tyrannus</i>
		Gray, <i>Tyrannus dominicensis</i>
		Loggerhead, <i>Tyrannus caudifasciatus</i>

Thick-billed, <i>Tyrannus crassirostris</i>	Blue, <i>Melanotis caerulescens</i>	Mottled, <i>Ciccaba virgata</i>
Tropical, <i>Tyrannus melancholicus</i>	Northern, <i>Mimus polyglottos</i>	Northern Hawk, <i>Surnia ulula</i>
Western, <i>Tyrannus verticalis</i>	MOORHEN, Common, <i>Gallinula chloropus</i>	Northern Saw-whet, <i>Aegolius acadicus</i>
KINGFISHER, Belted, <i>Megaceryle alcyon</i>	MURRE, Common, <i>Uria aalge</i>	Short-eared, <i>Asio flammeus</i>
Collared, <i>Todiramphus chloris</i>	Thick-billed, <i>Uria lomvia</i>	Snowy, <i>Bubo scandiacus</i>
Green, <i>Chloroceryle americana</i>	MURRELET, Ancient, <i>Synthliboramphus antiquus</i>	Spotted, <i>Strix occidentalis</i>
Micronesian, <i>Todiramphus cinnamominus</i>	Craveri's, <i>Synthliboramphus craveri</i>	Stygian, <i>Asio stygius</i>
Ringed, <i>Megaceryle torquata</i>	Kittlitz's, <i>Brachyramphus brevirostris</i>	OYSTERCATCHER, American, <i>Haematopus palliatus</i>
KINGLET, Golden-crowned, <i>Regulus satrapa</i>	Long-billed, <i>Brachyramphus perdix</i>	Black, <i>Haematopus bachmani</i>
Ruby-crowned, <i>Regulus calendula</i>	Marbled, <i>Brachyramphus marmoratus</i>	Eurasian, <i>Haematopus ostralegus</i>
KISKADEE, Great, <i>Pitangus sulphuratus</i>	Xantus's, <i>Synthliboramphus hypoleucus</i>	PALILA, <i>Loxoides bailleui</i>
KITE, Black, <i>Milvus migrans</i>	NEEDLETAIL, White-throated, <i>Hirundapus caudacutus</i>	PALM-SWIFT, Antillean, <i>Tachornis phoenicobia</i>
Hook-billed, <i>Chondrohierax uncinatus</i>	NIGHT-HERON, Black-crowned, <i>Nycticorax nycticorax</i>	PARROTBILL, Maui, <i>Pseudonestor xanthophrys</i>
Mississippi, <i>Ictinia mississippiensis</i>	Japanese, <i>Gorsachius goisagi</i>	PARULA, Northern, <i>Parula americana</i>
Snail, <i>Rostrhamus sociabilis</i>	Malayan, <i>Gorsachius melanolophus</i>	Tropical, <i>Parula pitiayumi</i>
Swallow-tailed, <i>Elanoides forficatus</i>	Yellow-crowned, <i>Nyctanassa violacea</i>	PAURAQUE, Common, <i>Nyctidromus albicollis</i>
White-tailed, <i>Elanus leucurus</i>	NIGHTHAWK, Antillean, <i>Chordeiles gundlachii</i>	PELICAN, American White, <i>Pelecanus erythrorynchos</i>
KITTIWAKE, Black-legged, <i>Rissa tridactyla</i>	Common, <i>Chordeiles minor</i>	Brown, <i>Pelecanus occidentalis</i>
Red-legged, <i>Rissa brevirostris</i>	Lesser, <i>Chordeiles acutipennis</i>	PETREL, Bermuda, <i>Pterodroma cahow</i>
KNOT, Great, <i>Calidris tenuirostris</i>	NIGHTINGALE-THRUSH, Black-headed, <i>Catharus mexicanus</i>	Black-capped, <i>Pterodroma hasitata</i>
Red, <i>Calidris canutus</i>	Orange-billed, <i>Catharus aurantiirostris</i>	Black-winged, <i>Pterodroma nigripennis</i>
LAPWING, Northern, <i>Vanellus vanellus</i>	NIGHTJAR, Buff-collared, <i>Caprimulgus ridgwayi</i>	Bonin, <i>Pterodroma hypoleuca</i>
LARK, Horned, <i>Eremophila alpestris</i>	Gray, <i>Caprimulgus indicus</i>	Bulwer's, <i>Bulweria bulwerii</i>
Sky, <i>Alauda arvensis</i>	Puerto Rican, <i>Caprimulgus noctitherus</i>	Cook's, <i>Pterodroma cookii</i>
LEAF-WARBLER, Pallas's, <i>Phylloscopus proregulus</i>	NODDY, Black, <i>Anous minutus</i>	Gould's, <i>Pterodroma leucoptera</i>
LIMPKIN, <i>Aramus guarauna</i>	Blue-gray, <i>Procelsterna cerulea</i>	Great-winged, <i>Pterodroma macroptera</i>
LIZARD-CUCKOO, Puerto Rican, <i>Coccyzus vieilloti</i>	Brown, <i>Anous stolidus</i>	Hawaiian, <i>Pterodroma sandwichensis</i>
LONGSPUR, Chestnut-collared, <i>Calcarius ornatus</i>	NUKUPUU, <i>Hemignathus lucidus</i>	Herald, <i>Pterodroma arminjoniana</i>
Lapland, <i>Calcarius lapponicus</i>	NUTCRACKER, Clark's, <i>Nucifraga columbiana</i>	Jouanin's, <i>Bulweria fallax</i>
McCown's, <i>Rhynchophaenes mccownii</i>	NUTHATCH, Brown-headed, <i>Sitta pusilla</i>	Juan Fernandez, <i>Pterodroma externa</i>
Smith's, <i>Calcarius pictus</i>	Pygmy, <i>Sitta pygmaea</i>	Kermadec, <i>Pterodroma neglecta</i>
LOON, Arctic, <i>Gavia arctica</i>	Red-breasted, <i>Sitta canadensis</i>	Mottled, <i>Pterodroma inexpectata</i>
Common, <i>Gavia immer</i>	White-breasted, <i>Sitta carolinensis</i>	Murphy's, <i>Pterodroma ultima</i>
Pacific, <i>Gavia pacifica</i>	OLOMAO, <i>Myadestes lanaiensis</i>	Parkinson's, <i>Procellaria parkinsoni</i>
Red-throated, <i>Gavia stellata</i>	OMAO, <i>Myadestes obscurus</i>	Phoenix, <i>Pterodroma alba</i>
Yellow-billed, <i>Gavia adamsii</i>	ORIOLE, Altamira, <i>Icterus gularis</i>	Stejneger's, <i>Pterodroma longirostris</i>
MAGPIE, Black-billed, <i>Pica hudsonia</i>	Audubon's, <i>Icterus graduacauda</i>	Tahiti, <i>Pterodroma rostrata</i>
Yellow-billed, <i>Pica nuttalli</i>	Baltimore, <i>Icterus galbula</i>	White-necked, <i>Pterodroma cervicalis</i>
MALLARD, <i>Anas platyrhynchos</i>	Black-vented, <i>Icterus wagleri</i>	PEWEE, Cuban, <i>Contopus caribaeus</i>
MANGO, Antillean, <i>Anthracothorax dominicus</i>	Bullock's, <i>Icterus bullockii</i>	Greater, <i>Contopus pertinax</i>
Green, <i>Anthracothorax viridis</i>	Hooded, <i>Icterus cucullatus</i>	Hispaniolan, <i>Contopus hispaniolensis</i>
Green-breasted, <i>Anthracothorax prevostii</i>	Orchard, <i>Icterus spurius</i>	Lesser Antillean, <i>Contopus latirostris</i>
MARTIN, Brown-chested, <i>Progne tapera</i>	Puerto Rican, <i>Icterus portoricensis</i>	PHAINOPEPLA, <i>Phainopepla nitens</i>
Caribbean, <i>Progne dominicensis</i>	Scott's, <i>Icterus parisorum</i>	PHALAROPE, Red, <i>Phalaropus fulicarius</i>
Cuban, <i>Progne cryptoleuca</i>	Streak-backed, <i>Icterus pustulatus</i>	Red-necked, <i>Phalaropus lobatus</i>
Gray-breasted, <i>Progne chalybea</i>	OSPREY, <i>Pandion haliaetus</i>	Wilson's, <i>Phalaropus tricolor</i>
Purple, <i>Progne subis</i>	OU, <i>Psittirostra psittacea</i>	PHOEBE, Black, <i>Sayornis nigricans</i>
Southern, <i>Progne elegans</i>	OVENBIRD, <i>Seiurus aurocapilla</i>	Eastern, <i>Sayornis phoebe</i>
MEADOWLARK, Eastern, <i>Sturnella magna</i>	OWL, Barn, <i>Tyto alba</i>	Say's, <i>Sayornis saya</i>
Western, <i>Sturnella neglecta</i>	Barred, <i>Strix varia</i>	PIGEON, Band-tailed, <i>Patagioenas fasciata</i>
MERGANSER, Common, <i>Mergus merganser</i>	Boreal, <i>Aegolius funereus</i>	Plain, <i>Patagioenas inornata</i>
Hooded, <i>Lophodytes cucullatus</i>	Burrowing, <i>Athene cunicularia</i>	Red-billed, <i>Patagioenas flavirostris</i>
Red-breasted, <i>Mergus serrator</i>	Elf, <i>Micrathene whitneyi</i>	Scaly-naped, <i>Patagioenas squamosa</i>
MERLIN, <i>Falco columbarius</i>	Flammulated, <i>Otus flammeolus</i>	White-crowned, <i>Patagioenas leucocephala</i>
MILLERBIRD, <i>Acrocephalus familiaris</i>	Great Gray, <i>Strix nebulosa</i>	PINTAIL, Northern, <i>Anas acuta</i>
MOCKINGBIRD, Bahama, <i>Mimus gundlachii</i>	Great Horned, <i>Bubo virginianus</i>	White-cheeked, <i>Anas bahamensis</i>
	Long-eared, <i>Asio otus</i>	PIPIT, American, <i>Anthus rubescens</i>
		Olive-backed, <i>Anthus hodgsoni</i>
		Pechora, <i>Anthus gustavi</i>

Red-throated, <i>Anthus cervinus</i>	ROSY-FINCH, Black, <i>Leucosticte atrata</i>	Short-tailed, <i>Puffinus tenuirostris</i>
Sprague's, <i>Anthus spragueii</i>	Brown-capped, <i>Leucosticte australis</i>	Sooty, <i>Puffinus griseus</i>
Tree, <i>Anthus trivialis</i>	Gray-crowned, <i>Leucosticte tephrocotis</i>	Streaked, <i>Calonectris leucomelas</i>
PLOVER, Black-bellied, <i>Pluvialis squatarola</i>	RUBYTHROAT, Siberian, <i>Luscinia calliope</i>	Townsend's, <i>Puffinus auricularis</i>
Collared, <i>Charadrius collaris</i>	RUFF, <i>Philomachus pugnax</i>	Wedge-tailed, <i>Puffinus pacificus</i>
Common Ringed, <i>Charadrius hiaticula</i>	SANDERLING, <i>Calidris alba</i>	SHOVELER, Northern, <i>Anas clypeata</i>
Little Ringed, <i>Charadrius dubius</i>	SANDPIPER, Baird's, <i>Calidris bairdii</i>	SHRIKE, Brown, <i>Lanius cristatus</i>
Mountain, <i>Charadrius montanus</i>	Broad-billed, <i>Limicola falcinellus</i>	Loggerhead, <i>Lanius ludovicianus</i>
Piping, <i>Charadrius melanotos</i>	Buff-breasted, <i>Tryngites subruficollis</i>	Northern, <i>Lanius excubitor</i>
Semipalmated, <i>Charadrius semipalmatus</i>	Common, <i>Actitis hypoleucus</i>	SILKY-FLYCATCHER, Gray, <i>Ptilogonyx cinereus</i>
Snowy, <i>Charadrius alexandrinus</i>	Curlew, <i>Calidris ferruginea</i>	SISKIN, Eurasian, <i>Spinus spinus</i>
Wilson's, <i>Charadrius wilsonia</i>	Green, <i>Tringa ochropus</i>	Pine, <i>Spinus pinus</i>
POCHARD, Baer's, <i>Aythya baeri</i>	Least, <i>Calidris minutilla</i>	SKIMMER, Black, <i>Rynchops niger</i>
Common, <i>Aythya ferina</i>	Marsh, <i>Tringa stagnatilis</i>	SKUA, Great, <i>Stercorarius skua</i>
POND–HERON, Chinese, <i>Ardeola bacchus</i>	Pectoral, <i>Calidris melanotos</i>	South Polar, <i>Stercorarius maccormicki</i>
POORWILL, Common, <i>Phalaenoptilus nuttallii</i>	Purple, <i>Calidris maritima</i>	SMEW, <i>Mergus albellus</i>
POO–ULI, <i>Melamprosops phaeosoma</i>	Rock, <i>Calidris ptilocnemis</i>	SNIPE, Common, <i>Gallinago gallinago</i>
PUAOHOI, <i>Myadestes palmeri</i>	Semipalmated, <i>Calidris pusilla</i>	Jack, <i>Lymnocryptes minimus</i>
PUFFIN, Atlantic, <i>Fratercula arctica</i>	Sharp-tailed, <i>Calidris acuminata</i>	Pin-tailed, <i>Gallinago stenura</i>
Horned, <i>Fratercula corniculata</i>	Solitary, <i>Tringa solitaria</i>	Swinhoe's, <i>Gallinago megaloptera</i>
Tufted, <i>Fratercula cirrhata</i>	Spoon-billed, <i>Eurynorhynchus pygmeus</i>	Wilson's, <i>Gallinago delicata</i>
PYGMY–OWL, Ferruginous, <i>Glaucidium brasilianum</i>	Spotted, <i>Actitis macularius</i>	SOLITAIRE, Townsend's, <i>Myadestes townsendi</i>
Northern, <i>Glaucidium gnoma</i>	Stilt, <i>Calidris himantopus</i>	SORA, <i>Porzana carolina</i>
PYRRHULOXIA, <i>Cardinalis sinuatus</i>	Terek, <i>Xenus cinereus</i>	SPARROW, American Tree, <i>Spizella arborea</i>
QUAIL–DOVE, Bridled, <i>Geotrygon mystacea</i>	Upland, <i>Bartramia longicauda</i>	Bachman's, <i>Peucaea aestivalis</i>
Key West, <i>Geotrygon chrysia</i>	Western, <i>Calidris mauri</i>	Baird's, <i>Ammodramus bairdii</i>
Ruddy, <i>Geotrygon montana</i>	White-rumped, <i>Calidris fuscicollis</i>	Black-chinned, <i>Spizella atrogularis</i>
QUETZEL, Eared, <i>Euptilotis neoxenus</i>	Wood, <i>Tringa glareola</i>	Black-throated, <i>Amphispiza bilineata</i>
RAIL, Black, <i>Laterallus jamaicensis</i>	SAND–PLOVER, Greater, <i>Charadrius leschenaultii</i>	Botteri's, <i>Peucaea botterii</i>
Buff-banded, <i>Gallirallus philippensis</i>	Lesser, <i>Charadrius mongolus</i>	Brewer's, <i>Spizella breweri</i>
Clapper, <i>Rallus longirostris</i>	SAPSUCKER, Red-breasted, <i>Sphyrapicus ruber</i>	Cassin's, <i>Peucaea cassinii</i>
Guam, <i>Gallirallus owstoni</i>	Red-naped, <i>Sphyrapicus nuchalis</i>	Chipping, <i>Spizella passerina</i>
King, <i>Rallus elegans</i>	Williamson's, <i>Sphyrapicus thyroideus</i>	Clay-colored, <i>Spizella pallida</i>
Spotted, <i>Pardirallus maculatus</i>	Yellow-bellied, <i>Sphyrapicus varius</i>	Field, <i>Spizella pusilla</i>
Virginia, <i>Rallus limicola</i>	SCAUP, Greater, <i>Aythya marila</i>	Five-striped, <i>Amphispiza quinquestrigata</i>
Yellow, <i>Coturnicops noveboracensis</i>	Lesser, <i>Aythya affinis</i>	Fox, <i>Passerella iliaca</i>
RAVEN, Chihuahuan, <i>Corvus cryptoleucus</i>	SCOPS–OWL, Oriental, <i>Otus sunia</i>	Golden-crowned, <i>Zonotrichia atricapilla</i>
Common, <i>Corvus corax</i>	SCOTER, Black, <i>Melanitta americana</i>	Grasshopper, <i>Ammodramus savannarum</i>
RAZORBILL, <i>Alca torda</i>	Surf, <i>Melanitta perspicillata</i>	Harris's, <i>Zonotrichia querula</i>
REDHEAD, <i>Aythya americana</i>	White-winged, <i>Melanitta fusca</i>	Henslow's, <i>Ammodramus henslowii</i>
REDPOLL, Common, <i>Acanthis flammea</i>	SCREECH–OWL, Eastern, <i>Megascops asio</i>	Lark, <i>Chondestes grammacus</i>
Hoary, <i>Acanthis hornemannii</i>	Puerto Rican, <i>Megascops nudipes</i>	Le Conte's, <i>Ammodramus leconteii</i>
REDSHANK, Spotted, <i>Tringa erythropus</i>	Western, <i>Megascops kennicottii</i>	Lincoln's, <i>Melospiza lincolni</i>
REDSTART, American, <i>Setophaga ruticilla</i>	Whiskered, <i>Megascops trichopsis</i>	Nelson's, <i>Ammodramus nelsoni</i>
Painted, <i>Myioborus pictus</i>	SCRUB–JAY, Florida, <i>Aphelocoma coerulescens</i>	Olive, <i>Arremonops rufivirgatus</i>
Slate-throated, <i>Myioborus miniatus</i>	Island, <i>Aphelocoma insularis</i>	Rufous-crowned, <i>Aimophila ruficeps</i>
REED–WARBLER, Nightingale, <i>Acrocephalus luscinia</i>	Western, <i>Aphelocoma californica</i>	Rufous-winged, <i>Peucaea carpalis</i>
REEF–EGRET, Pacific, <i>Egretta sacra</i>	SEA–EAGLE, Steller's, <i>Haliaeetus pelagicus</i>	Sage, <i>Amphispiza bellii</i>
REEF–HERON, Western, <i>Egretta gularis</i>	SEEDEATER, White-collared, <i>Sporophila torqueola</i>	Saltmarsh, <i>Ammodramus caudacutus</i>
ROADRUNNER, Greater, <i>Geococcyx californianus</i>	SHEARWATER, Audubon's, <i>Puffinus lherminieri</i>	Savannah, <i>Passerculus sandwichensis</i>
ROBIN, American, <i>Turdus migratorius</i>	Black-vented, <i>Puffinus opisthomelas</i>	Seaside, <i>Ammodramus maritimus</i>
Rufous-backed, <i>Turdus rufopalliatus</i>	Buller's, <i>Puffinus bulleri</i>	Song, <i>Melospiza melodia</i>
Rufous-tailed, <i>Luscinia sibilans</i>	Cape Verde, <i>Calonectris edwardsii</i>	Swamp, <i>Melospiza georgiana</i>
Siberian Blue, <i>Luscinia cyanea</i>	Christmas, <i>Puffinus nativitatis</i>	Vesper, <i>Pooecetes gramineus</i>
ROCK–THRUSH, Blue, <i>Monticola solitarius</i>	Cory's, <i>Calonectris diomedea</i>	White-crowned, <i>Zonotrichia leucophrys</i>
ROSEFINCH, Common, <i>Carpodacus erythrinus</i>	Flesh-footed, <i>Puffinus carneipes</i>	White-throated, <i>Zonotrichia albicollis</i>
	Great, <i>Puffinus gravis</i>	Worthen's, <i>Spizella wortheni</i>
	Little, <i>Puffinus assimilis</i>	SPARROWHAWK, Japanese, <i>Accipiter gularis</i>
	Manx, <i>Puffinus puffinus</i>	SPINDALIS, Puerto Rican, <i>Spindalis portoricensis</i>
	Pink-footed, <i>Puffinus creatopus</i>	

Western, <i>Spindalis zena</i>	<i>speculiferus</i>	TROPICBIRD, Red-billed, <i>Phaethon aethereus</i>
SPOONBILL, Roseate, <i>Platalea ajaja</i>	Scarlet, <i>Piranga olivacea</i>	Red-tailed, <i>Phaethon rubricauda</i>
STARLING, Chestnut-cheeked, <i>Sturnus philippensis</i>	Summer, <i>Piranga rubra</i>	White-tailed, <i>Phaethon lepturus</i>
White-cheeked, <i>Sturnus cineraceus</i>	Western, <i>Piranga ludoviciana</i>	TURNSTONE, Black, <i>Arenaria melanocephala</i>
STARTHROAT, Plain-capped, <i>Heliomaster constantii</i>	TATTLER, Gray-tailed, <i>Tringa brevipes</i>	Ruddy, <i>Arenaria interpres</i>
STILT, Black-necked, <i>Himantopus mexicanus</i>	Wandering, <i>Tringa incana</i>	TURTLE-DOVE, Oriental, <i>Streptopelia orientalis</i>
Black-winged, <i>Himantopus himantopus</i>	TEAL, Baikal, <i>Anas formosa</i>	VEERY, <i>Catharus fuscescens</i>
STINT, Little, <i>Calidris minuta</i>	Blue-winged, <i>Anas discors</i>	VERDIN, <i>Auriparus flaviceps</i>
Long-toed, <i>Calidris subminuta</i>	Cinnamon, <i>Anas cyanoptera</i>	VIOLETEAR, Green, <i>Colibri thalassinus</i>
Red-necked, <i>Calidris ruficollis</i>	Green-winged, <i>Anas crecca</i>	VIREO, Bell's, <i>Vireo bellii</i>
Temminck's, <i>Calidris temminckii</i>	TERN, Aleutian, <i>Onychoprion aleuticus</i>	Black-capped, <i>Vireo atricapilla</i>
STONECHAT, <i>Saxicola torquatus</i>	Arctic, <i>Sterna paradisaea</i>	Black-whiskered, <i>Vireo altiloquus</i>
STORK, Wood, <i>Mycteria americana</i>	Black, <i>Chlidonias niger</i>	Blue-headed, <i>Vireo solitarius</i>
STORM-PETREL, Ashy, <i>Oceanodroma homochroa</i>	Black-naped, <i>Sterna sumatrana</i>	Cassin's, <i>Vireo cassini</i>
Band-rumped, <i>Oceanodroma castro</i>	Bridled, <i>Onychoprion anaethetus</i>	Gray, <i>Vireo vicinior</i>
Black, <i>Oceanodroma Melania</i>	Caspian, <i>Hydroprogne caspia</i>	Hutton's, <i>Vireo huttoni</i>
Black-bellied, <i>Fregetta tropica</i>	Common, <i>Sterna hirundo</i>	Philadelphia, <i>Vireo philadelphicus</i>
Fork-tailed, <i>Oceanodroma furcata</i>	Elegant, <i>Thalasseus elegans</i>	Plumbeous, <i>Vireo plumbeus</i>
Leach's, <i>Oceanodroma leucorhoa</i>	Forster's, <i>Sterna forsteri</i>	Puerto Rican, <i>Vireo latimeri</i>
Least, <i>Oceanodroma microsoma</i>	Gray-backed, <i>Onychoprion lunatus</i>	Red-eyed, <i>Vireo olivaceus</i>
Matsudaira's, <i>Oceanodroma matsudairae</i>	Great Crested, <i>Thalasseus bergii</i>	Thick-billed, <i>Vireo crassirostris</i>
Polynesian, <i>Nesofregetta fuliginosa</i>	Gull-billed, <i>Gelochelidon nilotica</i>	Warbling, <i>Vireo gilvus</i>
Ringed, <i>Oceanodroma hornbyi</i>	Large-billed, <i>Phaetusa simplex</i>	White-eyed, <i>Vireo griseus</i>
Swinhoe's, <i>Oceanodroma monorhis</i>	Least, <i>Sternula antillarum</i>	Yellow-green, <i>Vireo flavoviridis</i>
Tristram's, <i>Oceanodroma tristrami</i>	Little, <i>Sternula albifrons</i>	Yellow-throated, <i>Vireo flavifrons</i>
Wedge-rumped, <i>Oceanodroma tethys</i>	Roseate, <i>Sterna dougallii</i>	Yucatan, <i>Vireo magister</i>
White-faced, <i>Pelagodroma marina</i>	Royal, <i>Thalasseus maximus</i>	VULTURE, Black, <i>Coragyps atratus</i>
White-bellied, <i>Fregetta grallaria</i>	Sandwich, <i>Thalasseus sandvicensis</i>	Turkey, <i>Cathartes aura</i>
Wilson's, <i>Oceanites oceanicus</i>	Sooty, <i>Onychoprion fuscatus</i>	WAGTAIL, Citrine, <i>Motacilla citreola</i>
SURFBIRD, <i>Aphriza virgata</i>	Whiskered, <i>Chlidonias hybrida</i>	Eastern Yellow, <i>Motacilla tschutschensis</i>
SWALLOW, Bahama, <i>Tachycineta cyaneoviridis</i>	White, <i>Gygis alba</i>	Gray, <i>Motacilla cinerea</i>
Bank, <i>Riparia riparia</i>	White-winged, <i>Chlidonias leucopterus</i>	White, <i>Motacilla alba</i>
Barn, <i>Hirundo rustica</i>	THRASHER, Bendire's, <i>Toxostoma bendirei</i>	WARBLER, Adelaide's, <i>Dendroica adelaidae</i>
Cave, <i>Petrochelidon fulva</i>	Brown, <i>Toxostoma rufum</i>	Arctic, <i>Phylloscopus borealis</i>
Cliff, <i>Petrochelidon pyrrhonota</i>	California, <i>Toxostoma redivivum</i>	Bachman's, <i>Vermivora bachmanii</i>
Mangrove, <i>Tachycineta albilinea</i>	Crissal, <i>Toxostoma crissale</i>	Bay-breasted, <i>Dendroica castanea</i>
Northern Rough-winged, <i>Stelgidopteryx serripennis</i>	Curve-billed, <i>Toxostoma curvirostre</i>	Black-and-white, <i>Mniotilla varia</i>
Tree, <i>Tachycineta bicolor</i>	Le Conte's, <i>Toxostoma lecontei</i>	Black-throated Blue, <i>Dendroica caerulea</i>
Violet-green, <i>Tachycineta thalassina</i>	Long-billed, <i>Toxostoma longirostre</i>	caerulea
SWAMPHEN, Purple, <i>Porphyrio porphyrio</i>	Pearly-eyed, <i>Margarops fuscatus</i>	Black-throated Gray, <i>Dendroica nigrescens</i>
SWAN, Trumpeter, <i>Cygnus buccinator</i>	Sage, <i>Oreoscoptes montanus</i>	Black-throated Green, <i>Dendroica virens</i>
Tundra, <i>Cygnus columbianus</i>	THRUSH, Aztec, <i>Ridgwayia pinicola</i>	Blackburnian, <i>Dendroica fusca</i>
Whooper, <i>Cygnus cygnus</i>	Bicknell's, <i>Catharus bicknelli</i>	Blackpoll, <i>Dendroica striata</i>
SWIFT, Alpine, <i>Apus melba</i>	Clay-colored, <i>Turdus grayi</i>	Blue-winged, <i>Vermivora cyanoptera</i>
Black, <i>Cypseloides niger</i>	Dusky, <i>Turdus naumanni</i>	Canada, <i>Wilsonia canadensis</i>
Chimney, <i>Chaetura pelagica</i>	Eyebrowed, <i>Turdus obscurus</i>	Cape May, <i>Dendroica tigrina</i>
Common, <i>Apus apus</i>	Gray-cheeked, <i>Catharus minimus</i>	Cerulean, <i>Dendroica cerulea</i>
Fork-tailed, <i>Apus pacificus</i>	Hermit, <i>Catharus guttatus</i>	Chestnut-sided, <i>Dendroica pensylvanica</i>
Short-tailed, <i>Chaetura brachyura</i>	Red-legged, <i>Turdus plumbeus</i>	Colima, <i>Oreothlypis crissalis</i>
Vaux's, <i>Chaetura vauxi</i>	Swainson's, <i>Catharus ustulatus</i>	Connecticut, <i>Oporornis agilis</i>
White-collared, <i>Streptoprocne zonaris</i>	Varied, <i>Ixoreus naevius</i>	Crescent-chested, <i>Oreothlypis superciliosa</i>
White-throated, <i>Aeronautes saxatalis</i>	White-throated, <i>Turdus assimilis</i>	Dusky, <i>Phylloscopus fuscatus</i>
SWIFLET, Mariana, <i>Aerodramus bartschi</i>	Wood, <i>Hylocichla mustelina</i>	Elfin-woods, <i>Dendroica angelae</i>
White-rumped, <i>Aerodramus spodiopygius</i>	TITMOUSE, Black-crested, <i>Baeolophus atricristatus</i>	Fan-tailed, <i>Euthlypis lachrymosa</i>
TANAGER, Flame-colored, <i>Piranga bidentata</i>	Bridled, <i>Baeolophus wollweberi</i>	Golden-cheeked, <i>Dendroica chrysoparia</i>
Hepatic, <i>Piranga flava</i>	Juniper, <i>Baeolophus ridgwayi</i>	Golden-crowned, <i>Basileuterus culicivorus</i>
Puerto Rican, <i>Nesospingus</i>	Oak, <i>Baeolophus inornatus</i>	Golden-winged, <i>Vermivora chrysoptera</i>
	Tufted, <i>Baeolophus bicolor</i>	
	TITYRA, Masked, <i>Tityra semifasciata</i>	
	TOWHEE, Abert's, <i>Melozone aberti</i>	
	California, <i>Melozone crissalis</i>	
	Canyon, <i>Melozone fusca</i>	
	Eastern, <i>Pipilo erythrrophthalmus</i>	
	Green-tailed, <i>Pipilo chlorurus</i>	
	Spotted, <i>Pipilo maculatus</i>	
	TROGON, Elegant, <i>Trogon elegans</i>	

Grace's, <i>Dendroica graciae</i>	Great Spotted, <i>Dendrocopos major</i>	<i>Branta sandvicensis</i> , Hawaiian Goose
Hermit, <i>Dendroica occidentalis</i>	Hairy, <i>Picoides villosus</i>	<i>Cygnus buccinator</i> , Trumpeter Swan
Hooded, <i>Wilsonia citrina</i>	Ivory-billed, <i>Campephilus principalis</i>	<i>Cygnus columbianus</i> , Tundra Swan
Kentucky, <i>Oporornis formosus</i>	Ladder-backed, <i>Picoides scalaris</i>	<i>Cygnus cygnus</i> , Whooper Swan
Kirtland's, <i>Dendroica kirtlandii</i>	Lewis's, <i>Melanerpes lewis</i>	Subfamily ANATINAE
Lanceolated, <i>Locustella lanceolata</i>	Nuttall's, <i>Picoides nuttallii</i>	<i>Cairina moschata</i> , Muscovy Duck
Lucy's, <i>Oreothlypis luciae</i>	Pileated, <i>Dryocopus pileatus</i>	<i>Aix sponsa</i> , Wood Duck
MacGillivray's, <i>Oporornis tolmiei</i>	Puerto Rican, <i>Melanerpes portoricensis</i>	<i>Anas strepera</i> , Gadwall
Magnolia, <i>Dendroica magnolia</i>	Red-bellied, <i>Melanerpes carolinus</i>	<i>Anas falcata</i> , Falcated Duck
Mourning, <i>Oporornis philadelphica</i>	Red-cockaded, <i>Picoides borealis</i>	<i>Anas penelope</i> , Eurasian Wigeon
Nashville, <i>Oreothlypis ruficapilla</i>	Red-headed, <i>Melanerpes erythrocephalus</i>	<i>Anas americana</i> , American Wigeon
Olive, <i>Peucedramus taeniatus</i>	White-headed, <i>Picoides albolarvatus</i>	<i>Anas rubripes</i> , American Black Duck
Orange-crowned, <i>Oreothlypis celata</i>	WOODSTAR, Bahama, <i>Calliphlox evelynae</i>	<i>Anas platyrhynchos</i> , Mallard
Palm, <i>Dendroica palmarum</i>	WREN, Bewick's, <i>Thryomanes bewickii</i>	<i>Anas fulvigula</i> , Mottled Duck
Pine, <i>Dendroica pinus</i>	Cactus, <i>Campylorhynchus brunneicapillus</i>	<i>Anas wyvilliana</i> , Hawaiian Duck
Prairie, <i>Dendroica discolor</i>	Canyon, <i>Catherpes mexicanus</i>	<i>Anas laysanensis</i> , Laysan Duck
Prothonotary, <i>Protonotaria citrea</i>	Carolina, <i>Thryothorus ludovicianus</i>	<i>Anas zonorhyncha</i> , Eastern Spot-billed Duck
Red-faced, <i>Cardellina rubrifrons</i>	House, <i>Troglodytes aedon</i>	<i>Anas superciliosa</i> , Pacific Black Duck
Rufous-capped, <i>Basileuterus rufifrons</i>	Marsh, <i>Cistothorus palustris</i>	<i>Anas discors</i> , Blue-winged Teal
Sedge, <i>Acrocephalus schoenobaenus</i>	Pacific, <i>Troglodytes pacificus</i>	<i>Anas cyanoptera</i> , Cinnamon Teal
Swainson's, <i>Limnothlypis swainsonii</i>	Rock, <i>Salpinctes obsoletus</i>	<i>Anas clypeata</i> , Northern Shoveler
Tennessee, <i>Oreothlypis peregrina</i>	Sedge, <i>Cistothorus platensis</i>	<i>Anas bahamensis</i> , White-cheeked Pintail
Townsend's, <i>Dendroica townsendi</i>	Sinaloa, <i>Thryothorus sinaloa</i>	<i>Anas acuta</i> , Northern Pintail
Virginia's, <i>Oreothlypis virginiae</i>	Winter, <i>Troglodytes hiemalis</i>	<i>Anas querquedula</i> , Garganey
Willow, <i>Phylloscopus trochilus</i>	WRENTIT, <i>Chamaea fasciata</i>	<i>Anas formosa</i> , Baikal Teal
Wilson's, <i>Wilsonia pusilla</i>	WRYNECK, Eurasian, <i>Jynx torquilla</i>	<i>Anas crecca</i> , Green-winged Teal
Wood, <i>Phylloscopus sibilatrix</i>	YELLOWLEGS, Greater, <i>Tringa melanoleuca</i>	<i>Aythya valisineria</i> , Canvasback
Worm-eating, <i>Helminthetes vermicivorus</i>	Lesser, <i>Tringa flavipes</i>	<i>Aythya americana</i> , Redhead
Yellow, <i>Dendroica petechia</i>	YELLOWTHROAT, Common, <i>Geothlypis trichas</i>	<i>Aythya ferina</i> , Common Pochard
Yellow-browed, <i>Phylloscopus inornatus</i>	Gray-crowned, <i>Geothlypis poliocephala</i>	<i>Aythya baeri</i> , Baer's Pochard
Yellow-rumped, <i>Dendroica coronata</i>	(2) <i>Taxonomic listing.</i> Species are listed in phylogenetic sequence by scientific name, with the common (English) name following the scientific name. To help clarify species relationships, we also list the higher-level taxonomic categories of Order, Family, and Subfamily.	<i>Aythya collaris</i> , Ring-necked Duck
Yellow-throated, <i>Dendroica dominica</i>	Order ANSERIFORMES	<i>Aythya fuligula</i> , Tufted Duck
WATERTHRUSH, Louisiana, <i>Parkesia motacilla</i>	Family ANATIDAE	<i>Aythya marila</i> , Greater Scaup
Northern, <i>Parkesia noveboracensis</i>	Subfamily DENDROCYGNINAE	<i>Aythya affinis</i> , Lesser Scaup
WAXWING, Bohemian, <i>Bombycilla garrulus</i>	<i>Dendrocygna autumnalis</i> , Black-bellied Whistling-Duck	<i>Polysticta stelleri</i> , Steller's Eider
Cedar, <i>Bombycilla cedrorum</i>	<i>Dendrocygna arborea</i> , West Indian Whistling-Duck	<i>Somateria fischeri</i> , Spectacled Eider
WHEATEAR, Northern, <i>Oenanthe oenanthe</i>	<i>Dendrocygna bicolor</i> , Fulvous Whistling-Duck	<i>Somateria spectabilis</i> , King Eider
WHIMBREL, <i>Numenius phaeopus</i>	Subfamily ANSERINAE	<i>Somateria mollissima</i> , Common Eider
WHIP-POOR-WILL, Eastern, <i>Caprimulgus vociferus</i>	<i>Anser fabalis</i> , Taiga Bean-Goose	<i>Histrionicus histrionicus</i> , Harlequin Duck
Mexican, <i>Caprimulgus arizonae</i>	<i>Anser serrirostris</i> , Tundra Bean-Goose	<i>Melanitta perspicillata</i> , Surf Scoter
WHISTLING-DUCK, Black-bellied, <i>Dendrocygna autumnalis</i>	<i>Anser albifrons</i> , Greater White-fronted Goose	<i>Melanitta fusca</i> , White-winged Scoter
Fulvous, <i>Dendrocygna bicolor</i>	<i>Anser erythropus</i> , Lesser White-fronted Goose	<i>Melanitta americana</i> , Black Scoter
West Indian, <i>Dendrocygna arborea</i>	<i>Chen canagica</i> , Emperor Goose	<i>Clangula hyemalis</i> , Long-tailed Duck
WHITETHROAT, Lesser, <i>Sylvia curruca</i>	<i>Chen caerulescens</i> , Snow Goose	<i>Bucephala albeola</i> , Bufflehead
WIGEON, American, <i>Anas americana</i>	<i>Chen rossii</i> , Ross's Goose	<i>Bucephala clangula</i> , Common Goldeneye
Eurasian, <i>Anas penelope</i>	<i>Branta bernicla</i> , Brant	<i>Bucephala islandica</i> , Barrow's Goldeneye
WILLET, <i>Tringa semipalmata</i>	<i>Branta leucopsis</i> , Barnacle Goose	<i>Mergellus albellus</i> , Smew
WOOD-PEWEE, Eastern, <i>Contopus virens</i>	<i>Branta canadensis</i> , Canada Goose	<i>Lophodytes cucullatus</i> , Hooded Merganser
Western, <i>Contopus sordidulus</i>	(including <i>Branta hutchinsii</i> , Cackling Goose)	<i>Mergus merganser</i> , Common Merganser
WOODCOCK, American, <i>Scolopax minor</i>		<i>Mergus serrator</i> , Red-breasted Merganser
Eurasian, <i>Scolopax rusticola</i>		<i>Nomonyx dominicus</i> , Masked Duck
WOODPECKER, Acorn, <i>Melanerpes formicivorus</i>		<i>Oxyura jamaicensis</i> , Ruddy Duck
American Three-toed, <i>Picoides dorsalis</i>		Order GAVIIFORMES
Arizona, <i>Picoides arizonae</i>		Family GAVIIDAE
Black-backed, <i>Picoides arcticus</i>		<i>Gavia stellata</i> , Red-throated Loon
Downy, <i>Picoides pubescens</i>		<i>Gavia arctica</i> , Arctic Loon
Gila, <i>Melanerpes uropygialis</i>		<i>Gavia pacifica</i> , Pacific Loon
Golden-fronted, <i>Melanerpes aurifrons</i>		<i>Gavia immer</i> , Common Loon
		<i>Gavia adamsii</i> , Yellow-billed Loon
		Order PODICIPEDIFORMES
		Family PODICIPEDIDAE

<i>Tachybaptus dominicus</i> , Least Grebe	Shearwater	<i>Fregata minor</i> , Great Frigatebird
<i>Podilymbus podiceps</i> , Pied-billed Grebe	<i>Puffinus carneipes</i> , Flesh-footed Shearwater	<i>Fregata ariel</i> , Lesser Frigatebird
<i>Podiceps auritus</i> , Horned Grebe	<i>Puffinus gravis</i> , Great Shearwater	Family SULIDAE
<i>Podiceps grisegena</i> , Red-necked Grebe	<i>Puffinus pacificus</i> , Wedge-tailed Shearwater	<i>Sula dactylatra</i> , Masked Booby
<i>Podiceps nigricollis</i> , Eared Grebe	<i>Puffinus bulleri</i> , Buller's Shearwater	<i>Sula nebouxii</i> , Blue-footed Booby
<i>Aechmophorus occidentalis</i> , Western Grebe	<i>Puffinus griseus</i> , Sooty Shearwater	<i>Sula leucogaster</i> , Brown Booby
<i>Aechmophorus clarkii</i> , Clark's Grebe	<i>Puffinus tenuirostris</i> , Short-tailed Shearwater	<i>Sula sula</i> , Red-footed Booby
Order PHOENICOPTERIFORMES	<i>Puffinus nativitatis</i> , Christmas Shearwater	<i>Morus bassanus</i> , Northern Gannet
Family PHOENICOPTERIDAE	<i>Puffinus puffinus</i> , Manx Shearwater	Family PHALACROCORACIDAE
<i>Phoenicopterus ruber</i> , American Flamingo	<i>Puffinus auricularis</i> , Townsend's Shearwater	<i>Phalacrocorax penicillatus</i> , Brandt's Cormorant
Order PROCELLARIIFORMES	<i>Puffinus opisthomelas</i> , Black-vented Shearwater	<i>Phalacrocorax brasiliensis</i> , Neotropic Cormorant
Family DIOMEDEIDAE	<i>Puffinus lherminieri</i> , Audubon's Shearwater	<i>Phalacrocorax auritus</i> , Double-crested Cormorant
<i>Thalassarche chlororhynchos</i> , Yellow-nosed Albatross	<i>Puffinus assimilis</i> , Little Shearwater	<i>Phalacrocorax carbo</i> , Great Cormorant
<i>Thalassarche cauta</i> , Shy Albatross	Family HYDROBATIDAE	<i>Phalacrocorax urile</i> , Red-faced Cormorant
<i>Thalassarche melanophris</i> , Black-browed Albatross	<i>Oceanites oceanicus</i> , Wilson's Storm-Petrel	<i>Phalacrocorax pelagicus</i> , Pelagic Cormorant
<i>Phoebetria palpebrata</i> , Light-mantled Albatross	<i>Pelagodroma marina</i> , White-faced Storm-Petrel	<i>Phalacrocorax melanoleucus</i> , Little Pied Cormorant
<i>Diomedea exulans</i> , Wandering Albatross	<i>Fregetta tropica</i> , Black-bellied Storm-Petrel	Family ANHINGIDAE
<i>Phoebeastria immutabilis</i> , Laysan Albatross	<i>Fregetta grallaria</i> , White-bellied Storm-Petrel	<i>Anhinga anhinga</i> , Anhinga
<i>Phoebeastria nigripes</i> , Black-footed Albatross	<i>Nesofreggetta fuliginosa</i> , Polynesian Storm-Petrel	Order PELECANIFORMES
<i>Phoebeastria albatrus</i> , Short-tailed Albatross	<i>Oceanodroma furcata</i> , Fork-tailed Storm-Petrel	Family PELECANIDAE
Family PROCELLARIIDAE	<i>Oceanodroma hornbyi</i> , Ringed Storm-Petrel	<i>Pelecanus erythrorynchos</i> , American White Pelican
<i>Fulmarus glacialis</i> , Northern Fulmar	<i>Oceanodroma monorhis</i> , Swinhoe's Storm-Petrel	<i>Pelecanus occidentalis</i> , Brown Pelican
<i>Pterodroma macroptera</i> , Great-winged Petrel	<i>Oceanodroma leucorhoa</i> , Leach's Storm-Petrel	Family ARDEIDAE
<i>Pterodroma neglecta</i> , Kermadec Petrel	<i>Oceanodroma homochroa</i> , Ashy Storm-Petrel	<i>Botaurus lentiginosus</i> , American Bittern
<i>Pterodroma arminjoniana</i> , Herald Petrel	<i>Oceanodroma castro</i> , Band-rumped Storm-Petrel	<i>Ixbrychus sinensis</i> , Yellow Bittern
<i>Pterodroma ultima</i> , Murphy's Petrel	<i>Oceanodroma tethys</i> , Wedge-rumped Storm-Petrel	<i>Ixbrychus exilis</i> , Least Bittern
<i>Pterodroma inexpectata</i> , Mottled Petrel	<i>Oceanodroma matsudaireae</i> , Matsudaira's Storm-Petrel	<i>Ixbrychus eurhythmus</i> , Schrenck's Bittern
<i>Pterodroma cahow</i> , Bermuda Petrel	<i>Oceanodroma Melania</i> , Black Storm-Petrel	<i>Ixbrychus flavigollis</i> , Black Bittern
<i>Pterodroma hasitata</i> , Black-capped Petrel	<i>Oceanodroma tristrami</i> , Tristram's Storm-Petrel	<i>Ardea herodias</i> , Great Blue Heron
<i>Pterodroma externa</i> , Juan Fernandez Petrel	<i>Oceanodroma microsoma</i> , Least Storm-Petrel	<i>Ardea cinerea</i> , Gray Heron
<i>Pterodroma sandwichensis</i> , Hawaiian Petrel	Order PHAETHONTIFORMES	<i>Ardea alba</i> , Great Egret
<i>Pterodroma cervicalis</i> , White-necked Petrel	Family PHAETHONTIDAE	<i>Mesophoyx intermedia</i> , Intermediate Egret
<i>Pterodroma hypoleuca</i> , Bonin Petrel	<i>Phaethon lepturus</i> , White-tailed Tropicbird	<i>Egretta eulophotes</i> , Chinese Egret
<i>Pterodroma nigripennis</i> , Black-winged Petrel	<i>Phaethon aethereus</i> , Red-billed Tropicbird	<i>Egretta garzetta</i> , Little Egret
<i>Pterodroma cookii</i> , Cook's Petrel	<i>Phaethon rubricauda</i> , Red-tailed Tropicbird	<i>Egretta sacra</i> , Pacific Reef-Egret
<i>Pterodroma longirostris</i> , Stejneger's Petrel	Order CICONIIFORMES	<i>Egretta gularis</i> , Western Reef-Heron
<i>Pterodroma alba</i> , Phoenix Petrel	Family CICONIIDAE	<i>Egretta thula</i> , Snowy Egret
<i>Pterodroma leucoptera</i> , Gould's Petrel	<i>Jabiru mycteria</i> , Jabiru	<i>Egretta caerulea</i> , Little Blue Heron
<i>Pterodroma rostrata</i> , Tahiti Petrel	<i>Mycteria americana</i> , Wood Stork	<i>Egretta tricolor</i> , Tricolored Heron
<i>Bulweria bulwerii</i> , Bulwer's Petrel	Order SULIFORMES	<i>Egretta rufescens</i> , Reddish Egret
<i>Bulweria fallax</i> , Jouanin's Petrel	Family FREGATIDAE	<i>Bubulcus ibis</i> , Cattle Egret
<i>Procellaria parkinsoni</i> , Parkinson's Petrel	<i>Fregata magnificens</i> , Magnificent Frigatebird	<i>Ardeola bacchus</i> , Chinese Pond-Heron
<i>Calonectris leucomelas</i> , Streaked Shearwater		<i>Butorides virescens</i> , Green Heron
<i>Calonectris diomedea</i> , Cory's Shearwater		<i>Nycticorax nycticorax</i> , Black-crowned Night-Heron
<i>Calonectris edwardsii</i> , Cape Verde Shearwater		<i>Nyctanassa violacea</i> , Yellow-crowned Night-Heron
<i>Puffinus creatopus</i> , Pink-footed Shearwater		<i>Gorsachius goisagi</i> , Japanese Night-Heron

Subfamily PLATALEINAE <i>Platalea ajaja</i> , Roseate Spoonbill	<i>Falco mexicanus</i> , Prairie Falcon	Oystercatcher
Order ACCIPITRIFORMES	Order GRUIFORMES	<i>Haematopus palliatus</i> , American Oystercatcher
Family CATHARTIDAE <i>Coragyps atratus</i> , Black Vulture <i>Cathartes aura</i> , Turkey Vulture <i>Gymnogyps californianus</i> , California Condor	Family RALLIDAE <i>Coturnicops noveboracensis</i> , Yellow Rail <i>Laterallus jamaicensis</i> , Black Rail <i>Gallirallus philippensis</i> , Buff-banded Rail <i>Gallirallus owstoni</i> , Guam Rail <i>Crex crex</i> , Corn Crake <i>Rallus longirostris</i> , Clapper Rail <i>Rallus elegans</i> , King Rail <i>Rallus limicola</i> , Virginia Rail <i>Porzana carolina</i> , Sora <i>Porzana tabuensis</i> , Spotless Crake <i>Porzana flaviventer</i> , Yellow-breasted Crake <i>Neocrex erythrops</i> , Paint-billed Crake <i>Pardirallus maculatus</i> , Spotted Rail <i>Porphyrio porphyrio</i> , Purple Swamphen	<i>Haematopus bachmani</i> , Black Oystercatcher
Family PANDIONIDAE <i>Pandion haliaetus</i> , Osprey	<i>Porphyrio martinica</i> , Purple Gallinule <i>Porphyrio flavirostris</i> , Azure Gallinule <i>Gallinula chloropus</i> , Common Moorhen	Family RECURVIROSTRIDAE <i>Himantopus himantopus</i> , Black-winged Stilt <i>Himantopus mexicanus</i> , Black-necked Stilt
Family ACCIPITRIDAE <i>Chondrohierax uncinatus</i> , Hook-billed Kite <i>Elanoides forficatus</i> , Swallow-tailed Kite <i>Elanus leucurus</i> , White-tailed Kite <i>Rostrhamus sociabilis</i> , Snail Kite <i>Ictinia mississippiensis</i> , Mississippi Kite <i>Milvus migrans</i> , Black Kite <i>Haliaeetus leucocephalus</i> , Bald Eagle <i>Haliaeetus albicilla</i> , White-tailed Eagle <i>Haliaeetus pelagicus</i> , Steller's Sea-Eagle <i>Circus cyaneus</i> , Northern Harrier <i>Accipiter soloensis</i> , Gray Frog-Hawk <i>Accipiter gularis</i> , Japanese Sparrowhawk <i>Accipiter striatus</i> , Sharp-shinned Hawk <i>Accipiter cooperii</i> , Cooper's Hawk <i>Accipiter gentilis</i> , Northern Goshawk <i>Geranospiza caerulescens</i> , Crane Hawk <i>Buteogallus anthracinus</i> , Common Black-Hawk <i>Parabuteo unicinctus</i> , Harris's Hawk <i>Buteo magnirostris</i> , Roadside Hawk <i>Buteo lineatus</i> , Red-shouldered Hawk <i>Buteo platypterus</i> , Broad-winged Hawk <i>Buteo nitidus</i> , Gray Hawk <i>Buteo brachyurus</i> , Short-tailed Hawk <i>Buteo swainsoni</i> , Swainson's Hawk <i>Buteo albicaudatus</i> , White-tailed Hawk <i>Buteo albonotatus</i> , Zone-tailed Hawk <i>Buteo solitarius</i> , Hawaiian Hawk <i>Buteo jamaicensis</i> , Red-tailed Hawk <i>Buteo regalis</i> , Ferruginous Hawk <i>Buteo lagopus</i> , Rough-legged Hawk <i>Aquila chrysaetos</i> , Golden Eagle	<i>Recurvirostra americana</i> , American Avocet	
Order FALCONIFORMES	Order CHARADRIIFORMES	Family JACANIDAE <i>Jacana spinosa</i> , Northern Jacana
Family FALCONIDAE	Family CHARADRIIDAE	Family SCOLOPACIDAE Subfamily SCOLOPACINAE
Subfamily MICRASTURINAE <i>Micrastur semitorquatus</i> , Collared Forest-Falcon	Subfamily VANELLINAE <i>Vanellus vanellus</i> , Northern Lapwing	<i>Xenus cinereus</i> , Terek Sandpiper <i>Actitis hypoleucus</i> , Common Sandpiper
Subfamily CARACARINAE <i>Caracara cheriway</i> , Crested Caracara	Subfamily CHARADRIINAE <i>Pluvialis squatarola</i> , Black-bellied Plover	<i>Actitis macularius</i> , Spotted Sandpiper
Subfamily FALCONINAE <i>Falco tinnunculus</i> , Eurasian Kestrel <i>Falco sparverius</i> , American Kestrel <i>Falco vespertinus</i> , Red-footed Falcon <i>Falco columbarius</i> , Merlin <i>Falco subbuteo</i> , Eurasian Hobby <i>Falco femoralis</i> , Aplomado Falcon <i>Falco rusticolus</i> , Gyrfalcon <i>Falco peregrinus</i> , Peregrine Falcon	<i>Pluvialis apricaria</i> , European Golden-Plover <i>Pluvialis dominica</i> , American Golden-Plover <i>Pluvialis fulva</i> , Pacific Golden-Plover <i>Charadrius mongolus</i> , Lesser Sand-Plover <i>Charadrius leschenaultii</i> , Greater Sand-Plover <i>Charadrius collaris</i> , Collared Plover <i>Charadrius alexandrinus</i> , Snowy Plover <i>Charadrius wilsonia</i> , Wilson's Plover <i>Charadrius hiaticula</i> , Common Ringed Plover <i>Charadrius semipalmatus</i> , Semipalmated Plover <i>Charadrius melanotos</i> , Piping Plover <i>Charadrius dubius</i> , Little Ringed Plover <i>Charadrius vociferus</i> , Killdeer <i>Charadrius montanus</i> , Mountain Plover <i>Charadrius morinellus</i> , Eurasian Dotterel	<i>Tringa ochropus</i> , Green Sandpiper <i>Tringa solitaria</i> , Solitary Sandpiper <i>Tringa brevipes</i> , Gray-tailed Tattler <i>Tringa incana</i> , Wandering Tattler <i>Tringa erythropus</i> , Spotted Redshank <i>Tringa melanoleuca</i> , Greater Yellowlegs <i>Tringa nebularia</i> , Common Greenshank
	Family HAEMATOPODIDAE <i>Haematopus ostralegus</i> , Eurasian	<i>Tringa guttifer</i> , Nordmann's Greenshank <i>Tringa semipalmata</i> , Willet <i>Tringa flavipes</i> , Lesser Yellowlegs <i>Tringa stagnatilis</i> , Marsh Sandpiper <i>Tringa glareola</i> , Wood Sandpiper <i>Bartramia longicauda</i> , Upland Sandpiper
		<i>Numenius minutus</i> , Little Curlew <i>Numenius borealis</i> , Eskimo Curlew <i>Numenius phaeopus</i> , Whimbrel <i>Numenius tahitiensis</i> , Bristle-thighed Curlew <i>Numenius madagascariensis</i> , Far Eastern Curlew <i>Numenius arquata</i> , Eurasian Curlew <i>Numenius americanus</i> , Long-billed Curlew <i>Limosa limosa</i> , Black-tailed Godwit <i>Limosa haemastica</i> , Hudsonian Godwit <i>Limosa lapponica</i> , Bar-tailed Godwit <i>Limosa fedoa</i> , Marbled Godwit <i>Arenaria interpres</i> , Ruddy Turnstone <i>Arenaria melanocephala</i> , Black Turnstone
		<i>Aphriza virgata</i> , Surfbird <i>Calidris tenuirostris</i> , Great Knot <i>Calidris canutus</i> , Red Knot <i>Calidris alba</i> , Sanderling <i>Calidris pusilla</i> , Semipalmated Sandpiper <i>Calidris mauri</i> , Western Sandpiper <i>Calidris ruficollis</i> , Red-necked Stint <i>Calidris minuta</i> , Little Stint <i>Calidris temminckii</i> , Temminck's Stint <i>Calidris subminuta</i> , Long-toed Stint <i>Calidris minutilla</i> , Least Sandpiper <i>Calidris fuscicollis</i> , White-rumped Sandpiper

Sandpiper	<i>Larus fuscus</i> , Lesser Black-backed Gull	Murrelet
<i>Calidris bairdii</i> , Baird's Sandpiper	<i>Larus schistisagus</i> , Slaty-backed Gull	<i>Synthliboramphus antiquus</i> , Ancient Murrelet
<i>Calidris melanotos</i> , Pectoral Sandpiper	<i>Larus glaucescens</i> , Glaucous-winged Gull	<i>Ptychoramphus aleuticus</i> , Cassin's Auklet
<i>Calidris acuminata</i> , Sharp-tailed Sandpiper	<i>Larus hyperboreus</i> , Glaucous Gull	<i>Aethia psittacula</i> , Parakeet Auklet
<i>Calidris maritima</i> , Purple Sandpiper	<i>Larus marinus</i> , Great Black-backed Gull	<i>Aethia pusilla</i> , Least Auklet
<i>Calidris ptilocnemis</i> , Rock Sandpiper	<i>Larus dominicanus</i> , Kelp Gull	<i>Aethia pygmaea</i> , Whiskered Auklet
<i>Calidris alpina</i> , Dunlin	Subfamily STERNINAE	<i>Aethia cristatella</i> , Crested Auklet
<i>Calidris ferruginea</i> , Curlew Sandpiper	<i>Anous stolidus</i> , Brown Noddy	<i>Cerorhinca monocerata</i> , Rhinoceros Auklet
<i>Calidris himantopus</i> , Stilt Sandpiper	<i>Anous minutus</i> , Black Noddy	<i>Fratercula arctica</i> , Atlantic Puffin
<i>Eurynorhynchus pygmeus</i> , Spoon-billed Sandpiper	<i>Procelsterna cerulea</i> , Blue-gray Noddy	<i>Fratercula corniculata</i> , Horned Puffin
<i>Limicola falcinellus</i> , Broad-billed Sandpiper	<i>Gygis alba</i> , White Tern	<i>Fratercula cirrhata</i> , Tufted Puffin
<i>Tryngites subruficollis</i> , Buff-breasted Sandpiper	<i>Onychoprion fuscatus</i> , Sooty Tern	Order COLUMBIFORMES
<i>Philomachus pugnax</i> , Ruff	<i>Onychoprion lunatus</i> , Gray-backed Tern	Family COLUMBIDAE
<i>Limnodromus griseus</i> , Short-billed Dowitcher	<i>Onychoprion anaethetus</i> , Bridled Tern	<i>Patagioenas squamosa</i> , Scaly-naped Pigeon
<i>Limnodromus scolopaceus</i> , Long-billed Dowitcher	<i>Onychoprion aleuticus</i> , Aleutian Tern	<i>Patagioenas leucocephala</i> , White-crowned Pigeon
<i>Lymnocryptes minimus</i> , Jack Snipe	<i>Sternula albifrons</i> , Little Tern	<i>Patagioenas flavirostris</i> , Red-billed Pigeon
<i>Gallinago delicata</i> , Wilson's Snipe	<i>Sternula antillarum</i> , Least Tern	<i>Patagioenas inornata</i> , Plain Pigeon
<i>Gallinago gallinago</i> , Common Snipe	<i>Phaetusa simplex</i> , Large-billed Tern	<i>Patagioenas fasciata</i> , Band-tailed Pigeon
<i>Gallinago stenura</i> , Pin-tailed Snipe	<i>Gelochelidon nilotica</i> , Gull-billed Tern	<i>Streptopelia orientalis</i> , Oriental Turtle-Dove
<i>Gallinago megalia</i> , Swinhoe's Snipe	<i>Hydroprogne caspia</i> , Caspian Tern	<i>Zenaida asiatica</i> , White-winged Dove
<i>Scolopax rusticola</i> , Eurasian Woodcock	<i>Chlidonias niger</i> , Black Tern	<i>Zenaida aurita</i> , Zenaida Dove
<i>Scolopax minor</i> , American Woodcock	<i>Chlidonias leucocephalus</i> , White-winged Tern	<i>Zenaida macroura</i> , Mourning Dove
Subfamily PHALAROPODINAE	<i>Chlidonias hybrida</i> , Whiskered Tern	<i>Columbina inca</i> , Inca Dove
<i>Phalaropus tricolor</i> , Wilson's Phalarope	<i>Sterna dougallii</i> , Roseate Tern	<i>Columbina passerina</i> , Common Ground-Dove
<i>Phalaropus lobatus</i> , Red-necked Phalarope	<i>Sterna sumatrana</i> , Black-naped Tern	<i>Columbina talpacoti</i> , Ruddy Ground-Dove
<i>Phalaropus fulicarius</i> , Red Phalarope	<i>Sterna hirundo</i> , Common Tern	<i>Leptotila verreauxi</i> , White-tipped Dove
Family LARIDAE	<i>Sterna paradisaea</i> , Arctic Tern	<i>Geotrygon chrysia</i> , Key West Quail-Dove
Subfamily LARINAE	<i>Sterna forsteri</i> , Forster's Tern	<i>Geotrygon mystacea</i> , Bridled Quail-Dove
<i>Creagrus furcatus</i> , Swallow-tailed Gull	<i>Thalasseus maximus</i> , Royal Tern	<i>Geotrygon montana</i> , Ruddy Quail-Dove
<i>Rissa tridactyla</i> , Black-legged Kittiwake	<i>Thalasseus bergii</i> , Great Crested Tern	<i>Gallicolumba xanthonura</i> , White-throated Ground-Dove
<i>Rissa brevirostris</i> , Red-legged Kittiwake	<i>Thalasseus sandvicensis</i> , Sandwich Tern	<i>Gallicolumba stauri</i> , Friendly Ground-Dove
<i>Pagophila eburnea</i> , Ivory Gull	<i>Thalasseus elegans</i> , Elegant Tern	<i>Ptilinopus perousii</i> , Many-colored Fruit-Dove
<i>Xema sabini</i> , Sabine's Gull	Subfamily RYNCHOPINAE	<i>Ptilinopus porphyraceus</i> , Crimson-crowned Fruit-Dove
<i>Chroicocephalus philadelphia</i> , Bonaparte's Gull	<i>Rynchops niger</i> , Black Skimmer	<i>Ptilinopus roseicapilla</i> , Mariana Fruit-Dove
<i>Chroicocephalus cirrocephalus</i> , Gray-hooded Gull	Family STERCORARIIDAE	<i>Ducula pacifica</i> , Pacific Imperial-Pigeon
<i>Chroicocephalus ridibundus</i> , Black-headed Gull	<i>Stercorarius skua</i> , Great Skua	Order CUCULIFORMES
<i>Hydrocoloeus minutus</i> , Little Gull	<i>Stercorarius maccormicki</i> , South Polar Skua	Family CUCULIDAE
<i>Rhodostethia rosea</i> , Ross's Gull	<i>Stercorarius pomarinus</i> , Pomarine Jaeger	Subfamily CUCULINAE
<i>Leucophaeus atricilla</i> , Laughing Gull	<i>Stercorarius parasiticus</i> , Parasitic Jaeger	<i>Cuculus fugax</i> , Hodgson's Hawk-Cuckoo
<i>Leucophaeus pipixcan</i> , Franklin's Gull	<i>Stercorarius longicaudus</i> , Long-tailed Jaeger	<i>Cuculus canorus</i> , Common Cuckoo
<i>Larus belcheri</i> , Belcher's Gull	Family ALCIDAE	<i>Cuculus optatus</i> , Oriental Cuckoo
<i>Larus crassirostris</i> , Black-tailed Gull	<i>Alle alle</i> , Dovekie	<i>Coccyzus americanus</i> , Yellow-billed Cuckoo
<i>Larus heermanni</i> , Heermann's Gull	<i>Uria aalge</i> , Common Murre	<i>Coccyzus minor</i> , Mangrove Cuckoo
<i>Larus canus</i> , Mew Gull	<i>Uria lomvia</i> , Thick-billed Murre	<i>Coccyzus erythrophthalmus</i> , Black-billed Cuckoo
<i>Larus delawarensis</i> , Ring-billed Gull	<i>Alca torda</i> , Razorbill	<i>Coccyzus vieilloti</i> , Puerto Rican Lizard-Cuckoo
<i>Larus occidentalis</i> , Western Gull	<i>Cephus grylle</i> , Black Guillemot	
<i>Larus livens</i> , Yellow-footed Gull	<i>Cephus columba</i> , Pigeon Guillemot	
<i>Larus californicus</i> , California Gull	<i>Brachyramphus perdix</i> , Long-billed Murrelet	
<i>Larus argentatus</i> , Herring Gull	<i>Brachyramphus marmoratus</i> , Marbled Murrelet	
<i>Larus michahellis</i> , Yellow-legged Gull	<i>Brachyramphus brevirostris</i> , Kittlitz's Murrelet	
<i>Larus thayeri</i> , Thayer's Gull	<i>Synthliboramphus hypoleucus</i> , Xantus's Murrelet	
<i>Larus glaucopterus</i> , Iceland Gull	<i>Synthliboramphus craveri</i> , Craveri's	

Subfamily NEOMORPHINAE <i>Geococcyx californianus</i> , Greater Roadrunner	<i>Streptoprocne zonaris</i> , White-collared Swift	<i>Atthis heloisa</i> , Bumblebee Hummingbird
Subfamily CROTOPHAGINAE <i>Crotophaga ani</i> , Smooth-billed Ani <i>Crotophaga sulcirostris</i> , Groove-billed Ani	<i>Chaetura pelagica</i> , Chimney Swift <i>Chaetura vauxi</i> , Vaux's Swift <i>Chaetura brachyura</i> , Short-tailed Swift	<i>Selasphorus platycercus</i> , Broad-tailed Hummingbird <i>Selasphorus rufus</i> , Rufous Hummingbird
Order STRIGIFORMES	<i>Hirundapus caudacutus</i> , White-throated Needletail	<i>Selasphorus sasin</i> , Allen's Hummingbird
Family TYTONIDAE <i>Tyto alba</i> , Barn Owl	<i>Aerodramus spodiopygius</i> , White-rumped Swiftlet	Order TROGONIFORMES
Family STRIGIDAE <i>Otus flammeolus</i> , Flammulated Owl <i>Otus sunia</i> , Oriental Scops-Owl <i>Megascops kennicottii</i> , Western Screech-Owl	<i>Aerodramus bartschi</i> , Mariana Swiftlet	Family TROGONIDAE
<i>Megascops asio</i> , Eastern Screech-Owl <i>Megascops trichopsis</i> , Whiskered Screech-Owl	Subfamily APODINAE	Subfamily TROGONINAE
<i>Megascops nudipes</i> , Puerto Rican Screech-Owl	<i>Apus apus</i> , Common Swift	<i>Trogon elegans</i> , Elegant Tropic <i>Euptilotis neoxenus</i> , Eared Quetzal
<i>Bubo virginianus</i> , Great Horned Owl	<i>Apus pacificus</i> , Fork-tailed Swift	Order UPUPIFORMES
<i>Bubo scandiacus</i> , Snowy Owl	<i>Apus melba</i> , Alpine Swift	Family UPUPIDAE
<i>Surnia ulula</i> , Northern Hawk Owl	<i>Aeronautes saxatalis</i> , White-throated Swift	<i>Upupa epops</i> , Eurasian Hoopoe
<i>Glaucidium gnoma</i> , Northern Pygmy-Owl	<i>Tachornis phoenicobia</i> , Antillean Palm-Swift	Order CORACIFORMES
<i>Glaucidium brasiliense</i> , Ferruginous Pygmy-Owl	Family TROCHILIDAE	Family ALCEDINIDAE
<i>Micrathene whitneyi</i> , Elf Owl	Subfamily TROCHILINAE	Subfamily HALCYONINAE
<i>Athene cunicularia</i> , Burrowing Owl	<i>Colibri thalassinus</i> , Green Violetear	<i>Todiramphus cinnamominus</i> , Micronesian Kingfisher
<i>Ciccaba virgata</i> , Mottled Owl	<i>Anthracothorax prevostii</i> , Green-breasted Mango	<i>Todiramphus chloris</i> , Collared Kingfisher
<i>Strix occidentalis</i> , Spotted Owl	<i>Anthracothorax dominicus</i> , Antillean Mango	Subfamily CERYLINAE
<i>Strix varia</i> , Barred Owl	<i>Anthracothorax viridis</i> , Green Mango	<i>Megacyrle torquata</i> , Ringed Kingfisher
<i>Strix nebulosa</i> , Great Gray Owl	<i>Eulampis jugularis</i> , Purple-throated Carib	<i>Megacyrle alcyon</i> , Belted Kingfisher
<i>Asio otus</i> , Long-eared Owl	<i>Eulampis holosericeus</i> , Green-throated Carib	<i>Chloroceryle americana</i> , Green Kingfisher
<i>Asio stygius</i> , Stygian Owl	<i>Orthorhyncus cristatus</i> , Antillean Crested Hummingbird	Order PICIFORMES
<i>Asio flammeus</i> , Short-eared Owl	<i>Chlorostilbon maugaeus</i> , Puerto Rican Emerald	Family PICIDAE
<i>Aegolius funereus</i> , Boreal Owl	<i>Cynanthus latirostris</i> , Broad-billed Hummingbird	Subfamily JYNGINAE
<i>Aegolius acadicus</i> , Northern Saw-whet Owl	<i>Hylocharis leucotis</i> , White-eared Hummingbird	<i>Jynx torquilla</i> , Eurasian Wryneck
<i>Ninox scutulata</i> , Brown Hawk-Owl	<i>Hylocharis xantusii</i> , Xantus's Hummingbird	Subfamily PICINAE
Order CAPRIMULGIFORMES	<i>Amazilia beryllina</i> , Berylline Hummingbird	<i>Melanerpes lewis</i> , Lewis's Woodpecker
Family CAPRIMULGIDAE	<i>Amazilia yucatanensis</i> , Buff-bellied Hummingbird	<i>Melanerpes portoricensis</i> , Puerto Rican Woodpecker
Subfamily CHORDEILINAE	<i>Amazilia rutila</i> , Cinnamon Hummingbird	<i>Melanerpes erythrocephalus</i> , Red-headed Woodpecker
<i>Chordeiles acutipennis</i> , Lesser Nighthawk	<i>Amazilia violiceps</i> , Violet-crowned Hummingbird	<i>Melanerpes formicivorus</i> , Acorn Woodpecker
<i>Chordeiles minor</i> , Common Nighthawk	<i>Lampornis clemenciae</i> , Blue-throated Hummingbird	<i>Melanerpes uropygialis</i> , Gila Woodpecker
<i>Chordeiles gundlachii</i> , Antillean Nighthawk	<i>Eugenes fulgens</i> , Magnificent Hummingbird	<i>Melanerpes aurifrons</i> , Golden-fronted Woodpecker
Subfamily CAPRIMULGINAE	<i>Heliodoxa constantii</i> , Plain-capped Starthroat	<i>Melanerpes carolinus</i> , Red-bellied Woodpecker
<i>Nyctidromus albicollis</i> , Common Pauraque	<i>Calliphlox evelynae</i> , Bahama Woodstar	<i>Sphyrapicus thyroideus</i> , Williamson's Sapsucker
<i>Phalaenoptilus nuttallii</i> , Common Poorwill	<i>Calothorax lucifer</i> , Lucifer Hummingbird	<i>Sphyrapicus varius</i> , Yellow-bellied Sapsucker
<i>Caprimulgus carolinensis</i> , Chuck-will's-widow	<i>Archilochus colubris</i> , Ruby-throated Hummingbird	<i>Sphyrapicus nuchalis</i> , Red-naped Sapsucker
<i>Caprimulgus ridgwayi</i> , Buff-collared Nightjar	<i>Archilochus alexandri</i> , Black-chinned Hummingbird	<i>Sphyrapicus ruber</i> , Red-breasted Sapsucker
<i>Caprimulgus vociferus</i> , Eastern Whip-poor-will	<i>Calypte anna</i> , Anna's Hummingbird	<i>Dendrocopos major</i> , Great Spotted Woodpecker
<i>Caprimulgus arizonae</i> , Mexican Whip-poor-will	<i>Calypte costae</i> , Costa's Hummingbird	<i>Picoides scalaris</i> , Ladder-backed Woodpecker
<i>Caprimulgus noctitherus</i> , Puerto Rican Nightjar	<i>Stellula calliope</i> , Calliope Hummingbird	<i>Picoides nuttallii</i> , Nuttall's Woodpecker
<i>Caprimulgus indicus</i> , Gray Nightjar		<i>Picoides pubescens</i> , Downy Woodpecker
Order APODIFORMES		<i>Picoides villosus</i> , Hairy Woodpecker
Family APODIDAE		<i>Picoides arizonae</i> , Arizona Woodpecker
Subfamily CYPSELOOIDINAE		<i>Picoides borealis</i> , Red-cockaded Woodpecker
<i>Cypseloides niger</i> , Black Swift		

<i>Picoides albolarvatus</i> , White-headed Woodpecker	Flycatcher	<i>Cyanocitta stelleri</i> , Steller's Jay
<i>Picoides dorsalis</i> , American Three-toed Woodpecker	<i>Myiarchus tyrannulus</i> , Brown-crested Flycatcher	<i>Cyanocitta cristata</i> , Blue Jay
<i>Picoides arcticus</i> , Black-backed Woodpecker	<i>Myiarchus sagrae</i> , La Sagra's Flycatcher	<i>Aphelocoma coerulescens</i> , Florida Scrub-Jay
<i>Colaptes auratus</i> , Northern Flicker	<i>Myiarchus antillarum</i> , Puerto Rican Flycatcher	<i>Aphelocoma insularis</i> , Island Scrub-Jay
<i>Colaptes chrysoides</i> , Gilded Flicker	<i>Pitangus sulphuratus</i> , Great Kiskadee	<i>Aphelocoma californica</i> , Western Scrub-Jay
<i>Dryocopus pileatus</i> , Pileated Woodpecker	<i>Myiozetetes similis</i> , Social Flycatcher	<i>Aphelocoma ultramarina</i> , Mexican Jay
<i>Campephilus principalis</i> , Ivory-billed Woodpecker	<i>Myiodynastes luteiventris</i> , Sulphur-bellied Flycatcher	<i>Nucifraga columbiana</i> , Clark's Nutcracker
Order PASSERIFORMES	<i>Legatus leucophalus</i> , Piratic Flycatcher	<i>Pica hudsonia</i> , Black-billed Magpie
Family TYRANNIDAE	<i>Empidonax varius</i> , Variegated Flycatcher	<i>Pica nuttalli</i> , Yellow-billed Magpie
Subfamily ELAENIINAE	<i>Empidonax aurantioatrocristatus</i> , Crowned Slaty Flycatcher	<i>Corvus kubaryi</i> , Mariana Crow
<i>Campstostoma imberbe</i> , Northern Beardless-Tyrannulet	<i>Tyrannus melancholicus</i> , Tropical Kingbird	<i>Corvus brachyrhynchos</i> , American Crow
<i>Myiopagis viridicata</i> , Greenish Elaenia	<i>Tyrannus couchii</i> , Couch's Kingbird	<i>Corvus caurinus</i> , Northwestern Crow
<i>Elaenia martinica</i> , Caribbean Elaenia	<i>Tyrannus vociferans</i> , Cassin's Kingbird	<i>Corvus leucognaphalus</i> , White-necked Crow
<i>Elaenia albiceps</i> , White-crested Elaenia	<i>Tyrannus crassirostris</i> , Thick-billed Kingbird	<i>Corvus imparatus</i> , Tamaulipas Crow
Subfamily FLUVICOLINAE	<i>Tyrannus verticalis</i> , Western Kingbird	<i>Corvus ossifragus</i> , Fish Crow
<i>Mitrephanes phaeocercus</i> , Tufted Flycatcher	<i>Tyrannus tyrannus</i> , Eastern Kingbird	<i>Corvus hawaiiensis</i> , Hawaiian Crow
<i>Contopus cooperi</i> , Olive-sided Flycatcher	<i>Tyrannus dominicensis</i> , Gray Kingbird	<i>Corvus cryptoleucus</i> , Chihuahuan Raven
<i>Contopus pertinax</i> , Greater Pewee	<i>Tyrannus caudifasciatus</i> , Loggerhead Kingbird	<i>Corvus corax</i> , Common Raven
<i>Contopus sordidulus</i> , Western Wood-Pewee	<i>Tyrannus forficatus</i> , Scissor-tailed Flycatcher	Family ALAUDIDAE
<i>Contopus virens</i> , Eastern Wood-Pewee	<i>Tyrannus savana</i> , Fork-tailed Flycatcher	<i>Alauda arvensis</i> , Sky Lark
<i>Contopus caribaeus</i> , Cuban Pewee	<i>Pachyramphus aglaiae</i> , Rose-throated Becard	<i>Eremophila alpestris</i> , Horned Lark
<i>Contopus hispaniolensis</i> , Hispaniolan Pewee	<i>Tityra semifasciata</i> , Masked Tityra	Family HIRUNDINIDAE
<i>Contopus latirostris</i> , Lesser Antillean Pewee	Family LANIIDAE	<i>Progne subis</i> , Purple Martin
<i>Empidonax flaviventris</i> , Yellow-bellied Flycatcher	<i>Lanius cristatus</i> , Brown Shrike	<i>Progne cryptoleuca</i> , Cuban Martin
<i>Empidonax virescens</i> , Acadian Flycatcher	<i>Lanius ludovicianus</i> , Loggerhead Shrike	<i>Progne dominicensis</i> , Caribbean Martin
<i>Empidonax alnorum</i> , Alder Flycatcher	<i>Lanius excubitor</i> , Northern Shrike	Family VIREONIDAE
<i>Empidonax traillii</i> , Willow Flycatcher	Family VIREONIDAE	<i>Vireo griseus</i> , White-eyed Vireo
<i>Empidonax minimus</i> , Least Flycatcher	<i>Vireo crassirostris</i> , Thick-billed Vireo	<i>Vireo latimeri</i> , Puerto Rican Vireo
<i>Empidonax hammondi</i> , Hammond's Flycatcher	<i>Vireo bellii</i> , Bell's Vireo	<i>Vireo atricapilla</i> , Black-capped Vireo
<i>Empidonax wrightii</i> , Gray Flycatcher	<i>Vireo vicinior</i> , Gray Vireo	<i>Vireo flavifrons</i> , Yellow-throated Vireo
<i>Empidonax oberholseri</i> , Dusky Flycatcher	<i>Vireo plumbeus</i> , Plumbeous Vireo	<i>Vireo cassinii</i> , Cassin's Vireo
<i>Empidonax difficilis</i> , Pacific-slope Flycatcher	<i>Vireo solitarius</i> , Blue-headed Vireo	<i>Vireo huttoni</i> , Hutton's Vireo
<i>Empidonax occidentalis</i> , Cordilleran Flycatcher	<i>Vireo gilvus</i> , Warbling Vireo	<i>Vireo philadelphicus</i> , Philadelphia Vireo
<i>Empidonax fulvifrons</i> , Buff-breasted Flycatcher	<i>Vireo olivaceus</i> , Red-eyed Vireo	<i>Vireo magister</i> , Yucatan Vireo
<i>Sayornis nigricans</i> , Black Phoebe	<i>Vireo flavoviridis</i> , Yellow-green Vireo	Family CORVIDAE
<i>Sayornis phoebe</i> , Eastern Phoebe	<i>Vireo altiloquus</i> , Black-whiskered Vireo	<i>Perisoreus canadensis</i> , Gray Jay
<i>Sayornis saya</i> , Say's Phoebe	<i>Vireo magister</i> , Yucatan Vireo	<i>Psilorhinus morio</i> , Brown Jay
<i>Pyrocephalus rubinus</i> , Vermilion Flycatcher	Family CORVIDAE	<i>Cyanocorax yncas</i> , Green Jay
Subfamily TYRANNINAE	<i>Perisoreus canadensis</i> , Gray Jay	<i>Gymnorhinus cyanocephalus</i> , Pinyon Jay
<i>Myiarchus tuberculifer</i> , Dusky-capped Flycatcher	<i>Psilorhinus morio</i> , Brown Jay	
<i>Myiarchus cinerascens</i> , Ash-throated Flycatcher	<i>Cyanocorax yncas</i> , Green Jay	
<i>Myiarchus nuttingi</i> , Nutting's Flycatcher		
<i>Myiarchus crinitus</i> , Great Crested Flycatcher		

<i>Baeolophus inornatus</i> , Oak Titmouse	<i>Acrocephalus schoenobaenus</i> , Sedge Warbler	Catbird
<i>Baeolophus ridgwayi</i> , Juniper Titmouse	Family MEGALURIDAE	<i>Mimus polyglottos</i> , Northern Mockingbird
<i>Baeolophus bicolor</i> , Tufted Titmouse	<i>Locustella ochotensis</i> , Middendorff's Grasshopper-Warbler	<i>Mimus gundlachii</i> , Bahama Mockingbird
<i>Baeolophus atricristatus</i> , Black-crested Titmouse	<i>Locustella lanceolata</i> , Lanceolated Warbler	<i>Oreoscoptes montanus</i> , Sage Thrasher
Family REMIZIDAE	Family MUSCICAPIDAE	<i>Toxostoma rufum</i> , Brown Thrasher
<i>Auriparus flaviceps</i> , Verdin	<i>Ficedula narcissina</i> , Narcissus Flycatcher	<i>Toxostoma longirostre</i> , Long-billed Thrasher
Family AEGITHALIDAE	<i>Ficedula mugimaki</i> , Mugimaki Flycatcher	<i>Toxostoma bendirei</i> , Bendire's Thrasher
<i>Psaltriparus minimus</i> , Bushtit	<i>Ficedula albicilla</i> , Taiga Flycatcher	<i>Toxostoma curvirostre</i> , Curve-billed Thrasher
Family SITTIDAE	<i>Muscicapa sibirica</i> , Dark-sided Flycatcher	<i>Toxostoma redivivum</i> , California Thrasher
Subfamily SITTINAE	<i>Muscicapa griseisticta</i> , Gray-streaked Flycatcher	<i>Toxostoma crissale</i> , Crissal Thrasher
<i>Sitta canadensis</i> , Red-breasted Nuthatch	<i>Muscicapa dauurica</i> , Asian Brown Flycatcher	<i>Toxostoma lecontei</i> , Le Conte's Thrasher
<i>Sitta carolinensis</i> , White-breasted Nuthatch	<i>Muscicapa striata</i> , Spotted Flycatcher	<i>Melanotis caerulescens</i> , Blue Mockingbird
<i>Sitta pygmaea</i> , Pygmy Nuthatch	Family TURDIDAE	<i>Margarops fuscatus</i> , Pearly-eyed Thrasher
<i>Sitta pusilla</i> , Brown-headed Nuthatch	<i>Monticola solitarius</i> , Blue Rock-Thrush	Family STURNIDAE
Family CERTHIIDAE	<i>Luscinia sibilans</i> , Rufous-tailed Robin	<i>Sturnus philippensis</i> , Chestnut-cheeked Starling
Subfamily CERTHIINAE	<i>Luscinia calliope</i> , Siberian Rubythroat	<i>Sturnus cineraceus</i> , White-cheeked Starling
<i>Certhia americana</i> , Brown Creeper	<i>Luscinia svecica</i> , Bluethroat	Family PRUNELLIDAE
Family TROGLODYTIDAE	<i>Luscinia cyane</i> , Siberian Blue Robin	<i>Prunella montanella</i> , Siberian Accentor
<i>Campylorhynchus brunneicapillus</i> , Cactus Wren	<i>Tarsiger cyanurus</i> , Red-flanked Bluetail	Family MOTACILLIDAE
<i>Salpinctes obsoletus</i> , Rock Wren	<i>Oenanthe oenanthe</i> , Northern Wheatear	<i>Motacilla tschutschensis</i> , Eastern Yellow Wagtail
<i>Catherpes mexicanus</i> , Canyon Wren	<i>Saxicola torquatus</i> , Stonechat	<i>Motacilla citreola</i> , Citrine Wagtail
<i>Thryothorus sinaloa</i> , Sinaloa Wren	<i>Sialia sialis</i> , Eastern Bluebird	<i>Motacilla cinerea</i> , Gray Wagtail
<i>Thryothorus ludovicianus</i> , Carolina Wren	<i>Sialia mexicana</i> , Western Bluebird	<i>Motacilla alba</i> , White Wagtail
<i>Thryomanes bewickii</i> , Bewick's Wren	<i>Sialia currucoides</i> , Mountain Bluebird	<i>Anthus trivialis</i> , Tree Pipit
<i>Troglodytes aedon</i> , House Wren	<i>Myadestes townsendi</i> , Townsend's Solitaire	<i>Anthus hodgsoni</i> , Olive-backed Pipit
<i>Troglodytes pacificus</i> , Pacific Wren	<i>Myadestes myadestinus</i> , Kamao	<i>Anthus gustavi</i> , Pechora Pipit
<i>Troglodytes hiemalis</i> , Winter Wren	<i>Myadestes laniensis</i> , Olomao	<i>Anthus cervinus</i> , Red-throated Pipit
<i>Cistothorus platensis</i> , Sedge Wren	<i>Myadestes obscurus</i> , Omao	<i>Anthus rubescens</i> , American Pipit
<i>Cistothorus palustris</i> , Marsh Wren	<i>Myadestes palmeri</i> , Puiohi	<i>Anthus spragueii</i> , Sprague's Pipit
Family POLIOPTILIDAE	<i>Catharus aurantiirostris</i> , Orange-billed Nightingale-Thrush	Family BOMBYCILLIDAE
<i>Polioptila caerulea</i> , Blue-gray Gnatcatcher	<i>Catharus mexicanus</i> , Black-headed Nightingale-Thrush	<i>Bombycilla garrulus</i> , Bohemian Waxwing
<i>Polioptila californica</i> , California Gnatcatcher	<i>Catharus fuscescens</i> , Veery	<i>Bombycilla cedrorum</i> , Cedar Waxwing
<i>Polioptila melanura</i> , Black-tailed Gnatcatcher	<i>Catharus minimus</i> , Gray-cheeked Thrush	Family PTILOGONATIDAE
<i>Polioptila nigriceps</i> , Black-capped Gnatcatcher	<i>Catharus bicknelli</i> , Bicknell's Thrush	<i>Ptilogonyx cinereus</i> , Gray Silky-flycatcher
Family CINCLIDAE	<i>Catharus ustulatus</i> , Swainson's Thrush	<i>Phainopepla nitens</i> , Phainopepla
<i>Cinclus mexicanus</i> , American Dipper	<i>Catharus guttatus</i> , Hermit Thrush	Family PEUCEDRAMIDAE
Family REGULIDAE	<i>Hylocichla mustelina</i> , Wood Thrush	<i>Peucedramus taeniatus</i> , Olive Warbler
<i>Regulus satrapa</i> , Golden-crowned Kinglet	<i>Turdus obscurus</i> , Eyebrowed Thrush	Family CALCARIIDAE
<i>Regulus calendula</i> , Ruby-crowned Kinglet	<i>Turdus naumanni</i> , Dusky Thrush	<i>Calcarius lapponicus</i> , Lapland Longspur
Family PHYLLOSCOPIDAE	<i>Turdus pilaris</i> , Fieldfare	<i>Calcarius ornatus</i> , Chestnut-collared Longspur
<i>Phylloscopus trochilus</i> , Willow Warbler	<i>Turdus grayi</i> , Clay-colored Thrush	<i>Calcarius pictus</i> , Smith's Longspur
<i>Phylloscopus sibilatrix</i> , Wood Warbler	<i>Turdus assimilis</i> , White-throated Thrush	<i>Rhynchosperes mccownii</i> , McCown's Longspur
<i>Phylloscopus fuscatus</i> , Dusky Warbler	<i>Turdus rufopalliatus</i> , Rufous-backed Robin	<i>Plectrophenax nivalis</i> , Snow Bunting
<i>Phylloscopus proregulus</i> , Pallas's Leaf-Warbler	<i>Turdus migratorius</i> , American Robin	<i>Plectrophenax hyperboreus</i> , McKay's Bunting
<i>Phylloscopus inornatus</i> , Yellow-browed Warbler	<i>Turdus plumbeus</i> , Red-legged Thrush	Family PARULIDAE
<i>Phylloscopus borealis</i> , Arctic Warbler	<i>Ixoreus naevius</i> , Varied Thrush	<i>Vermivora bachmanii</i> , Bachman's Warbler
Family SYLVIIDAE	<i>Ridgwayia pinicola</i> , Aztec Thrush	<i>Vermivora cyanoptera</i> , Blue-winged
<i>Sylvia curruca</i> , Lesser Whitethroat	Family MIMIDAE	
<i>Chamaea fasciata</i> , Wrentit	<i>Dumetella carolinensis</i> , Gray Catbird	
Family ACROCEPHALIDAE	<i>Melanoptila glabrirostris</i> , Black	
<i>Acrocephalus luscinia</i> , Nightingale Reed-Warbler		
<i>Acrocephalus familiaris</i> , Millerbird		

Warbler	Waterthrush	<i>Chondestes grammacus</i> , Lark Sparrow
<i>Vermivora chrysoptera</i> , Golden-winged Warbler	<i>Oporornis formosus</i> , Kentucky Warbler	<i>Amphispiza quinquestriata</i> , Five-striped Sparrow
<i>Oreothlypis peregrina</i> , Tennessee Warbler	<i>Oporornis agilis</i> , Connecticut Warbler	<i>Amphispiza bilineata</i> , Black-throated Sparrow
<i>Oreothlypis celata</i> , Orange-crowned Warbler	<i>Oporornis philadelphia</i> , Mourning Warbler	<i>Amphispiza belli</i> , Sage Sparrow
<i>Oreothlypis ruficapilla</i> , Nashville Warbler	<i>Oporornis tolmiei</i> , MacGillivray's Warbler	<i>Calamospiza melanocorys</i> , Lark Bunting
<i>Oreothlypis virginiae</i> , Virginia's Warbler	<i>Geothlypis trichas</i> , Common Yellowthroat	<i>Passerculus sandwichensis</i> , Savannah Sparrow
<i>Oreothlypis crissalis</i> , Colima Warbler	<i>Geothlypis poliocephala</i> , Gray-crowned Yellowthroat	<i>Ammodramus savannarum</i> , Grasshopper Sparrow
<i>Oreothlypis luciae</i> , Lucy's Warbler	<i>Wilsonia citrina</i> , Hooded Warbler	<i>Ammodramus bairdii</i> , Baird's Sparrow
<i>Oreothlypis superciliosa</i> , Crescent-chested Warbler	<i>Wilsonia pusilla</i> , Wilson's Warbler	<i>Ammodramus henslowii</i> , Henslow's Sparrow
<i>Parula americana</i> , Northern Parula	<i>Wilsonia canadensis</i> , Canada Warbler	<i>Ammodramus leconteii</i> , Le Conte's Sparrow
<i>Parula pityayumi</i> , Tropical Parula	<i>Cardellina rubrifrons</i> , Red-faced Warbler	<i>Ammodramus nelsoni</i> , Nelson's Sparrow
<i>Dendroica petechia</i> , Yellow Warbler	<i>Myioborus pictus</i> , Painted Redstart	<i>Ammodramus caudacutus</i> , Saltmarsh Sparrow
<i>Dendroica pensylvanica</i> , Chestnut-sided Warbler	<i>Myioborus miniatus</i> , Slate-throated Redstart	<i>Ammodramus maritimus</i> , Seaside Sparrow
<i>Dendroica magnolia</i> , Magnolia Warbler	<i>Euthlypis lachrymosa</i> , Fan-tailed Warbler	<i>Passerella iliaca</i> , Fox Sparrow
<i>Dendroica tigrina</i> , Cape May Warbler	<i>Basileuterus culicivorus</i> , Golden-crowned Warbler	<i>Melospiza melodia</i> , Song Sparrow
<i>Dendroica caeruleascens</i> , Black-throated Blue Warbler	<i>Basileuterus rufifrons</i> , Rufous-capped Warbler	<i>Melospiza lincolni</i> , Lincoln's Sparrow
<i>Dendroica coronata</i> , Yellow-rumped Warbler	<i>Icteria virens</i> , Yellow-breasted Chat	<i>Melospiza georgiana</i> , Swamp Sparrow
<i>Dendroica nigrescens</i> , Black-throated Gray Warbler	Family THRAUPIDAE	<i>Zonotrichia albicollis</i> , White-throated Sparrow
<i>Dendroica chrysoparia</i> , Golden-cheeked Warbler	<i>Nesospingus speculiferus</i> , Puerto Rican Tanager	<i>Zonotrichia querula</i> , Harris's Sparrow
<i>Dendroica virens</i> , Black-throated Green Warbler	<i>Spindalis zena</i> , Western Spindalis	<i>Zonotrichia leucophrys</i> , White-crowned Sparrow
<i>Dendroica townsendi</i> , Townsend's Warbler	<i>Spindalis portoricensis</i> , Puerto Rican Spindalis	<i>Zonotrichia atricapilla</i> , Golden-crowned Sparrow
<i>Dendroica occidentalis</i> , Hermit Warbler	Family EMBERIZIDAE	<i>Junco hyemalis</i> , Dark-eyed Junco
<i>Dendroica fusca</i> , Blackburnian Warbler	<i>Sporophila torqueola</i> , White-collared Seedeater	<i>Junco phaeonotus</i> , Yellow-eyed Junco
<i>Dendroica dominica</i> , Yellow-throated Warbler	<i>Tiaris olivaceus</i> , Yellow-faced Grassquit	<i>Emberiza leucocephalos</i> , Pine Bunting
<i>Dendroica graciae</i> , Grace's Warbler	<i>Tiaris bicolor</i> , Black-faced Grassquit	<i>Emberiza chrysophrys</i> , Yellow-browed Bunting
<i>Dendroica adelaidae</i> , Adelaide's Warbler	<i>Loxigilla portoricensis</i> , Puerto Rican Bullfinch	<i>Emberiza pusilla</i> , Little Bunting
<i>Dendroica pinus</i> , Pine Warbler	<i>Arremonops rufivirgatus</i> , Olive Sparrow	<i>Emberiza rustica</i> , Rustic Bunting
<i>Dendroica kirtlandii</i> , Kirtland's Warbler	<i>Pipilo chlorurus</i> , Green-tailed Towhee	<i>Emberiza elegans</i> , Yellow-throated Bunting
<i>Dendroica discolor</i> , Prairie Warbler	<i>Pipilo maculatus</i> , Spotted Towhee	<i>Emberiza aureola</i> , Yellow-breasted Bunting
<i>Dendroica palmarum</i> , Palm Warbler	<i>Pipilo erythropthalmus</i> , Eastern Towhee	<i>Emberiza variabilis</i> , Gray Bunting
<i>Dendroica castanea</i> , Bay-breasted Warbler	<i>Aimophila ruficeps</i> , Rufous-crowned Sparrow	<i>Emberiza pallasi</i> , Pallas's Bunting
<i>Dendroica striata</i> , Blackpoll Warbler	<i>Melozone fusca</i> , Canyon Towhee	<i>Emberiza schoeniclus</i> , Reed Bunting
<i>Dendroica cerulea</i> , Cerulean Warbler	<i>Melozone crissalis</i> , California Towhee	Family CARDINALIDAE
<i>Dendroica angelae</i> , Elfin-woods Warbler	<i>Melozone aberti</i> , Abert's Towhee	<i>Piranga flava</i> , Hepatic Tanager
<i>Mniotilla varia</i> , Black-and-white Warbler	<i>Peucaea carpalis</i> , Rufous-winged Sparrow	<i>Piranga rubra</i> , Summer Tanager
<i>Setophaga ruticilla</i> , American Redstart	<i>Peucaea botterii</i> , Botteri's Sparrow	<i>Piranga olivacea</i> , Scarlet Tanager
<i>Protonotaria citrea</i> , Prothonotary Warbler	<i>Peucaea cassinii</i> , Cassin's Sparrow	<i>Piranga ludoviciana</i> , Western Tanager
<i>Helmintheros vermivorum</i> , Worm-eating Warbler	<i>Peucaea aestivalis</i> , Bachman's Sparrow	<i>Piranga bidentata</i> , Flame-colored Tanager
<i>Limnothlypis swainsonii</i> , Swainson's Warbler	<i>Spizella arborea</i> , American Tree Sparrow	<i>Rhodothraupis celaeno</i> , Crimson-collared Grosbeak
<i>Seiurus aurocapilla</i> , Ovenbird	<i>Spizella passerina</i> , Chipping Sparrow	<i>Cardinalis cardinalis</i> , Northern Cardinal
<i>Parkesia noveboracensis</i> , Northern Waterthrush	<i>Spizella pallida</i> , Clay-colored Sparrow	<i>Cardinalis sinuatus</i> , Pyrrhuloxia
<i>Parkesia motacilla</i> , Louisiana	<i>Spizella breweri</i> , Brewer's Sparrow	<i>Pheucticus chrysopcephalus</i> , Yellow Grosbeak
	<i>Spizella pusilla</i> , Field Sparrow	<i>Pheucticus ludovicianus</i> , Rose-breasted Grosbeak
	<i>Spizella wortheni</i> , Worthen's Sparrow	<i>Pheucticus melanocephalus</i> , Black-headed Grosbeak
	<i>Spizella atrogularis</i> , Black-chinned Sparrow	
	<i>Pooecetes gramineus</i> , Vesper Sparrow	

<i>Cyanocompsa parellina</i> , Blue Bunting	<i>Icterus graduacauda</i> , Audubon's Oriole	Parrotbill
<i>Passerina caerulea</i> , Blue Grosbeak	<i>Icterus galbula</i> , Baltimore Oriole	<i>Hemignathus virens</i> , Hawaii Amakihi
<i>Passerina amoena</i> , Lazuli Bunting	<i>Icterus parisorum</i> , Scott's Oriole	<i>Hemignathus flavus</i> , Oahu Amakihi
<i>Passerina cyanea</i> , Indigo Bunting	Family FRINGILLIDAE	<i>Hemignathus kauaiensis</i> , Kauai
<i>Passerina versicolor</i> , Varied Bunting	Subfamily FRINGILLINAE	Amakihi
<i>Passerina ciris</i> , Painted Bunting	<i>Fringilla coelebs</i> , Common Chaffinch	<i>Hemignathus ellisianus</i> , Greater Akialoa
<i>Spiza americana</i> , Dickcissel	<i>Fringilla montifringilla</i> , Brambling	<i>Hemignathus lucidus</i> , Nukupuu
Family ICTERIDAE	Subfamily EUPHONIINAE	<i>Hemignathus munroi</i> , Akiapolaau
<i>Dolichonyx oryzivorus</i> , Bobolink	<i>Euphonia musica</i> , Antillean Euphonia	<i>Magumma parva</i> , Anianiau
<i>Agelaius phoeniceus</i> , Red-winged Blackbird	Subfamily CARDUELINAE	<i>Oreomystis bairdi</i> , Akikiki
<i>Agelaius tricolor</i> , Tricolored Blackbird	<i>Leucosticte tephrocotis</i> , Gray-crowned Rosy-Finch	<i>Oreomystis mana</i> , Hawaii Creeper
<i>Agelaius humeralis</i> , Tawny-shouldered Blackbird	<i>Leucosticte atrata</i> , Black Rosy-Finch	<i>Paroreomyza maculata</i> , Oahu Alauahio
<i>Agelaius xanthomus</i> , Yellow-shouldered Blackbird	<i>Leucosticte australis</i> , Brown-capped Rosy-Finch	<i>Paroreomyza flammea</i> , Kakawahie
<i>Sturnella magna</i> , Eastern Meadowlark	<i>Pinicola enucleator</i> , Pine Grosbeak	<i>Paroreomyza montana</i> , Maui Alauahio
<i>Sturnella neglecta</i> , Western Meadowlark	<i>Carpodacus erythrinus</i> , Common Rosefinch	<i>Loxops caeruleirostris</i> , Akekee
<i>Xanthocephalus xanthocephalus</i> , Yellow-headed Blackbird	<i>Carpodacus purpureus</i> , Purple Finch	<i>Loxops coccineus</i> , Akepa
<i>Euphagus carolinus</i> , Rusty Blackbird	<i>Carpodacus cassini</i> , Cassin's Finch	<i>Vestiaria coccinea</i> , Iiwi
<i>Euphagus cyanocephalus</i> , Brewer's Blackbird	<i>Carpodacus mexicanus</i> , House Finch	<i>Palmeria dolei</i> , Akohekohe
<i>Quiscalus quiscula</i> , Common Grackle	<i>Loxia curvirostra</i> , Red Crossbill	<i>Himatione sanguinea</i> , Apapane
<i>Quiscalus major</i> , Boat-tailed Grackle	<i>Loxia leucoptera</i> , White-winged Crossbill	<i>Melamprosops phaeosoma</i> , Poo-uli
<i>Quiscalus mexicanus</i> , Great-tailed Grackle	<i>Acanthis flammea</i> , Common Redpoll	
<i>Quiscalus niger</i> , Greater Antillean Grackle	<i>Acanthis hornemannii</i> , Hoary Redpoll	
<i>Molothrus bonariensis</i> , Shiny Cowbird	<i>Spinus spinus</i> , Eurasian Siskin	
<i>Molothrus aeneus</i> , Bronzed Cowbird	<i>Spinus pinus</i> , Pine Siskin	
<i>Molothrus ater</i> , Brown-headed Cowbird	<i>Spinus psaltria</i> , Lesser Goldfinch	
<i>Icterus portoricensis</i> , Puerto Rican Oriole	<i>Spinus lawrencei</i> , Lawrence's Goldfinch	
<i>Icterus wagleri</i> , Black-vented Oriole	<i>Spinus tristis</i> , American Goldfinch	
<i>Icterus spurius</i> , Orchard Oriole	<i>Chloris sinica</i> , Oriental Greenfinch	
<i>Icterus cucullatus</i> , Hooded Oriole	<i>Pyrrhula pyrrhula</i> , Eurasian Bullfinch	
<i>Icterus pustulatus</i> , Streak-backed Oriole	<i>Coccothraustes vespertinus</i> , Evening Grosbeak	
<i>Icterus bullockii</i> , Bullock's Oriole	<i>Coccothraustes coccothraustes</i> , Hawfinch	
<i>Icterus gularis</i> , Altamira Oriole	Subfamily DREPANIDINAE	
	<i>Telespiza cantans</i> , Laysan Finch	
	<i>Telespiza ultima</i> , Nihoa Finch	
	<i>Psittirostra psittacea</i> , Ou	
	<i>Loxioides bailleui</i> , Palila	
	<i>Pseudonestor xanthophrys</i> , Maui	

**PART 21—[AMENDED]**

- 3. Revise the authority citation for part 21 to read as follows:

**Authority:** Pub. L. 65–186, 40 Stat. 755 (1918) (16 U.S.C. 703–712), as amended.

**§ 21.3 [Amended]**

- 4. In § 21.3, amend the definition of “Raptor” by adding the words “the Order Accipitriformes,” immediately before the words “the Order Falconiformes” and adding a comma after “Falconiformes”.

Dated: September 17, 2013.

**Michael J. Bean,**

*Acting Principal Deputy Assistant Secretary for Fish and Wildlife and Parks.*

[FR Doc. 2013–26061 Filed 10–31–13; 8:45 am]

**BILLING CODE 4310–55–P**