Food and Drug Administration, HHS

§ 172.155 Natamycin (pimaricin).

- (a) Natamycin (CAS Reg. No. 7681–93–8), also known as pimaricin, is a polyene macrolide antimycotic substance possessing an empirical formula of $C_{33}H_{47}NO_{13}$ and a molecular weight of 665.7.
- (b) The additive shall conform to the following specifications:

Purity: 97 percent ± 2 percent on an anhydrous basis.

Arsenic: Not more than 1 part per million. Heavy metals (as Pb): Not more than 20 parts per million.

(c) The additive may be applied on cheese, as an antimycotic, in amounts not to exceed 20 milligrams per kilogram (20 parts per million) in the finished product as determined by International Dairy Federation (IDF) Standard 140A:1992, "Cheese and Cheese Rind-Determination of Natamycin Content-Method by Molecular Absorption Spectrometry and by High-Performance Liquid Chromatography," which is incorporated by reference. The Director of the Office of the Federal Register approves this incorporation by reference in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Copies are available from the Division of Product Policy (HFS-206), Center for Food Safety and Applied Nutrition, Food and Administration, 5100 Branch Pkwy., College Park, MD 20740, or may be examined at the Center for Food Safety and Applied Nutrition's Library, 5100 Paint Branch Pkwy., College Park, MD 20740, or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/federal register/ $code_of_federal_regula\overline{ti}ons/$ ibr locations.html.

[47 FR 26823, June 22, 1982, as amended at 50 FR 49536, Dec. 3, 1985; 63 FR 66015, Dec. 1, 1998; 66 FR 13847, Mar. 8, 2001]

§172.160 Potassium nitrate.

The food additive potassium nitrate may be safely used as a curing agent in the processing of cod roe, in an amount not to exceed 200 parts per million of the finished roe.

§ 172.165 Quaternary ammonium chloride combination.

The food additive, quaternary ammonium chloride combination, may be safely used in food in accordance with the following conditions:

- (a) The additive contains the following compounds: n-dodecyl dimethyl benzyl ammonium chloride (CAS Reg. No. 139–07–1); n-dodecyl dimethyl ethylbenzyl ammonium chloride (CAS Reg. No. 27479–28–3); n-hexadecyl dimethyl benzyl ammonium chloride (CAS Reg. No. 122–18–9); n-octadecyl dimethyl benzyl ammonium chloride (CAS Reg. No. 122–19–0); n-tetradecyl dimethyl benzyl ammonium chloride (CAS Reg. No. 139–08–2); n-tetradecyl dimethyl ethylbenzyl ammonium chloride (CAS Reg. No. 27479–29–4).
- (b) The additive meets the following specifications: pH (5 percent active solution) 7.0–8.0; total amines, maximum 1 percent as combined free amines and amine hydrochlorides.
- (c) The additive is used as an antimicrobial agent, as defined in §170.3(o)(2) of this chapter, in raw sugar cane juice. It is added prior to clarification when further processing of the sugar cane juice must be delayed.
- (d) The additive is applied to the sugar juice in the following quantities, based on the weight of the raw cane:

Component	Parts per million
n-Dodecyl dimethyl benzyl ammonium chloride	0.25-1.0
n-Dodecyl dimethyl ethylbenzyl ammonium chloride	3.4–13.5
n-Hexadecyl dimethyl benzyl ammonium chlo- ride	1.5–6.0
n-Octadecyl dimethyl benzyl ammonium chlo- ride	0.25-1.0
n-Tetradecyl dimethyl benzyl ammonium chlo-	3.0–12.0
riden-Tetradecyl dimethyl ethylbenzyl ammonium	3.0-12.0
chloride	1.6–6.5

[50 FR 3890, Jan. 29, 1985]

§ 172.167 Silver nitrate and hydrogen peroxide solution.

An aqueous solution containing a mixture of silver nitrate and hydrogen peroxide may be safely used in accordance with the following prescribed conditions:

(a) The additive is used as an antimicrobial agent in bottled water.